



# 2017 CATALOG





## DRIVEN BY INNOVATION, GARANT® MAKES THE PROMISE TO CREATE THE BEST TOOLS FOR YOU.

For more than a century, Garant® has been combining know-how and creativity to design and develop tools with that same inventive spirit its founders had. Garant® is far more than just a manufacturer of accessories and non-powered tools—it is a large family sharing the same values, the same DNA. Stubborn people committed to give it all to constantly improve and reinvent its products. We believe that innovation is nothing if it doesn't consider those for whom it was intended. That's why Garant® has implemented a rigorous research and development process to ensure that users always come first, whether they are professional workers, do-it-yourselfers or just gardening lovers. Tools are at their service—they are the extension of their know-how. Whatever the task, we are convinced there is a way to improve it in terms of ergonomics or speed of execution by using traditional or new materials and tools in tune with today's realities. Garant® keeps attuned to its consumers' needs and to every aspect of the job; the tools that we create are carefully thought-out down to the very last detail. The most demanding workers recognize in our tools a durability that keeps up with them and all of them find smart features making their job easier.

### BUT WHY SHOULD YOU TRUST GARANT®?

Garant® is a dynamic, simple, flexible, reliable, forward-looking Canadian company. You can find everything at one place, whether you're thinking lawn care, gardening, or construction, industrial or farm tools. In short, a wide selection of tools meeting all the needs of Canadians. We operate with the firm conviction that we team up with you and that ultimately, together we offer quality products and ensure user satisfaction.

For more information, visit our website at [www.garant.com](http://www.garant.com) or don't hesitate to call our customer service at 418-259-7711 or 1-800-463-7040.

# 2017 CATALOG

## INDEX



### LONG HANDLE TOOLS [ Shovels, rakes, turf edgers, etc. ]

GARANT PRO SERIES .....	2
GARANT AGRO SERIES .....	28
GARANT .....	34
GARANT BOTANICA .....	44
ECONO .....	49
PRACTICA .....	53
EXCLUSIVE TO INDUSTRIALS (TRUE TEMPER, COUGAR) .....	59



### STRIKING TOOLS [ Axes, sledge hammers, hammers, etc. ]

GARANT PRO SERIES .....	66
GARANT .....	77



### CUTTING AND HAND TOOLS [ Pruners, trowels, shears, etc. ]

GARANT .....	91
GARANT BOTANICA .....	92
ECONO .....	96



### YOUNG GARDENERS [ Hand tools, wheelbarrow, shovels, etc. ]

GARANT KIDS .....	97
-------------------	----



### WHEELBARROWS

GARANT PRO SERIES .....	100
TRUE TEMPER .....	102
PRACTICA .....	105



### CARTS [ Garden carts, lawn roller, etc. ]

AMES .....	107
GARANT .....	107



### PLANTERS AND DECORATIVE ACCESSORIES

SOUTHERN PATIO .....	108
DYNAMIC DESIGN .....	118
AMES .....	121



### HOSE REELS [ Wall-mount hose reels, hose carts, etc. ]

GARANT DECO COLLECTION .....	124
AMES .....	126
PRACTICA .....	132



### REPLACEMENT PARTS [ Handles, heads, blades, wedges, displays, etc. ]

GARANT .....	137
GARANT PRO SERIES .....	150
GARANT AGRO SERIES .....	152
AMES .....	156
TRUE TEMPER .....	158

# GARANT PRO SERIES LONG HANDLE TOOLS





KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPLACEMENT HANDLE	DESCRIPTION
A	GPFR2L	83319	3	144	7.08 (3.2)	Engineered materials	48 (121.9)	8 3/4 x 11 1/4 (22.2 x 28.6)	61 1/2 (156.21)	N/A	Industrial-grade round point shovel, ultra-sturdy forged steel blade with forward-turned footsteps, sturdy long handle, fiberglass core overmolded with TPE. Double-rivet assembly.
B	GPGS2FD	83316	3	192	6.32 (2.87)	Engineered materials	31 (78.74)	7 x 11 3/4 (17.8 x 29.8)	46 (116.84)	N/A	Industrial-grade garden spade, ultra-sturdy forged steel blade with forward-turned footsteps, sturdy fiberglass core overmolded with TPE, one-piece D-grip. Double-rivet assembly.
C	GPFDS14D	83315	3	240	5.9 (2.68)	Engineered materials	31 (78.74)	6 x 14 (15.24 x 35.6)	48 3/4 (123.82)	N/A	Industrial-grade drain spade, ultra-sturdy forged steel blade with forward-turned footsteps, sturdy fiberglass core overmolded with TPE, one-piece D-grip. Double-rivet assembly.
D	GPFMS8	83577	3	144	5.76 (2.61)	Engineered materials	48 (121.9)	8 1/4 x 6 (20.95 x 15.24)	57.5 (146.05)	N/A	Industrial-grade multipurpose scraper, forged steel blade, sturdy fiberglass core overmolded with TPE. Double-rivet assembly.



**PRO**  
**SERIES**



## LONG HANDLE TOOLS • SHOVELS



One-piece handle



2-rivet assembly

**A** GPHR2FDS



**B** GPHR2FLS



**C** GPHS2D



**D** GPHS2L



**F** GPHDS16FD



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPLACEMENT HANDLE	DESCRIPTION
A	GPHR2FDS	80442	6	144	4.7 (2.14)	Engineered materials	31 (78.71)	8 1/2 x 11 1/2 (21.59 x 29.46)	43.25 (109.81)	N/A	Industrial-grade round point shovel. Heavy-gauge tempered steel blade with extra-wide forward-turned footsteps. Ultra-sturdy fiberglass core overmolded with TPE. One-piece D-grip. Double-rivet assembly.
B	GPHR2FLS	80448	3	192	4.7 (2.14)	Engineered materials	48 (121.87)	8 1/2 x 11 1/2 (21.59 x 29.46)	63.5 (161.28)	N/A	Industrial-grade round point shovel. Heavy-gauge tempered steel blade with extra-wide forward-turned footsteps. Ultra-sturdy fiberglass core overmolded with TPE. Double-rivet assembly.
C	GPHS2D	80450	6	144	4.6 (2.1)	Engineered materials	31 (78.71)	9 1/2 x 11 (24.13 x 27.43)	42.5 (107.91)	N/A	Industrial-grade square point shovel. Heavy-gauge tempered steel blade with rolled-back steps. Ultra-sturdy fiberglass core overmolded with TPE. One-piece D-grip. Double-rivet assembly.
D	GPHS2L	80451	3	192	4.7 (2.14)	Engineered materials	48 (121.87)	9 1/2 x 11 (24.13 x 27.68)	59.5 (151.07)	N/A	Industrial-grade square point shovel. Heavy-gauge tempered steel blade with rolled-back steps. Ultra-sturdy fiberglass core overmolded with TPE. Double-rivet assembly.
E	GPHGS2FDS	80437	6	144	4.28 (1.95)	Engineered materials	31 (78.71)	7 x 11 1/4 (17.52 x 28.70)	44.5 (112.98)	N/A	Industrial-grade garden spade. Heavy-gauge tempered steel blade with extra-wide forward-turned footsteps. Ultra-sturdy fiberglass core overmolded with TPE. One-piece D-grip. Double-rivet assembly.
F	GPHDS16FD	80436	3	240	4.6 (2.1)	Engineered materials	31 (78.71)	5 1/2 x 15 1/2 (14.22 x 39.36)	48.5 (123.14)	N/A	Industrial-grade drain spade. Heavy-gauge tempered steel blade with extra-wide forward-turned footsteps. Ultra-sturdy fiberglass core overmolded with TPE. One-piece D-grip. Double-rivet assembly.



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPLACEMENT HANDLE	DESCRIPTION
A	GPCR14	83313	6	216	3.33 (1.51)	Engineered materials	60 (152.4)	14 (35.6)	62 1/4 (158.11)	N/A	Industrial-grade double-back level rake. Forged steel head, ultra-sturdy profiled fiberglass long handle overmolded with TPE. Double-rivet assembly.
B	GPBR16	83312	6	240	3.8 (1.72)	Engineered materials	60 (152.4)	16 7/8 (42.8)	66 (167.64)	N/A	Industrial-grade bow rake. Forged steel head, ultra-sturdy profiled fiberglass long handle overmolded with TPE. Double-rivet assembly.



**PRO  
SERIES**



## LONG HANDLE TOOLS • FORGED STEEL SHOVELS



Spot-welded steel "D" grip for strength and comfort



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GIFR2FD	81188	3	192	4.48 (2.03)	Steel	25 1/2 (64.8)	8 3/4 x 11 1/4 (22.2 x 28.6)	39 1/2 (100.3)	C4512409*	Round point shovel, solid shank and forged steel blade, forward-turned steps, premium quality varnished hardwood handle. Longer socket for better shovel balance.
B	GIFR2FL	81189	3	192	4.83 (2.19)	-	48 (121.9)	8 3/4 x 11 1/4 (22.2 x 28.6)	62 (157.5)	C4564809*	
C	GFGS2FD	81194	3	192	4.50 (2.04)	Steel	25 1/2 (64.8)	7 1/8 x 11 3/4 (18.1 x 29.8)	41 1/4 (104.8)	C4512409*	Garden spade, solid shank and forged steel blade, forward-turned steps, premium quality varnished hardwood handle. Longer socket for better shovel balance.
D	GFGS2FL	80506	3	192	4.70 (2.13)	-	48 (121.9)	7 1/8 x 11 3/4 (18.1 x 29.8)	63 1/4 (160.7)	C4564809*	
E	GFR02D35	80360	3	168	6.00 (2.72)	Steel	27 (68.58)	7 1/2 x 12 1/4 (12.7 x 19.05)	49 (124.46)	C4513609*	Irrigation shovel, solid shank and tempered steel blade, premium quality varnished hardwood handle. Longer socket for better shovel balance.
F	GFDS14D	80356	3	240	5.20 (2.36)	Steel	25 1/2 (64.8)	5 1/2 x 14 (14.0 x 35.6)	43 1/2 (110.5)	C4512409*	Drain spade, solid shank and forged steel blade, forward-turned steps, premium quality varnished hardwood handle. Longer socket for better shovel balance.
G	GFDS14L	80467	3	192	5.20 (2.36)	-	48 (121.9)	5 1/2 x 14 (14.0 x 35.6)	65 1/2 (165.1)	C4564809*	Drain spade with long handle, solid shank and forged steel blade, forward-turned steps, premium quality varnished hardwood handle. Longer socket for better shovel balance.

\* These replacement handles are suitable for the models above, but are different from the original ones.



Spot-welded  
steel "D" grip  
for strength  
and comfort



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GIFR2D	81185	3	216	4.40 (2.00)	Steel	25 1/2 (64.8)	8 3/4 x 11 1/4 (22.2 x 28.6)	39 1/2 (100.3)	C4512409*	Round point shovel, solid shank and forged steel blade, premium quality varnished hardwood handle. Longer socket for better shovel balance.
B	GIFR2L	81186	3	192	4.40 (2.00)	-	48 (121.9)	8 3/4 x 11 1/4 (22.2 x 28.6)	61 3/4 (156.8)	C4564809*	
C	GFR2NL	81187	3	192	5.50 (2.49)	-	48 (121.9)	8 1/4 x 12 (21.0 x 30.5)	62 1/4 (158.1)	C4564809*	

\* These replacement handles are suitable for the models above, but are different from the original ones.



**PRO  
SERIES**



## LONG HANDLE TOOLS • FORGED STEEL SHOVELS



Spot-welded  
steel "D" grip  
for strength  
and comfort

**A** GFR2D



**B** GFR2D35



**C** GFR2L



**F** GFS2L



**D** GFS2D



**E** GFS2D35



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GFR2D	80361	3	192	5.40 (2.45)	Steel	25 1/2 (64.8)	9 x 12 1/4 (22.9 x 31.1)	40 1/2 (102.9)	C4512409*	Round point shovel, solid shank and forged steel blade, premium quality varnished hardwood handle. Longer socket for better shovel balance.
B	GFR2D35	80364	3	192	5.70 (2.59)	Steel	34 3/4 (88.3)	9 x 12 1/4 (22.9 x 31.1)	49 3/4 (126.4)	C4513609*	
C	GFR2L	80365	3	216	5.11 (2.32)	-	48 (121.9)	9 x 12 1/4 (22.9 x 31.1)	62 3/4 (159.4)	C4564809*	
D	GFS2D	80366	3	144	5.50 (2.49)	Steel	25 1/2 (64.8)	9 1/2 x 12 (24.1 x 30.5)	40 (101.6)	C4512409*	Square point shovel, solid shank and forged steel blade, premium quality varnished hardwood handle. Longer socket for better shovel balance.
E	GFS2D35	80447	3	192	5.80 (2.63)	Steel	34 3/4 (88.3)	9 1/2 x 12 (24.1 x 30.5)	49 1/4 (125.1)	C4513609*	
F	GFS2L	80367	3	216	5.70 (2.59)	-	48 (121.9)	9 1/2 x 12 (24.1 x 30.5)	62 1/4 (158.1)	C4564809*	

\* These replacement handles are suitable for the models above, but are different from the original ones.



Spot-welded  
steel "D" grip  
for strength  
and comfort

- A** GFPS08  
GFPS09  
GFPS10  
GFPS12



- B** GFTS2D



- C** GFFR1D



- D** GFFR1L



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GFPS08	80443	1	—	8.10 (3.67)	—	96 (243.8)	9 x 10 3/4 (22.9 x 27.3)	106 (269.2)	F9508*	Post hole spoon, solid shank and forged steel blade, premium quality varnished hardwood handle. Longer socket for better shovel balance.
—	GFPS09	80444	1	—	8.80 (3.99)	—	108 (274.3)	9 x 10 3/4 (22.9 x 27.3)	118 (299.7)	F9509*	
—	GFPS10	80445	1	—	9.50 (4.31)	—	120 (304.8)	9 x 10 3/4 (22.9 x 27.3)	130 (330.2)	F9510*	
—	GFPS12	80446	1	—	10.80 (4.90)	—	144 (365.8)	9 x 10 3/4 (22.9 x 27.3)	154 (391.2)	F9512*	
B	GFTS2D	80454	3	96	5.60 (2.54)	Steel	25 1/2 (64.8)	9 3/4 x 11 3/4 (24.8 x 29.8)	39 1/2 (100.3)	C4512409*	Square point railroad track, solid shank and forged steel blade, forward-turned steps, premium quality varnished hardwood handle. Longer socket for better shovel balance.
C	GFFR1D	80440	3	120	4.40 (2.00)	Steel	25 1/2 (64.8)	7 1/4 x 10 1/2 (18.4 x 26.7)	37 1/2 (95.25)	C4512409*	Firefighting shovel, solid shank, forged and sharpened steel blade, premium quality varnished hardwood handle. Longer socket for better shovel balance.
D	GFFR1L	80441	3	144	4.30 (1.95)	—	40 (101.6)	7 1/4 x 10 1/2 (18.4 x 26.7)	50 (127.0)	C4554009*	

\* These replacement handles are suitable for the models above, but are different from the original ones.



**PRO  
SERIES**



## LONG HANDLE TOOLS • ROUND POINT SHOVELS



Extra-large footsteps  
for secure footing



Spot-welded  
steel "D" grip for  
strength and comfort



Double rivets  
assembly.



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GEX2FD	99639	3	192	4.35 (1.98)	Steel	27 3/4 (70.485)	10 x 12 (25.40 x 30.48)	41 (104.14)	N/A	Round point shovel, excavator arrow shaped blade, extra-large steps, double-rivet assembly, premium quality varnished hardwood handle.
B	GEX2FD35	99641	3	192	4.65 (2.11)	Steel	34 3/4 (88.9)	10 x 12 (25.40 x 30.48)	48 (121.92)	N/A	Round point shovel, excavator arrow shaped blade, extra-large steps, double-rivet assembly, premium quality varnished hardwood handle.
C	GEX2FL	99640	3	192	4.56 (2.07)	-	48 (121.92)	10 x 12 (25.40 x 30.48)	61 1/2 (156.21)	N/A	Round point shovel, excavator arrow shaped blade, extra-large steps, double-rivet assembly, premium quality varnished hardwood handle.
D	GHR2FDS	80154	6	192	4.25 (1.93)	Steel	30 3/4 (78.41)	8 5/8 x 11 1/2 (20.47 x 29.21)	44 (111.76)	N/A	Industrial-grade round point shovel, tempered steel blade, extra-wide rolled-back steps, double-rivet assembly, premium quality varnished hardwood handle.
E	GHR2FD35S	80149	6	96	4.75 (2.15)	Steel	35 (88.9)	8 5/8 x 11 1/2 (20.47 x 29.21)	48 1/2 (102.87)	C4513609*	
F	GHR2FLS	80151	6	96	4.27 (1.94)	-	48 (121.92)	8 5/8 x 11 1/2 (20.47 x 29.21)	63 1/2 (161.29)	C4564809*	

\* These replacement handles are suitable for the models above, but are different from the original ones.



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GHR2FD	80375	6	96	4.25 (1.93)	Steel	27 3/4 (70.5)	8 5/8 x 11 1/2 (21.9 x 29.2)	41 (104.14)	C4512809*	Round point shovel, hollow back tempered steel blade, forward-turned steps, double-rivet assembly, premium quality varnished hardwood handle.
B	GHR2FD35	81181	6	96	4.55 (2.06)	Steel	34 3/4 (88.3)	8 5/8 x 11 1/2 (21.9 x 29.2)	48 (121.92)	C4513609*	
C	GHR2FL	80377	6	96	4.55 (2.06)	–	48 (121.9)	8 5/8 x 11 1/2 (21.9 x 29.2)	61 (154.9)	C4564809*	
D	GHR2FLSS	83114	3	192	3.9 (1.78)	–	48 (121.9)	8 3/4 x 11 (22.2 x 27.93)	62 1/2 (158.69)	N/A	Round point shovel, hollow back tempered steel blade, 5" longer, super socket, wide footsteps, double-rivet assembly, premium quality varnished hardwood handle
E	GHR2FD35SS	83192	3	192	4.6 (2.09)	Steel	35 (88.9)	8 3/4 x 11 (22.2 x 27.9)	48 (121.9)	N/A	

\* These replacement handles are suitable for the models above, but are different from the original ones.



**PRO  
SERIES**



## LONG HANDLE TOOLS • SQUARE POINT SHOVELS



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GHS2FDS	84018	3	144	5 (2.27)	Steel	27 3/4 (70.5)	10 x 12 (25.4 x 30.5)	44 (111.76)	C4512809*	Square point shovel, hollow back tempered steel blade, extra-large footsteps, double-rivet assembly, premium quality varnished hardwood handle.
B	GHS2FLS	84020	3	144	5 (2.27)	-	48 (121.9)	10 x 12 (25.4 x 30.5)	62 (157.48)	C4564809*	Square point shovel, hollow back tempered steel blade, rolled-back steps, double-rivet assembly, premium quality varnished hardwood handle.
C	GHS2D	81767	3	144	4.48 (2.03)	Steel	27 3/4 (70.5)	10 x 12 (25.4 x 30.5)	42 (106.7)	C4512809*	Square point shovel, hollow back tempered steel blade, rolled-back steps, double-rivet assembly, premium quality varnished hardwood handle.
D	GHS2D35	81869	3	144	5.00 (2.27)	Steel	34 3/4 (88.3)	10 x 12 (25.4 x 30.5)	48 (121.92)	C4513609*	Square point shovel, hollow back tempered steel blade, rolled-back steps, double-rivet assembly, premium quality varnished hardwood handle.
E	GHS2L	81768	3	144	4.69 (2.13)	-	48 (121.9)	10 x 12 (25.4 x 30.5)	61 1/2 (156.21)	C4564809*	Square point shovel, hollow back tempered steel blade, rolled-back steps, double-rivet assembly, premium quality varnished hardwood handle.
F	GHS4D	81570	6	96	5.00 (2.27)	Steel	27 3/4 (70.5)	10 1/2 x 13 (26.7 x 33.0)	42 (106.7)	C4512809*	Square point shovel, hollow back tempered steel blade, rolled-back steps, double-rivet assembly, premium quality varnished hardwood handle. Loading capacity 30% greater than with a standard square point shovel.
G	GHS6D	83355	3	144	6.38 (2.89)	Steel	28 (71.1)	11 3/8 x 14 1/2 (28.89 x 36.83)	51 (129.54)	C4513609*	Square point shovel, extra-large heavy-gauge hollow back tempered steel blade, rolled-back steps, double-rivet assembly, premium quality varnished hardwood handle.

\* These replacement handles are suitable for the models above, but are different from the original ones.



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GHDS16FD	81183	3	240	4.10 (1.86)	Steel	25 3/4 (65.4)	5 1/2 x 16 (14.0 x 40.6)	45 (114.3)	C4512809*	Drain spade, hollow back tempered steel blade, extra-large footstep, double-rivet assembly, premium quality varnished hardwood handle.
B	GHGS2FD	81005	6	192	4.00 (1.81)	Steel	27 3/4 (70.5)	6 7/8 x 12 (17.5 x 30.5)	40 3/4 (103.5)	C4512809*	Garden spade, hollow back tempered steel blade, forward-turned steps, double-rivet assembly, premium quality varnished hardwood handle.
C	GHGS5D	80368	3	105	5.50 (2.49)	Steel	27 3/4 (70.5)	11 1/8 x 16 1/4 (28.3 x 41.3)	44 1/4 (112.4)	C4512809*	Gravel scoop, hollow back tempered steel blade, premium quality varnished hardwood handle.
D	GHTS4L	83704	3	144	3.52 (1.60)	—	40 (101.6)	3 3/4 x 10 1/2 (9.5 x 26.7)	54 (137.2)	N/A	Trenching shovel, tempered steel blade, 4", premium varnished ash handle.
E	GHR1FL	81688	3	120	2.60 (1.18)	—	42 (106.7)	6 x 8 3/8 (15.2 x 21.3)	51 3/8 (130.5)	N/A	Round point shovel, hollow back tempered steel blade, forward-turned steps, premium quality varnished hardwood handle.
F	GHR1FD	84024	3	144	2.3 (1.04)	Poly	24 (61)	6 x 8 3/8 (15.2 x 21.3)	40 1/2 (102.8)	N/A	Round point shovel, hollow back tempered steel blade, forward-turned steps, premium quality varnished hardwood handle.
G	GHFFR1FL	81195	6	192	3.30 (1.50)	—	42 (106.7)	7 5/8 x 10 3/4 (19.4 x 27.3)	55 (139.7)	C4554009*	Firefighting shovel, hollow back, tempered and sharpened steel blade, forward-turned steps, premium quality varnished hardwood handle.

\* These replacement handles are suitable for the models above, but are different from the original ones.



**PRO  
SERIES**



## LONG HANDLE TOOLS • FLOOR SCRAPERS AND CONCRETE SPREADER



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	DESCRIPTION
A	GPFS09	83017	3	165	3.45 (1.56)	-	46 (116.79)	9.2 x 5.1 (23.36 x 12.94)	59 (149.9)	Industrial-grade floor scraper, flexible steel blade, premium quality varnished hardwood handle.
B	GPFS14	83018	3	120	4.25 (1.93)	-	46 (116.79)	14 x 5.1 (35.55 x 12.94)	59 (149.9)	
C	GPFS18	83019	3	90	4.9 (2.22)	-	46 (116.79)	18 x 5.1 (45.7 x 12.94)	59 (149.9)	
D	GPFS22	83020	3	60	5.55 (2.52)	-	46 (116.79)	22 x 5.1 (55.86 x 12.94)	59 (149.9)	
E	GPCS20	83112	3	30	5.4 (2.46)	-	61 (154.88)	20 x 4.5 (50.78 x 11.43)	61 (154.88)	Concrete spreader, large steel head with rebar hook to position rebar, premium quality varnished hardwood handle.



Footsteps for better comfort and easier penetration



Spot-welded steel "D" grip for strength and comfort



**B** G411L



**C** GFSL9D



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	G411D	81095	3	216	4.85 (2.20)	Steel	32 3/4 (83.2)	7 1/2 x 11 (19.1 x 27.9)	44 1/2 (113.0)	C1563309*	Spading fork with footsteps, one-piece forged and tempered steel head, premium quality varnished hardwood handle.
B	G411L	81110	3	216	4.65 (2.10)	-	48 (121.9)	7 1/2 x 11 (19.1 x 27.9)	59 1/2 (151.1)	C1514809*	
C	GFSL9D	80857	1	72	4.40 (2.00)	Steel	31 1/2 (80.0)	9 x 5 (22.9 x 12.7)	51 3/4 (131.4)	C1563309*	Sod lifter, forged and tempered steel blade, premium quality varnished hardwood handle.

\* These replacement handles are suitable for the models above, but are different from the original ones.



**PRO  
SERIES**



## LONG HANDLE TOOLS • FORGED STEEL HOES



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE OR "D" GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GIH6	80720	2	72	3.20 (1.45)	N/A	54 (137.2)	5 7/8 x 7 3/8 (14.9 x 18.7)	54 (137.2)	C3565409*	Forged Italian hoe, premium quality varnished hardwood handle.
B	GHH4	80739	3	150	2.10 (0.95)	N/A	48 (121.9)	8 x 5 (20.3 x 12.7)	56 1/4 (142.8)	C2515409*	Dutch hoe (Oshawa pattern), shank type, premium quality varnished hardwood handle.
C	GFWH7	80715	3	120	2.15 (0.98)	N/A	54 (137.2)	4 3/4 x 6 1/8 (12.1 x 15.6)	57 1/2 (146.1)	C2515409*	Forged Warren hoe, shank type, premium quality varnished hardwood handle.
D	GFBH7S	80713	3	150	2.14 (0.97)	N/A	54 (137.2)	7 x 3 1/2 (17.8 x 8.9)	59 1/8 (150.2)	C2505409*	Forged beet hoe, socket type, premium quality varnished hardwood handle.
E	GFSH7	83702	6	300	2.40 (1.09)	N/A	60 (152.4)	6 1/4 x 4 1/4 (15.8 x 10.8)	66 (167.4)	C2505409*	Forged garden hoe, shank pattern, premium quality varnished hardwood handle.

\* These replacement handles are suitable for the models above, but are different from the original ones.



Extra-large footsteps  
for secure footing




KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GTED	78927	3	96	2.75 (1.25)	Steel	34 (86.4)	9 x 4 3/4 (22.9 x 12.1)	39 1/4 (99.7)	N/A	Tempered steel turf edger, short handle, extra-large footstep. Premium quality varnished hardwood handle. Sharp tempered steel blade.
B	GTEL	78928	3	240	2.71 (1.23)	—	48 (121.9)	9 x 4 3/4 (22.9 x 12.1)	52 1/2 (133.4)	N/A	Tempered steel turf edger, long handle, extra-large footstep. Premium quality varnished hardwood handle. Sharp tempered steel blade.
C	GMH07	80721	3	216	2.42 (1.10)	—	54 (137.2)	7 x 4 3/4 (17.8 x 12.1)	57 1/4 (145.4)	C2515409*	Forged mason/plasterer hoe, shank type, premium quality varnished hardwood handle.
D	GMH10	80722	3	72	4.30 (1.95)	—	66 (167.6)	10 x 6 (25.4 x 15.2)	69 (175.3)	C3526609*	Mortar hoe, shank type, premium quality varnished hardwood handle.
E	GGH65	80716	3	144	2.30 (1.04)	—	54 (137.2)	6 1/2 x 4 3/4 (16.5 x 12.1)	57 1/2 (146.1)	C2515409*	Garden hoe, shank type, steel head, premium quality varnished hardwood handle.
F	GGH8	80718	3	144	2.40 (1.09)	—	54 (137.2)	8 x 4 3/8 (20.3 x 11.1)	57 1/2 (146.1)	C2515409*	
G	GBH65	80710	3	120	2.02 (0.92)	—	54 (137.2)	6 1/2 x 2 (16.5 x 5.1)	58 (147.3)	C2515409*	Beet hoe, shank type, steel head, replaceable tempered steel blade, premium quality varnished hardwood handle.
H	GAAH6	80848	3	72	2.09 (0.95)	—	54 (137.2)	6 x 1 1/16 (15.2 x 2.7)	57 3/4 (146.7)	N/A	Action hoe, sharp double-edge cultivator, weeder and edging tool, premium quality varnished hardwood handle.
I	GH348	80798	3	144	2.34 (1.06)	—	48 (121.9)	9 x 3 1/2 (22.8 x 8.9)	48 1/2 (123.2)	C2515409*	Cultivator combined with a 3 1/2" (8.9 cm) hoe, premium quality varnished hardwood handle.

\* These replacement handles are suitable for the models above, but are different from the original ones.


**LONG HANDLE TOOLS • RAKES**


Oversize socket for maximum strength and durability



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GBR15	80745	6	240	3.60 (1.63)	—	60 (152.4)	16 (40.6)	65 3/4 (167.0)	C2516009*	Heavy-duty bow rake, steel head, premium quality varnished hardwood handle.
B	GRR14	80755	3	72	5.20 (2.36)	—	66 (152.4)	15 5/8 (39.7)	72 3/4 (184.8)	C2526009*	Steel road rake for heavy work, premium quality varnished hardwood handle.
C	GCR14	80747	6	216	3.00 (1.36)	—	60 (152.4)	13 3/4 (34.9)	62 (157.5)	C2516009*	Heavy-duty double-back level rake, steel head, premium quality varnished hardwood handle.
D	GLR14	80751	6	288	3.00 (1.36)	—	60 (152.4)	14 3/4 (37.5)	61 (154.9)	C2516009*	Level head rake, steel head, premium quality varnished hardwood handle.
E	GLR16	80752	6	192	3.00 (1.36)	—	66 (167.6)	16 5/8 (42.2)	66 3/4 (169.5)	C2516009*	
F	GAR14	80744	3	144	6.10 (2.77)	—	60 (152.4)	15 5/8 (39.7)	79 1/2 (194.3)	C2526009*	Steel asphalt rake, 18" (45.7 cm) steel shank securely welded to the head, premium quality varnished hardwood handle.

\* These replacement handles are suitable for the models above, but are different from the original ones.



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GFR22	81723	12	192	1.70 (0.77)	-	54 (137.2)	20 (50.8)	68 (172.7)	C2565409*	Fan rake, tempered steel tines, premium quality varnished hardwood handle.
B	GLR22	81184	6	96	2.50 (1.13)	-	54 (137.2)	24 (61.0)	71 1/2 (181.6)	C2565409*	Industrial-grade springback lawn rake, tempered steel tines, reinforced socket with welded plate, premium quality varnished hardwood handle.
C	GTR19	78852	2	56	3.31 (1.50)	-	54 (137.2)	15 (38.1)	55 1/2 (141.0)	99747*	Thatching rake, 19 sharp tines. To get rid of the compacted grass stems and roots that accumulate on the soil's surface. Premium quality varnished hardwood handle.
D	EAAL36	78168	1	135	5.00 (2.26)	-	82 (208.3)	36 (91.4)	92 (233.7)	86961*	Asphalt rake, anodized aluminum handle, aluminum head and braces. Delivered unassembled.
E	GALR36	80841	1	72	5.50 (2.50)	-	66 (167.6)	36 (91.4)	66 (167.6)	N/A	Landscaping level rake, anodized aluminum handle, aluminum head and braces. Delivered unassembled.

\* These replacement handles are suitable for the models above, but are different from the original ones.


**LONG HANDLE TOOLS • DIGGER, WEED CUTTERS, CULTIVATOR AND SCOOP**


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GPPHA	84017	2	60	10 (4,53)	-	30 (76,2)	-	45,5 (115,6)	N/A	Post hole auger, steel handle, wood T-grip.
B	GWC14	80839	2	72	2.43 (1.10)	-	30,75 (78,1)	2 5/8 x 14 1/4 (6,7 x 36,2)	37 3/4 (95,9)	N/A	Weed cutter, steel serrated blade securely attached to a metal bow, shaped premium quality varnished hardwood handle.
C	GWC09	80838	3	480	1.31 (0.59)	-	8 (20,3)	2 x 8 1/2 (5,1 x 21,6)	42 (106,7)	N/A	Grass whip, steel serrated blade securely attached to a metal shaft, shaped premium quality varnished hardwood handle.
D	GC348	80792	3	120	1.93 (0.88)	-	48 (121,9)	4 1/4 (10,8)	55 1/2 (141,0)	C2565409*	Adjustable cultivator, 3 forged steel prongs, premium quality varnished hardwood handle.
E	E432SG	78167	2	60	4.85 (2.20)	-	32 (81,2)	14 (35,6)	32 (81,2)	B7173201SG*	Muck scoop, steel blade, premium quality varnished hardwood handle with safety grip.

\* These replacement handles are suitable for the models above, but are different from the original ones.



**A** GIP139KD



**B** GIPM18KD



**C** GIPP21KD




**D** GIPP26KD



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GIP139KD	81759	6	72	2.80 (1.27)	Poly	42 (106.7)	13 7/8 x 16 3/8 (35.2 x 42.6)	53 1/2 (135.89)	03046KPD*	All-purpose shovel, polypropylene blade 30% more resistant to wear, premium quality stained hardwood handle.
B	GIPM18KD	99068	6	90	3.10 (1.41)	Poly	42 (106.7)	18 x 13 1/2 (45.7 x 34.3)	51 1/2 (130.81)	03046KPD*	All-purpose mountain mover, polypropylene blade 30% more resistant to wear, premium quality stained hardwood handle.
C	GIPP21KD	81760	6	90	2.90 (1.31)	Poly	48 (121.9)	20 3/4 x 11 (52.7 x 27.9)	56 3/4 (144.15)	03046KPD*	Industrial-grade pusher, polypropylene blade 30% more resistant to wear, premium quality stained hardwood handle.
D	GIPP26KD	81770	6	90	3.05 (1.38)	Poly	48 (121.9)	26 x 11 (66.0 x 27.9)	56 3/4 (144.15)	03046KPD*	

\* These replacement handles are suitable for the models above, but are different from the original ones.

# ROOFER'S TOOLS AND PUSH BROOMS





Ultra-sturdy attachment



Optimum angle



Integrated nail puller

**ENGINEERED MATERIALS HANDLE**  
**50%**  
**STURDIER THAN THE WOOD HANDLE**



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GPBNP24	83663	3	36	5.5 (2.49)	Engineered materials	60 (152.4)	24 x 3 1/2 (60.7 x 8.9)	63 (160.2)	N/A	Industrial-grade push brooms, tempered steel head-to-handle attachment, 6" nail remover surface, 24" brush with soft and hard bristles, sturdy fiberglass core overmolded with TPE. One industrial rivet assembly.
B	GBNP24	83689	3	36	5.5 (2.49)	-	60 (152.4)	24 x 3 1/2 (60.7 x 8.9)	63 (160.2)	N/A	Industrial-grade push brooms, tempered steel head-to-handle attachment, 6" nail remover surface, 24" brush with soft and hard bristles, premium quality varnished hardwood handle. One industrial rivet assembly.
C	GPRS7L	83320	3	192	4.55 (2.07)	Engineered materials	47 (119.4)	7 x 8 (17.78 x 20.32)	53 1/2 (133.98)	N/A	Industrial-grade shingle remover 7" and 12" steel blade, ultra-sturdy engineering material long handle composed of a fiberglass core overmolded with TPE. One-piece unique head design, no welding.
D	GPRS12L	83321	3	72	6.86 (3.1)	Engineered materials	47 (119.4)	12 x 8 (30.48 x 20.31)	53 1/2 (133.98)	N/A	


**LONG HANDLE TOOLS • ROOFING TOOLS**


One-piece unique design for maximum strength



Curve allowing shingle to slide over



2 pivot points for more performance with minimum effort



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GHRS2D	80163	3	192	4.97 (2.25)	Steel	32 3/4 (83.2)	6 7/8 × 10 3/4 (17.5 × 27.3)	47 (119.4)	C4513609*	Shingle remover, tempered notched steel blade, fulcrum welded to back of blade for leverage. Rolled-back steps, premium quality varnished hardwood handle.
B	GHRS2L	80164	3	192	5.07 (2.30)	—	48 (121.9)	6 7/8 × 10 3/4 (17.5 × 27.3)	59 (149.9)	C4564809*	
C	GRS5MS	80162	6	288	2.30 (1.04)	—	19 (48.3)	5 × 10 3/4 (12.7 × 27.3)	24 3/4 (62.9)	N/A	Shingle remover, 5" notched steel blade without welding, curve on socket to allow the shingle to slide easily. Narrow head for better reach in tight areas or to work on projects that do not require complete shingle removal. Premium quality varnished hardwood handle.
D	GRS5D	80106	6	144	3.12 (1.42)	Poly	36 (91.4)	5 × 10 3/4 (12.7 × 27.3)	47 (119.4)	C4109	
E	GRS7D	78756	6	108	4.50 (2.05)	Poly	35 1/2 (88.9)	6 7/8 × 10 3/4 (17.5 × 27.3)	47 (119.4)	C4109	Shingle remover, 7" notched steel blade, without welding, curve on socket to allow the shingle to slide easily, premium quality varnished hardwood handle. GRS7D shovels come with a cardboard display.
F	GRS7L	80165	6	180	4.08 (1.85)	—	48 (121.9)	6 7/8 × 10 3/4 (17.5 × 27.3)	53 1/2 (135.9)	N/A	
G	GRS12D	80452	3	84	4.66 (2.11)	Poly	35 1/2 (88.9)	12 × 8 (30.48 × 20.31)	47 (119.4)	C4109	Shingle remover, 12" notched steel blade, without welding, curve on socket to allow the shingle to slide easily, premium quality varnished hardwood handle.

\* These replacement handles are suitable for the models above, but are different from the original ones.



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	APPROX. TOT. LENGTH IN. (CM)	DESCRIPTION	
A	KTGRS18	80453	1	1	105.47 (48.04)	60 (152.4)	Shingle remover kit including: 3 x GRS12D, 3 x GRS5MS, 3 x GRS5D, 3 x GRS7L, 6 x GRS7D, a wooden display and an attractive POP.	
-	KTGRS21	83330	1	1	115.26 (52.28)	60 (152.4)	Shingle remover kit including : 3 x GRS12D, 6 GRS5MS, 6 x GRS7L, 6 x GRS7D, a wooden display and an attractive POP.	
B	KTGRNSP21	83719	1	1	—	60 (152.4)	Roofer's tool kit including : 3 x GPBNP24, 3 x GBNP24, 6 x GRS5MS, 6 x GRS7D, 3 x GRS12D.	
C	84037	84037	1	18	36 (16.33)	—	Wooden display 24" x 24" for roofer's tools and 2 POP Garant logo, 18 holes : 12 x D-grip holes, 6 x round holes.	



**PRO  
SERIES**



## LONG HANDLE TOOLS • PUSH BROOMS

**18 INCHES**



Multi-surface



Rough surfaces



Smooth surfaces



**24 INCHES**



Multi-surface



Rough surfaces



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	HEAD DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GPPBMS18	83942	4	72	4.22 (10.72)	60 (152.4)	18 x 2.75 x 4 (45.72 x 6.985 x 10.16)	64 (163)	83949	Industrial grade multi-surface push broom for indoor and outdoor use. Riveted and screwed brush. Tempered, formed and welded steel bracket. Premium quality varnished hardwood handle.
B	GPPBRS18	83943	4	72	4.1 (10.41)	60 (152.4)	18 x 2.75 x 4 (45.72 x 6.985 x 10.16)	64 (163)	83949	Industrial grade rough surface push broom for outdoor use. Riveted and screwed brush. Tempered, formed and welded steel bracket. Premium quality varnished hardwood handle.
C	GPPBSS24	83937	4	60	4.5 (11.43)	60 (152.4)	24 x 2.75 x 4 (60.96 x 6.99 x 10.16)	65	83949	Industrial grade smooth surface push broom for indoor use. Riveted and screwed brush. Tempered, formed and welded steel bracket. Premium quality varnished hardwood handle.
D	GPPBMS24	83940	4	60	4.4 (11.17)	60 (152.4)	24 x 2.75 x 4 (60.96 x 6.99 x 10.16)	64 (163)	83949	Industrial grade multi-surface push broom for indoor and outdoor use. Riveted and screwed brush. Tempered, formed and welded steel bracket. Premium quality varnished hardwood handle.
E	GPPBRS24	83941	4	60	4.6 (11.68)	60 (152.4)	24 x 2.75 x 4 (60.96 x 6.99 x 10.16)	64 (163)	83949	Industrial grade rough surface push broom for outdoor use. Riveted and screwed brush. Tempered, formed and welded steel bracket. Premium quality varnished hardwood handle.

\* These replacement handles are suitable for the models above, but are different from the original ones.



**A** HDGPPBMS18



**B** HDGPPBRS18



**C** HDGPPBSS24



**D** HDGPPBMS24



**E** HDGPPBRS24



**F** 83949



**G** 84191



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	HEAD DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	DESCRIPTION
A	HDGPPBMS18	83947	6	300	1 (2.54)	-	18 x 2.75 x 4 (45.72 x 6.985 x 10.16)	-	Industrial grade multi-surface push broom head. For indoor and outdoor use.
B	HDGPPBRS18	83948	6	300	1 (2.54)	-	18 x 2.75 x 4 (45.72 x 6.985 x 10.16)	-	Industrial grade rough surface push broom head. For outdoor use.
C	HDGPPBSS24	83944	6	300	1.2 (3.05)	-	24 x 2.75 x 4 (60.96 x 6.99 x 10.16)	-	Industrial grade smooth surface push broom head. For indoor use.
D	HDGPPBMS24	83945	6	300	1.2 (3.05)	-	24 x 2.75 x 4 (60.96 x 6.99 x 10.16)	-	Industrial grade multi-surface push broom head. For indoor and outdoor use.
E	HDGPPBRS24	83946	6	300	1.2 (3.05)	-	24 x 2.75 x 4 (60.96 x 6.99 x 10.16)	-	Industrial grade rough surface push broom head. For outdoor use.
F	83949	83949	6	144	2.2 (5.59)	60 (152.4)	-	63 (160.02)	Industrial grade premium quality varnished hardwood handle with heavy duty steel attachment. Can be used with Garant Pro push broom head for smooth, multi and rough surfaces. Handle 1 1/3" x 60".
G	84191	84191	1	18	36 (16.33)	-	-	-	Wooden display 24 in. x 24 in. for push brooms (12) and long handle tools, 24 holes: 6 round, 6 D, 6 round, 6 round with a POP (#506598).

# GARANT AGRO SERIES LONG HANDLE TOOLS





Spot-welded  
steel "D" grip for  
strength and comfort

**A** GAG08D



**B** GAG10D



**C** GAG08D35



**D** GAG10D35



**E** GAG10L



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GAG08D	80012	3	84	3.90 (1.77)	Steel	27 3/4 (70.5)	13 x 17 3/8 (33.0 x 44.1)	44 (111.8)	C4622809*	Grain scoop, aluminum blade, natural finish, premium quality varnished hardwood handle.
B	GAG10D	80015	3	84	4.20 (1.91)	Steel	27 3/4 (70.5)	13 3/8 x 18 1/4 (34.0 x 46.4)	44 3/4 (113.7)	C4622809*	
C	GAG08D35	80014	3	84	4.20 (1.91)	Steel	34 3/4 (88.3)	13 x 17 3/8 (33.0 x 44.1)	51 (129.5)	C4513609*	
D	GAG10D35	80017	3	84	4.50 (2.04)	Steel	34 3/4 (88.3)	13 3/8 x 18 1/4 (34.0 x 46.4)	51 3/4 (131.4)	C4513609*	
E	GAG10L	80079	3	84	4.30 (1.95)	-	48 (121.9)	13 3/8 x 18 1/4 (34.0 x 46.4)	64 3/4 (164.5)	N/A	

\* These replacement handles are suitable for the models above, but are different from the original ones.



## LONG HANDLE TOOLS • GRAIN AND COAL SCOOPS



Spot-welded  
steel "D" grip for  
strength and comfort



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GPG12D	80030	3	84	3.50 (1.59)	Poly	30 1/4 (76.8)	14 1/2 x 18 1/2 (36.8 x 47.0)	46 (116.8)	C4622809*	Grain scoop, heavy-duty ABS blade, premium quality varnished hardwood handle.
B	GPG12L	80080	3	84	4.68 (2.12)	-	48 (121.9)	14 1/2 x 18 1/2 (36.8 x 47.0)	61 1/2 (156.2)	C4564809*	
C	GSG02D	80040	3	84	5.45 (2.47)	Steel	27 3/4 (70.5)	11 1/4 x 15 1/2 (28.6 x 39.4)	42 1/4 (107.3)	C4622809*	Grain and coal scoop, stamped and tempered steel blade, premium quality varnished hardwood handle.
-	GSG04D	80041	3	84	5.65 (2.56)	Steel	27 3/4 (70.5)	11 1/2 x 16 1/4 (29.2 x 41.3)	42 3/4 (108.6)	C4622809*	
D	GSG04L	80082	3	84	5.95 (2.70)	-	48 (121.9)	11 1/2 x 16 1/4 (29.2 x 41.3)	63 (160.0)	C4564809*	
E	GSG06D	80042	3	84	5.89 (2.67)	Steel	27 3/4 (70.5)	12 x 17 3/8 (30.5 x 44.1)	43 1/2 (110.5)	C4622809*	
-	GSG08D	80043	3	84	6.57 (2.98)	Steel	27 3/4 (70.5)	14 1/4 x 16 1/2 (36.2 x 41.9)	42 1/2 (108.0)	C4622809*	
-	GSG10D	80481	3	84	7.09 (3.22)	Steel	27 3/4 (70.5)	14 5/8 x 17 3/4 (37.1 x 45.1)	43 1/4 (109.9)	C4622809*	

\* These replacement handles are suitable for the models above, but are different from the original ones.



Spot-welded  
steel "D" grip for  
strength and comfort



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSION IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	G0413D	81071	3	168	3.50 (1.59)	Steel	32 3/4 (83.2)	9 1/4 (23.5)	45 3/4 (116.2)	C1563309*	Manure fork, one-piece forged and tempered steel head, gold baked finish, premium quality varnished hardwood handle, four 13" (33.02 cm) tines.
B	G0413L	81072	3	192	3.50 (1.59)	-	48 (121.9)	9 1/4 (23.5)	60 3/4 (154.3)	C1514809*	
C	G0513D	81074	3	168	3.80 (1.72)	Steel	32 3/4 (83.2)	9 3/4 (24.8)	45 3/4 (116.2)	C1563309*	Manure fork, one-piece forged and tempered steel head, gold baked finish, premium quality varnished hardwood handle, five 13" (33.02 cm) tines.
D	G0513L	81079	3	192	3.80 (1.72)	-	48 (121.9)	9 3/4 (24.8)	60 3/4 (154.3)	C1514809*	
E	G0613D	81084	3	168	4.10 (1.86)	Steel	32 3/4 (83.2)	10 1/4 (26.0)	45 3/4 (116.2)	C1563309*	Manure fork, one-piece forged and tempered steel head, gold baked finish, premium quality varnished hardwood handle, four 13" (33.02 cm) tines.
F	G0613L	81086	3	192	4.10 (1.86)	-	48 (121.9)	10 1/4 (26.0)	60 3/4 (154.3)	C1514809*	
G	G0516D	81082	3	168	4.40 (2.00)	Steel	32 3/4 (83.2)	12 (30.5)	48 1/2 (123.2)	C1563309*	Barn fork, one-piece forged and tempered steel head, gold baked finish, premium quality varnished hardwood handle, five 16" (40.6 cm) tines.
H	G0516L	81083	3	120	4.40 (2.00)	-	48 (121.9)	12 (30.5)	63 1/2 (161.3)	C1514809*	

\* These replacement handles are suitable for the models above, but are different from the original ones.



## LONG HANDLE TOOLS • SPECIALTY FORKS

**A** G031248  
G031254



**B** G031448



**C** G1013L



**D** GP1610L



**E** G0816D



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSION IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	G031248	81064	3	216	2.80 (1.27)	–	48 (121.9)	12 (30.5)	60 (152.4)	C1504809*	Hay fork, one-piece forged and tempered steel head, gold baked finish, premium quality varnished hardwood handle, three 12" (30.48 cm) tines.
–	G031254	81069	3	216	2.90 (1.32)	–	54 (137.2)	12 (30.5)	66 (167.6)	C1505409*	
B	G031448	81070	3	216	3.00 (1.36)	–	48 (121.9)	14 (35.6)	61 1/2 (156.2)	C1504809*	Straw fork, one-piece forged and tempered steel head, gold baked finish, premium quality varnished hardwood handle, three 14" (35.56 cm) tines.
C	G1013L	81727	3	150	4.00 (1.81)	–	48 (121.9)	10 1/2 (26.7)	60 1/4 (153.0)	C1514809*	Bedding fork, 10 tempered steel and welded tines, 13" (33.0 cm) long, clear coat finish, premium quality varnished hardwood handle.
D	GP1610L	81713	3	72	1.20 (0.54)	–	52 (132.1)	14 1/2 (36.8)	60 1/2 (153.7)	C1525209*	Bedding fork, one-piece black polycarbonate head, sixteen 10" (25.4 cm) tines, premium quality varnished hardwood handle.
E	G0816D	81087	1	60	6.10 (2.77)	Steel	32 3/4 (83.2)	32 1/2 (82.5)	48 1/2 (123.2)	C1543309*	Ensilage fork, one-piece forged and tempered steel head, gold baked finish, eight 16" (40.6 cm) tines, premium quality varnished hardwood handle.

\* These replacement handles are suitable for the models above, but are different from the original ones.



**A** GH409M    **B** GH406P    **C** GBH12    **D** GBH185



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSION IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GH409M	81099	2	120	4.00 (1.81)	–	60 (152.4)	8 1/4 (20.9)	63 1/2 (161.3)	C2526009*	Manure hook, one-piece forged and tempered steel head, four 9" (22.9 cm) oval tines, gold baked finish, premium quality varnished hardwood handle.
B	GH406P	81097	3	144	2.30 (1.04)	–	48 (121.9)	6 (15.2)	51 1/2 (130.8)	C2515409*	Potato hook, one-piece forged and tempered steel head, four 6" (15.2 cm) flattened-tip tines, gold baked finish, premium quality varnished hardwood handle.
C	GBH12	81060	3	75	3.10 (1.41)	–	54 (137.2)	12 (30.5)	57 1/2 (146.1)	C2515409*	Barn hoe, shank type, gold baked finish, premium quality varnished hardwood handle.
D	GBH185	81061	3	120	3.50 (1.59)	–	60 (152.4)	18 1/2 (47.0)	62 (157.5)	N/A	Barn and garden hoe, shank type, gold baked finish, premium quality varnished hardwood handle
E	GBS24D	81053	3	48	7.60 (3.45)	Steel	48 3/4 (123.8)	24 (61.0)	54 (137.2)	N/A	Barn scraper, reversible steel blade, baked enamel finish, premium quality varnished hardwood handle.
F	GBS24L	81056	3	48	6.90 (3.13)	–	54 (137.2)	24 (61.0)	59 1/4 (156.5)	N/A	

\* These replacement handles are suitable for the models above, but are different from the original ones.


# GARANT LONG HANDLE TOOLS



**A** GBFHR2BD



**B** GBFHR2BL



**C** GBFHR2FD




**D** GBFHR2FL



**E** GBFHS2FD



**F** GBFHS2FL




**G** GBFHGS2FD



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PKG.	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GBFHR2BD	83697	6	144	4 (8.82)	Poly	30 1/2 (77.47)	10 x 12 (25.40 x 30.48)	43.5 (110.49)	N/A	Round point shovel, excavator arrow shaped blade with extra-large steps, triangular ergonomic design fiberglass handle for reducing hand fatigue. Steel collar for added strength at the handle/socket connection.
B	GBFHR2BL	83698	6	144	4.9 (10.8)	-	45 1/2 (115.57)	10 x 12 (25.40 x 30.48)	61.5 (156.21)	N/A	Round point shovel, triangular ergonomic design fiberglass handle for reducing hand fatigue. Steel collar for added strength at the handle/socket connection.
C	GBFHR2FD	83668	6	192	4 (8.82)	Poly	30 1/2 (77.47)	8 1/2 x 11 1/4 (21.6 x 28.6)	43.5 (110.49)	N/A	Round point shovel, triangular ergonomic design fiberglass handle for reducing hand fatigue. Steel collar for added strength at the handle/socket connection.
D	GBFHR2FL	83666	6	144	4.9 (10.8)	-	45 1/2 (115.57)	8 1/2 x 11 1/4 (21.6 x 28.6)	61.5 (156.21)	N/A	Round point shovel, triangular ergonomic design fiberglass handle for reducing hand fatigue. Steel collar for added strength at the handle/socket connection.
E	GBFHS2FD	83699	6	144	4 (8.82)	Poly	30 1/2 (77.47)	9 1/2 x 11 (24.1 x 27.9)	43.5 (110.49)	N/A	Square point shovel, triangular ergonomic design fiberglass handle for reducing hand fatigue. Steel collar for added strength at the handle/socket connection.
F	GBFHS2FL	83700	6	144	4.9 (10.8)	-	45 1/2 (115.57)	9 1/2 x 11 (24.1 x 27.9)	61.5 (156.21)	N/A	Square point shovel, triangular ergonomic design fiberglass handle for reducing hand fatigue. Steel collar for added strength at the handle/socket connection.
G	GBFHGS2FD	83667	6	192	3.2 (7.05)	Poly	30 1/2 (77.47)	6 7/8 x 12 (17.5 x 30.5)V	44 (111.2)	N/A	Garden spade, steel blade with extra-large steps, triangular ergonomic design fiberglass handle for reducing hand fatigue. Steel collar for added strength at the handle/socket connection.



## LONG HANDLE TOOLS • RAKE, HOE, CULTIVATOR, LAWN RAKE AND POST HOLE DIGGER



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION	
A	GBFBR14	83701	6	240	3.17 (1.44)	59 (149.9)	13 3/4 (33.9)	65 (165.10)	N/A	Bow rake, 14 curved steel tines adjusting to any surface. Triangular ergonomic design, fiberglass handle for reducing hand fatigue. Steel ferrule. Comfortable anti-slip grip.	
B	GBFGH6	83671	6	432	2.5 (1.14)	54 (137.2)	6 1/2 x 4 3/4 (16.5 x 12.1)	56.5 (143.51)	N/A	Garden Hoe, triangular ergonomic design, fiberglass handle for reducing hand fatigue. Steel ferrule. Comfortable anti-slip grip.	
C	GBFC448	83672	6	360	2.2 (1.13)	48 (121.9)	5 1/8 (13)	50 (127)	N/A	Speedy cultivator, forged steel 4 tines. Triangular ergonomic design, fiberglass handle for reducing hand fatigue. Steel ferrule. Comfortable anti-slip grip.	
D	EXFLR24	99959	6	96	3.75 (1.70)	54 (137.2)	24 x 16 (60.96 x 40.64)	64 (162.56)	N/A	Lawn rake, 24 flexible steel tines adjusting to any surface. Triangular ergonomic design, fiberglass handle. A back spring provides additional rigidity for tough raking jobs.	
E	EXFPDH	99969	2	50	13.9 (6.31)	29 (73.6)	7 x 6 x 34 (18 x 15 x 86.4)	60 (152.40)	N/A	Dig EZ post hole digger, 6.21" point spread (10.38"). Shaped fiberglass handles, 40% less handle travel distance. No knuckle collision.	



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	APPROX. TOT. LENGTH IN. (CM)	DESCRIPTION	
A	GDW37	99951	6	144	3.52 (1.60)	39 3/4 (101)	Weeder, T-Grip, effective in all soil types, unique twisted chromoly head, steel handle, virtually no damage to the ground.	
B	GDW3712	9995112	12	48	43.24 (19.61)	39 3/4 (101)	12 GDW37 weeders in <b>display box</b> .	
C	GTEBFT	80353	4	96	2.75 (1.25)	40 1/8 (101.91)	Turf edger with T-grip, footsteps, serrated blade, steel handle.	
D	GTEBFT12	8035312	12	48	33 (14.97)	40 1/8 (101.91)	12 GTEBFT turf edgers in <b>display box</b> .	
E	GGCW	80354	4	60	3.2 (1.45)	40 5/8 (103.18)	Garden tiller, T-grip, footsteps, steel handle. Twisted head for better soil penetration and mixing.	
F	GGCW8	803548	8	32	26.6 (12.07)	40 5/8 (103.18)	8 GGCW garden tillers in <b>display box</b> .	



## LONG HANDLE TOOLS • SHOVELS



KEY	MODEL NUMBER	ITEM NUMBER	PALLET PKG.	UNIT WEIGHT	HANDLE LENGTH	BLADE DIMENSIONS	APPROX. TOT. LENGTH	REPL. HANDLE	DESCRIPTION	
									IN. (CM)	
A	GBBFHR10D	83923	6	192	4.6 (2.09)	32.25 (81.92)	10 x 12 (25.4 x 30.48)	42 (106.68)	N/A	Excavator Shovel, steel blade, extra-large footstep, premium quality stained hardwood handle.
B	GBBFHR10L	83928	6	192	5.6 (2.54)	42 (106.68)	10 x 12 (25.4 x 30.48)	61.5 (156.21)	N/A	Excavator Shovel, steel blade, extra-large footstep, long premium quality stained hardwood handle, end grip.
C	GBFHS2D	83929	6	144	4.6 (2.09)	32.25 (81.92)	8 1/2 x 11 1/4 (21.6 x 28.6)	43.5 (110.49)	N/A	Square point shovel, hollow back tempered steel blade, extra-large footstep, forward-turned steps, premium quality stained hardwood handle.
D	GBFHS2L	83977	6	144	5.4 (2.45)	46 (116.8)	9 1/2 x 11 (24.1 x 27.9)	61.5 (156.21)	N/A	Square point shovel, hollow back tempered steel blade, extra-large footstep, forward-turned steps, long premium quality stained hardwood handle, end grip.
E	GBBFHGS2D	83978	6	192	3.8 (1.72)	26.63 (67.6)	6 7/8 x 12 (17.5 x 30.5)	43.5 (110.5)	N/A	Garden spade, hollow back tempered steel blade, extra-large footstep, forward-turned steps, premium quality stained hardwood handle.

**A** GBGH65

**B** GBHC5LH

**C** GBLR14


KEY	MODEL NUMBER	ITEM NUMBER	PALLET PKG.	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION	
A	GBGH65	83979	6	432	2.2 (1)	54 (137.2)	6.5 x 4.75 (16.5 x 12.1)	56.5 (143.51)	N/A	Garden hoe, shank type, baked enamel head finish, premium quality stained hardwood handle.
B	GBHC5LH	84044	3	120	3 (1.36)	54 (134.2)	5 x 5.75 (12.70 x 14.60)	54.5 (168.43)	N/A	Cultivator, 5 steel tines, black baked enamel finish, premium quality stained hardwood handle.
C	GBLR14	83057	6	144	3.23 (1.47)	54 (137.2)	15.25 x 4.25 (38.1 x 10.16)	59 (149.86)	N/A	Bow rake, steel head, premium quality stained hardwood handle, head-to-handle ultra-sturdy attachment, non-slip comfort grip.



## LONG HANDLE TOOLS • DUAL TINE RAKES

**A** GPSDT39  
GPSDT3912



**B** GPDT39



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GPSDT39	27240	2	28	3.02 (1.37)	60 (152.4)	27 (68.58)	71	N/A	Dual tine rake with removable hand rake, poly head with 39 tines with unique design preventing leaves from clogging, TPE covered steel handle.
-	GPSDT3912	2724012	12	12	3.02 (1.37)	60 (152.4)	27 (68.58)	71 (180.34)	N/A	
B	GPDT39	27230	3	42	2.75 (1.25)	60 (152.4)	27 (68.58)	71	N/A	Dual tine rake, poly head with 39 tines with unique design preventing leaves from clogging, TPE covered steel handle.

\*Replacement handles differ from original product.



**20 IN./PO**  
51 CM  
20 TINES

OR

**16 IN./PO**  
41 CM  
16 TINES

- A** GLR20SPC  
**B** GLR20SP



- C** GLR16SPC  
**D** GLR16SP



- G** PPCR24C



- H** PPCR24



- E** GLR20SPC24  
**F** GLR16SPC24



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION	
										TINES	
A	GLR20SPC	80351	12	192	2.5 (1.13)	54 (137.2)	20	20 x 3.75 (50.8 x 9.52)	65 1/4 (165.73)	C2565409*	Multi-purpose lawn rake, 20" polypropylene and steel head. 20 tines crafted out of one solid piece of steel. Cushioned grip.
B	GLR20SP	83064	12	192	2.5 (1.13)	54 (137.2)	20	20 x 3.75 (50.8 x 9.52)	65 1/4 (165.73)	C2565409*	Multi-purpose lawn rake, 20" polypropylene and steel head. 20 tines crafted out of one solid piece of steel.
C	GLR16SPC	83652	12	192	2.31 (1.05)	54 (137.2)	16	16 x 3.75 (40.6 x 9.52)	65 1/4 (165.73)	C2565409*	Multi-purpose lawn rake, 16" polypropylene and steel head. 16 tines crafted out of one solid piece of steel. Cushioned grip.
D	GLR16SP	83653	12	192	2.31 (1.05)	54 (137.2)	16	16 x 3.75 (40.6 x 9.52)	65 1/4 (165.73)	C2565409*	Multi-purpose lawn rake, 16" polypropylene and steel head. 16 tines crafted out of one solid piece of steel.
E	GLR20SPC24	8035124	24	24	96 (43.54)	54 (137.2)	20	20 x 3.75 (50.8 x 9.52)	70 1/2 (179.07)	C2565409*	Multi-purpose lawn rake, 20" or 16" polypropylene and steel head. Tines crafted out of one solid piece of steel. Cushioned grip allows better comfort and prevents blisters. Available in a 24 units display.
F	GLR16SPC24	8365224	24	24	91.4 (41.45)	54 (137.2)	16	16 x 3.75 (40.6 x 9.52)	65 1/4 (165.73)	C2565409*	
G	PPCR24C	78683	6	96	2.20 (1.00)	48 (121.9)	11	24 (61.0)	63.5 (161.3)	C2565409*	Clog-free leaf rake, unique design prevents leaves from sticking between tines. Light, heavy-duty tool with premium quality stained hardwood handle and foam cushion grip for greater comfort.
H	PPCR24	78666	6	96	2.20 (1.00)	48 (121.9)	11	24 (61.0)	63.5 (161.3)	C2565409*	Clog-free leaf rake, unique design prevents leaves from sticking between tines. Lightweight but robust with premium quality varnished hardwood handle.

\*Replacement handles differ from original product.


**LONG HANDLE TOOLS • GARDEN SPADE AND FORKS**


KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	PALLET	UNIT WEIGHT	APPROX. NET VOL./UN	HANDLE OR "D" GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	SHGS2L	81048	Garant	6	192	4.00 (1.82)	0.328 (0.0093)	Long	46 (116.8)	6 3/4 x 11 (17.1 x 27.9)	60 3/4 (154.3)	C4564809*	Garden spade, hollow back tempered steel blade, forward-turned steps, premium quality varnished hardwood handle.
B	SO31254	78888	Garant	3	216	2.90 (1.32)	0.285 (0.0081)	Long	54 (137.2)	7 1/4 (18.4)	66 (167.6)	C1505409*	Hay fork, long handle, 3 tines. One-piece forged and tempered steel head, baked finish, premium quality varnished hardwood handle.
C	SO513D	78889	Garant	3	126	3.40 (1.54)	0.263 (0.0074)	Poly	32 3/4 (83.2)	9 3/4 (24.8)	45 3/4 (116.2)	C1563309*	Manure fork, short handle, 5 tines. One-piece forged and tempered steel head, baked finish, premium quality varnished hardwood handle.
D	SO513L	78890	Garant	3	192	3.80 (1.72)	0.329 (0.0093)	Long	48 (121.9)	9 3/4 (24.8)	60 3/4 (154.3)	C1514809*	Manure fork, long handle, 5 tines. One-piece forged and tempered steel head, baked finish, premium quality varnished hardwood handle.

\* These replacement handles are suitable for the models above, but are different from the original ones.


**A** SRE42L

**B** SPG12D

**C** SWH8

**D** SDR26


KEY	MODEL NUMBER	ITEM NUMBER	QUALITY PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	APPROX. NET VOL./UN CU. FT. (CU.M)	HANDLE OR "D" GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION	
A	SRE42L	81196	Garant	1	96	3.21 (1.46)	0.292 (0.0083)	Long	48 (121.9)	-	56 1/4 (142.9)	N/A	Utility roto edger, single tread, self-sharpening blade, premium quality varnished hardwood handle.
B	SPG12D	81720	Garant	3	84	3.10 (1.41)	0.746 (0.0211)	Poly	33 (83.82)	14 1/2 × 18 1/2 (36.8 × 47.0)	46 1/2 (116.84)	C4622809*	Grain scoop, black poly blade, premium quality varnished hardwood handle.
C	SWH8	81008	Garant	6	240	2.30 (1.04)	0.098 (0.0028)	Long	54 (137.2)	8 × 3 1/8 (20.3 × 7.9)	56 1/2 (143.5)	C2515409*	Garden hoe, shank type, baked enamel head finish, premium quality varnished hardwood handle.
D	SDR26	81165	Garant	6	144	3.50 (1.59)	0.433 (0.0123)	Long	60 (152.4)	18 1/2 (47.0)	62 (157.5)	N/A	Dandelion and thatching rake, 26 tines, steel head, premium quality varnished hardwood handle.

\* These replacement handles are suitable for the models above, but are different from the original ones.

# GARANT BOTANICA LONG HANDLE TOOLS





KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	DESCRIPTION
A	FCUS1D	78239	3	120	2.00 (0.90)	Poly	16 3/8 (41.5)	6 x 8 3/8 (15.2 x 21.3)	27 1/8 (69.0)	Compact utility shovel, hollow back tempered steel blade, forward-turned steps, premium quality varnished hardwood handle.
B	FHR1D	81017	3	144	2.40 (1.09)	Poly	28 1/4 (71.8)	6 x 8 3/8 (15.2 x 21.3)	39 3/8 (100.0)	Round point shovel, hollow back tempered steel blade, forward-turned steps, premium quality varnished hardwood handle.
C	FHR1L	81018	3	144	2.60 (1.18)	-	42 (106.7)	6 x 8 3/8 (15.2 x 21.3)	53 (134.6)	Round point shovel, hollow back tempered steel blade, forward-turned steps, premium quality varnished hardwood handle.
D	FGSDH	99781	3	144	2.45 (1.11)	Poly	24 (60.96)	5.5 x 9 (12.70 x 22.86)	40 (101.6)	Garden spade, forward-turned steps, premium quality varnished hardwood handle.
E	F410D	81029	3	120	3.40 (1.54)	Poly	30 1/4 (77.5)	6 x 10 (15.2 x 25.4)	40 3/4 (103.5)	Spading fork, 4 steel tines, premium quality varnished hardwood handle.


**LONG HANDLE TOOLS • CULTIVATOR, WEEDERS, RAKES AND BROOM**


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	DESCRIPTION	
A	FHC5LH	99780	3	120	3 (1.36)	Foam	48 (121.92)	5 x 5 3/4 (12.70 x 14.60)	54 1/2 (138.43)	Cultivator, 5 steel tines, silver baked enamel finish, premium quality varnished hardwood handle, comfort grip.
B	FLR7L	81026	3	120	2.15 (0.97)	Foam	48 (121.9)	6 3/4 x 3 (17.1 x 7.6)	51 1/2 (130.8)	Level head rake, 7 steel tines, silver baked enamel finish, premium quality varnished hardwood handle, comfort grip.
C	FLHW54	83056	3	144	1.51 (0.6849)	Foam	54 (137.16)	8 x 3 1/4 (20.32 x 8.25)	55 1/4 (140.33)	Multisurface weeder, steel head, 3 types of tines, premium quality varnished hardwood handle, comfort grip.
D	FDW48	81023	3	120	1.17 (0.53)	-	48 (121.9)	1 x 6 1/2 (2.5 x 16.5)	54 1/2 (138.4)	Dandelion weeder, forged steel head, premium quality varnished hardwood handle.
E	FPSR15L	81024	3	144	0.80 (0.36)	Foam	48 (121.9)	8 x 9 1/2 (20.3 x 24.1)	54 1/2 (138.4)	Poly shrub rake, light and durable, 15 tines, premium quality varnished hardwood handle, comfort grip.
F	FPLR22	78124	6	156	1.5 (0.68)	Foam	48 (121.9)	22 1/4 x 25 3/4 (56.43 x 65.30)	62 (157.23)	Poly leaf rake, light and resistant, 22 tines, premium quality varnished hardwood handle, comfort grip.
G	FOBS22	84048	24	504	1 (0.45)	-	54 (137.16)	7 1/2 x 8 3/4 (17.78 x 20.32)	56 1/2 (142.24)	Outdoor patio broom, stiff bristles, steel handle.



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	APPROX. TOT. LENGTH IN. (CM)	DESCRIPTION	
A	FDW37	99645	6	144	3.52 (1.6)	39 3/4 (101)	Weeder, T-Grip, unique twisted chromoly head, steel handle.	
B	FDW3712	9964512	12	48	42.24 (19.24)	39 3/4 (101)	Display box containing 12 x FDW37 weeders.	
C	KTBO60LH*	99862	1	1	153.92 (69.96)	58 1/2 (148.59)	<b>Botanica long handle tools display</b> , metallic structure with attractive header. Includes 60 tools: 6 x FCUS1D, 6 x FHR1D, 3 x FHR1L, 6 x FDW48, 9 x FPSR15L, 6 x FLR7L, 12 x FGSDH, 9 x FHC5LH, 3 x F410D. Dimensions: 58.5 x 29.25 x 19.75".	

\*Display also available without tools (KTBO)



Botanica<sup>TM/MG</sup>



LONG HANDLE TOOLS • MIDSIZE RAKES AND CULTIVATOR



A FPSR15MS



B FLR7MS



C FC348MS



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	DESCRIPTION
A	FPSR15MS	80104	3	288	0.70 (0.32)	17 (44.45)	8 x 9 (20.32 x 22.86)	26 1/4 (66.7)	Shrub rake, poly head, short premium quality varnished hardwood handle. Comfort grip with tip to hang tool.
B	FLR7MS	80103	3	120	2 (0.91)	14.5 (36.83)	6 3/4 x 4 3/4 (17.14 x 12.06)	19 (48.26)	Level rake, 7 steel tines, short premium quality varnished hardwood handle. Comfort grip with tip to hang tool.
C	FC348MS	80105	3	120	0.88 (0.40)	14 (35.56)	3 1/2 x 9 1/2 (8.89 x 24.13)	23 1/2 (59.69)	Cultivator, 3 steel tines, short premium quality varnished hardwood handle. Comfort grip with tip to hang tool.



# ECONO LONG HANDLE TOOLS


**LONG HANDLE TOOLS • SHOVELS**


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	LHR2D	80417	6	192	3.10 (1.41)	Poly	25 5/8 (65.1)	8 x 10 3/4 (20.3 x 27.3)	38 1/2 (97.8)	N/A	Round point shovel, hollow back tempered steel blade, rolled-back steps, premium quality varnished hardwood handle.
B	LHR2L	80419	6	192	3.30 (1.50)	—	42 (106.7)	8 x 10 3/4 (20.3 x 27.3)	55 (139.7)	N/A	
C	LHS2D	80421	6	144	4.10 (1.86)	Poly	25 5/8 (65.1)	9 1/2 x 11 (24.1 x 27.9)	39 (99.1)	N/A	Square point shovel, hollow back tempered steel blade, rolled-back steps, premium quality varnished hardwood handle.
D	LHS2L	80423	6	144	4.50 (2.04)	—	42 (106.7)	9 1/2 x 11 (24.1 x 27.9)	55 1/2 (141.0)	N/A	
E	LHGS2D	80414	6	192	3.40 (1.54)	Poly	25 5/8 (65.1)	6 7/8 x 12 (17.8 x 28.3)	39 (112.4)	N/A	Garden spade, hollow back tempered steel blade, forward-turned steps, premium quality varnished hardwood handle.



MODEL KEY NUMBER	ITEM NUMBER	PKG. PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION	
A LTR19	80994	2	56	3.06 (1.39)	54 (137.2)	15 (38.1)	55 1/2 (141.0)	N/A	Thatching rake, steel head, premium quality varnished hardwood handle.
B LBR14	80759	6	360	2.90 (1.32)	51 (129.54)	14 (35.6)	56 (142.2)	N/A	Bow rake, steel head, baked enamel finish, premium quality varnished hardwood handle.
C LDR24	81040	6	144	3.43 (1.56)	54 (137.2)	17 (43.2)	62 (157.5)	N/A	Dandelion and thatching rake, steel head, baked enamel finish, premium quality varnished hardwood handle.
D LPLR22	80842	18	180	1.27 (0.58)	48 (121.9)	22 (55.9)	61 1/2 (156.2)	N/A	Poly leaf rake, light and durable, premium quality varnished hardwood handle.
E LFR22	80779	18	432	1.60 (0.73)	48 (121.9)	20 (50.8)	58 1/4 (148.0)	N/A	Fan rake, tempered steel tines, premium quality varnished hardwood handle.
F LLR22	80780	18	324	2.50 (1.13)	48 (121.9)	21 (53.3)	58 1/4 (148.0)	N/A	Springback lawn rake, tempered steel tines, premium quality varnished hardwood handle.


**LONG HANDLE TOOLS • HOE, CULTIVATORS, FORK AND GRAIN SCOOPS**


KEY	MODEL NUMBER	ITEM NUMBER	PALLET PKG.	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION	
A	LGH6	80726	6	432	1.60 (0.73)	-	48 (121.9)	6 x 3 5/8 (15.2 x 9.2)	50 1/2 (128.3)	N/A	Garden hoe, shank type, steel head, baked enamel finish, premium quality varnished hardwood handle.
B	LC448	80803	6	360	1.85 (0.84)	-	48 (121.9)	5 (12.7)	52 1/2 (133.4)	N/A	Cultivator forged steel prongs, black baked enamel finish, premium quality varnished hardwood handle. 4 steel tines.
C	LC348	81041	6	120	1.21 (0.55)	-	48 (121.9)	3 1/8 (7.9)	52 (132.1)	N/A	Cultivator, forged steel prongs, black baked enamel finish, premium quality varnished hardwood handle. 3 steel tines.
D	L410D	81104	6	240	2.90 (1.32)	Poly	30 1/2 (77.5)	6 (15.2)	40 1/2 (102.9)	N/A	Spading fork, one-piece forged and tempered steel head, black baked enamel finish, premium quality varnished hardwood handle. 4 steel tines, 10" (25.4 cm).
E	LAG08D	81715	3	126	3.40 (1.54)	Poly	28 1/4 (71.8)	13 x 17 3/8 (33.0 x 44.1)	45 (114.3)	C4622809*	Grain scoops, aluminum blades, natural finish, premium quality varnished hardwood handle.
-	LAG10D	81717	3	84	3.50 (1.60)	Poly	28 1/4 (71.8)	13 3/8 x 18 1/4 (34.0 x 46.4)	45 1/2 (115.6)	C4622809*	
-	LAG12D	81718	3	84	3.60 (1.63)	Poly	28 1/4 (71.8)	15 x 18 3/4 (38.1 x 47.6)	45 1/2 (115.6)	C4622809*	
-	LAG14D	81719	3	84	3.70 (1.68)	Poly	28 1/4 (71.8)	15 1/2 x 19 3/4 (39.4 x 50.2)	46 (116.8)	C4622809*	
F	LAG08L	81716	3	84	3.80 (1.72)	-	48 (121.9)	13 x 17 3/4 (33.0 x 44.1)	63 1/2 (161.3)	C4564809*	

\*Replacement handles differ from original product.


# PRACTICAL LONG HANDLE TOOLS




**LONG HANDLE TOOLS • SHOVELS**


KEY	MODEL NUMBER	ITEM NUMBER	PALLET PKG.	PALLET PKG.	UNIT WEIGHT LB. (KG)	HANDLE OR "D" GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	TCUS1D	83379	3	216	2 (0.90)	Poly	16 3/8 (41.6)	6 x 8 3/8 (15.2 x 21.3)	27 1/8 (68.9)	N/A	Utility round point compact shovel, tempered steel blade, forward turned footsteps, premium quality varnished hardwood handle.
B	TDR	00195	6	96	3.20 (1.36)	Poly	26 1/2 (67.3)	8 1/2 x 11 3/8 (21.6 x 28.9)	39 3/4 (100.9)	C4502809*	Round point shovel, tempered steel blade, forward-turned steps, premium quality varnished hardwood handle.
C	TLR	00197	6	96	3.46 (1.57)	-	46 1/2 (118.1)	8 1/2 x 11 3/8 (21.6 x 28.9)	59 (149.8)	C4564809*	
D	TDS	00196	6	144	3.50 (1.59)	Poly	26 1/2 (67.3)	9 7/16 x 11 1/8 (24.0 x 28.3)	41 (104.1)	C4502809*	Square point shovel, tempered steel blade, forward-turned steps, premium quality varnished hardwood handle.
E	TLS	00198	6	144	4.70 (2.13)	-	46 1/2 (118.1)	9 7/16 x 11 1/8 (24.0 x 28.3)	60 1/4 (153.0)	C4564809*	
F	TDGS	00199	6	192	3.60 (1.63)	Poly	26 1/2 (67.3)	6 7/8 x 11 3/4 (17.5 x 29.8)	41 1/2 (105.4)	C4502809*	Garden spade, tempered steel blade, forward-turned steps, premium quality varnished hardwood handle.
G	THDS14FD	78887	3	240	3.28 (1.48)	Poly	26 5/8 (67.6)	5 1/2 x 14 (13.97 x 35.56)	42 1/2 (107.95)	C4502809*	Drain spade, hollow back tempered steel blade, forward-turned steps, premium quality varnished hardwood handle.

\*Replacement handles differ from original product.



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	BAG10	37012	3	84	3.40 (1.54)	Poly	29 (73.6)	13 x 18 (33.0 x 45.7)	47 (119.4)	C4622809*	Grain scoop, aluminum blade, natural finish, premium quality varnished hardwood handle.
B	BAG10L	00729	3	84	4.30 (1.95)	-	48 (121.9)	13 x 18 (33.0 x 45.7)	64 (162.6)	N/A	
C	BAG12	37014	3	84	3.60 (1.63)	Poly	29 (73.6)	15 x 18 3/4 (38.1 x 47.6)	46 1/2 (118.1)	C4622809+	
D	BAG12L	00730	3	84	3.60 (1.63)	-	48 (121.9)	15 x 18 3/4 (38.1 x 47.6)	64 (162.6)	N/A	

\* These replacement handles are suitable for the models above, but are different from the original ones.


**LONG HANDLE TOOLS • HOE, CULTIVATOR, FORK, EDGER AND DIGGER**



MODEL KEY NUMBER	ITEM NUMBER	PKG. PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE GRIP	LENGTH IN. (CM)	BLADE DIMENSION IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION	
A TH	00189	6	432	1.80 (0.82)	—	54 (137.2)	6 1/2 x 5 1/2 (16.5 x 14)	56 1/4 (142.9)	C2515409*	Garden hoe, shank type, baked enamel finish, premium quality varnished hardwood handle.
B TC348	78726	6	120	4.5 (2.04)	—	48 (121.92)	—	52 1/2 (133.35)	C2515409*	Chrome-plated cultivator, forged steel prongs, premium quality varnished hardwood handle. 3 tines.
C TC448	83377	3	144	1.96 (0.88)	—	48 (121.92)	—	52 1/2 (133.35)	C2515409*	Speedy cultivator, forged steel head, premium quality varnished hardwood handle. 4 tines.
D TDF	00188	6	240	3.46 (1.57)	Poly	32 (81.3)	7 (17.8)	41 5/8 (105.7)	C1563309*	Spading fork, one-piece forged and tempered steel head, baked enamel finish, premium quality varnished hardwood handle.
E XPED	00264	3	96	2.20 (1.00)	Poly	31 1/2 (80.0)	9 x 4 3/4 (22.9 x 12.1)	36 3/4 (93.3)	N/A	Turf edger, turned steps, tempered steel, baked enamel finish, premium quality varnished hardwood handle.
F TPHD	00190	1	72	8.57 (3.88)	—	46 (116.8)	4 3/4 x 9 (12.1 x 22.9)	56 1/4 (142.8)	C5603*	Post hole digger, premium quality varnished hardwood handle. Digs 5 1/2" holes.

\*Replacement handles differ from original product.




KEY	MODEL NUMBER	ITEM NUMBER	PALLET PKG.	UNIT WEIGHT LB. (KG)	TINES	BLADE DIMENSION IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION	
A	TB14	00191	6	360	2.70 (1.22)	14	13 3/4 (34.9)	59 3/4 (151.8)	C2516009*	Bow rake, steel head, baked enamel finish, premium quality varnished hardwood handle.
B	TCR14	78410	6	216	3.00 (1.36)	14	14 (35.6)	62 1/2 (158.2)	N/A	Double-back level rake, steel head, enamel head finish, premium quality varnished hardwood handle.
C	TSL22	00192	12	240	2.52 (1.14)	22	22 (55.9)	68 1/2 (174.6)	C2565409*	Spring back lawn rake, coiled spring, tempered steel tines, premium quality varnished hardwood handle.
D	HTR2212	21005	12	192	2.00 (0.91)	22	22 (55.9)	63 1/2 (164.3)	C2565409*	Lawn rake, poly head, replaceable steel tines, premium quality varnished hardwood handle.
E	TTSFA18	99839	12	216	1.667 (0.756)	18	18 (45.72)	55 1/2 (140.97)	N/A	Lawn rake. Curved metal tines. Lightweight aluminum handle.

\*Replacement handles differ from original product.


**LONG HANDLE TOOLS • LAWN RAKE AND WEEDERS**


MODEL KEY NUMBER	ITEM NUMBER	PALLET PKG.	PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	BLADE DIMENSION IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A TFS24	00193	6	96	1.80 (0.82)	26 (66.04)	24 (61.0)	66 (170.7)	C2565409*	Leaf rake, lightweight poly head, premium quality varnished hardwood handle.
B TFS30	00194	6	42	2.16 (0.98)	30 (76.2)	30 (76.2)	71 (183.7)	C2565409*	
C TPSR15L	84022	3	144	1.2 (0.54)	30 (76.2)	8 x 9 1/2 (20.3 x 24.1)	55 (139.7)	N/A	Shrub rake, light and durable, 15 tines, premium quality varnished hardwood handle.
D TDW	83660	8	160	3.0 (1.37)	33.8 (85.85)	—	33 (83.82)	N/A	Weeder. Unique plunger clears after pulling. Durable steel construction, tempered steel tines and footstep.
E TFDW42	78725	6	240	2.10 (1.00)	42 (80.3)	—	46 (116.8)	N/A	Dandelion weeder. Forged steel head, premium quality varnished hardwood handle.



**EXCLUSIVE TO  
INDUSTRIALS**

---


**LONG HANDLE TOOLS • SHOVELS**
**EXCLUSIVE TO  
INDUSTRIALS**


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	TTHR2FD	83531	6	96	3.7 (1.68)	Poly	29.5 (74.93)	8 3/8 x 11 1/2 (21.27 x 29.21)	43 (109.22)	C4512809*	Round point shovel, hollow back tempered steel blade, forward-turned steps, reinforcing steel collar, premium quality stained hardwood handle.
B	TTHR2FL	83532	6	96	4.2 (1.91)	-	48 (121.92)	8 3/8 x 11 1/2 (21.27 x 29.21)	62 (157.48)	C4564809*	Square point shovel, hollow back tempered steel blade, size 2, reinforcing steel collar, premium quality stained hardwood handle.
C	TTSHS2FD	83534	6	144	4.3 (1.95)	Poly	29.5 (74.93)	10 x 12 (25.4 x 30.48)	43 (109.22)	C4512809*	Square point shovel, hollow back tempered steel blade, size 2, reinforcing steel collar, premium quality stained hardwood handle.
D	TTSHS2FL	83533	6	144	4.8 (2.18)	-	48 (121.92)	10 x 12 (25.4 x 30.48)	62 (157.48)	C4564809*	Square point shovel, hollow back tempered steel blade, size 4, reinforcing steel collar, premium quality stained hardwood handle.
E	TTSHS4FD	83715	6	144	5 (2.27)	Poly	26.5 (67.31)	10 1/2 x 13 (26.67 x 33.02)	43 (109.22)	C4512409*	Square point shovel, hollow back tempered steel blade, size 4, reinforcing steel collar, premium quality stained hardwood handle.

\* These replacement handles are suitable for the models above, but are different from the original ones.

**EXCLUSIVE TO  
INDUSTRIALS**
**A** TTHGS2FD

**B** TTHDS16FD

**C** TTBR14

**D** TTCR14

**E** TTLR22



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	TTHGS2FD	83535	3	192	3.4 (1.54)	Poly	29.5 (74.93)	6 3/4 x 11 (17.15 x 27.94)	43 (109.22)	C4512809*	Garden spade, solid shank and tempered steel blade, forward turned steps, premium quality stained hardwood handle.
B	TTHDS16FD	83537	3	240	3.53 (1.6)	Poly	29.5 (74.93)	5 1/2 x 16 (13.97 x 40.64)	45.5 (115.57)	C4512809*	Drain spade, hollow back tempered steel blade, forward turned steps, premium quality stained hardwood handle.
C	TTBR14	83538	6	360	2.9 (1.31)	-	54 (137.16)	14 (35.56)	61 (154.94)	C2515409*	Bow rake, baked enamel head finish, premium quality stained hardwood handle.
D	TTCR14	83716	6	216	3 (1.36)	-	60 (152.4)	14 (35.56)	63 (160.02)	C2516009*	Double back level rake, baked enamel head finish, premium quality stained hardwood handle.
E	TTLR22	83718	6	96	2.4 (1.09)	-	54 (137.16)	24 (60.96)	65 (156.1)	C2565409*	Springback lawn rake, tempered steel tines, premium quality stained hardwood handle.

\* These replacement handles are suitable for the models above, but are different from the original ones.


**LONG HANDLE TOOLS • SHOVELS**
**EXCLUSIVE TO  
INDUSTRIALS**


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE OR "D" GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	CHR2FD	81208	6	96	4.10 (1.85)	Steel	27 3/4 (70.5)	8 3/8 x 11 1/2 (21.3 x 29.2)	41 1/2 (105.4)	C4512809*	Round point shovel, hollow back tempered steel blade, forward turned steps, premium quality varnished hardwood handle.
B	CHR2FL	81209	6	96	4.30 (1.95)	-	48 (121.9)	8 3/8 x 11 1/2 (21.3 x 29.2)	61 3/4 (156.8)	C4564809*	
C	CHS2D	81765	6	144	5.00 (2.26)	Steel	27 3/4 (70.5)	10 x 12 (25.4 x 30.5)	41 1/4 (104.7)	C4512809*	Square point shovel, hollow back tempered steel blade, size 2, premium quality varnished hardwood handle.
D	CHS2L	81766	6	144	5.00 (2.26)	-	48 (121.9)	10 x 12 (25.4 x 30.5)	61 3/8 (155.9)	C4564809*	
E	CHS4D	81211	6	144	5.13 (2.32)	Steel	27 1/2 (68.58)	10 1/2 x 13 (20.7 x 33.0)	42 (106.68)	C4512809*	Square point shovel, hollow back tempered steel blade, size 4, premium quality varnished hardwood handle.

\* These replacement handles are suitable for the models above, but are different from the original ones.

**EXCLUSIVE TO  
INDUSTRIALS**


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE OR "D" GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	CSHGS2FD	81214	3	192	3.5 (1.36)	Steel	27 3/4 (70.5)	6 3/4 x 11 (17.1 x 27.4)	42 1/2 (107.9)	C4512809*	Garden spade, solid shank and tempered steel blade, forward turned steps, premium quality varnished hardwood handle.
B	CHDS14FD	81215	3	240	3.8 (1.36)	Steel	25 1/4 (70.5)	5 1/2 x 14 (14.0 x 35.6)	43 3/8 (110.1)	C4512809*	Drain spade, hollow back tempered steel blade, forward turned steps, premium quality varnished hardwood handle.
D	CBR14	02149	6	360	2.40 (1.08)	-	54 (137.2)	14 (35.6)	60 (152.4)	C2516009*	Bow rake, baked enamel head finish, premium quality varnished hardwood handle.
E	CCR14	02150	6	216	2.68 (1.22)	-	60 (152.4)	14 (35.6)	62 1/2 (158.7)	C2516009*	Double back level rake, baked enamel head finish, premium quality varnished hardwood handle.
F	CLR24	02151	6	96	2.50 (1.14)	-	54 (137.2)	24 (61.0)	64 3/4 (164.5)	C2565409*	Springback lawn rake, tempered steel tines, premium quality varnished hardwood handle.

\* These replacement handles are suitable for the models above, but are different from the original ones.


**LONG HANDLE TOOLS • CEREMONIAL SHOVELS**
**A** GHR2DGP

**B** GHR2DCP


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	GRIP	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GHR2DGP	80403	1	50	4.20 (1.91)	Steel	26 (66.04)	8 1/2 x 11 1/4 (20.32 x 27.94)	41 (104.14)	-	Ceremonial round point shovel, gold-plated steel blade and grip, premium quality varnished hardwood handle.
B	GHR2DCP	80402	1	50	4.20 (1.91)	Steel	26 (66.04)	8 1/2 x 11 1/4 (20.32 x 27.94)	41 (104.14)	-	Ceremonial round point shovel, chrome-plated steel blade and grip, premium quality varnished hardwood handle.



# GARANT PRO SERIES STRIKING TOOLS





Two-piece slip-eye connection with metal rod

Patent pending



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	HEAD WEIGHT LB. (KG)	TOTAL LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GPDF0416	80678	4	144	5.32 (2.41)	16 (40.6)	4 (1.81)	16 (40.6)	N/A	Industrial-grade sledge hammer, double-faced tempered steel head, lathe finished. Undetectable head and handle thanks to our two-piece slip-eye connection with metal rod. Ultra-sturdy fiberglass handle, polypropylene cast molded with non-slip rubberized grip. Handle resists to temperatures as low as - 30°C. Used for demanding jobs.
-	GPDF0424	80673	4	200	6.07 (2.75)	24 (61.0)	4 (1.81)	24 (61.0)	N/A	
B	GPDF0632	80672	4	180	8.66 (3.93)	32 (81.3)	6 (2.72)	32 (81.3)	N/A	
-	GPDF0832	80671	4	120	11.39 (5.17)	32 (81.3)	8 (3.63)	32 (81.3)	N/A	
C	GPDF1036	80669	2	96	13.85 (6.28)	36 (91.4)	10 (4.54)	36 (91.4)	N/A	
-	GPDF1236	80665	2	84	15.24 (6.91)	36 (91.4)	12 (5.44)	36 (91.4)	N/A	
-	GPDF1636	80061	2	72	17.6 (7.98)	36 (91.4)	16 (0.45)	36 (91.4)	N/A	
D	GPDF0624	80468	4	200	8.067 (3.67)	24 (61.0)	6 (2.72)	24 (61.0)	N/A	
E	GPDF0816	80465	4	128	9.321 (4.25)	16 (40.6)	8 (3.63)	16 (40.6)	N/A	



**PRO  
SERIES**



## STRIKING TOOLS • HAMMERS

**A** GPMCH30011



**B** GPMCH40011



**C** GPBSH30016



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	HEAD WEIGHT LB. (KG)	TOTAL LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	GPMCH30011	80062	2	360	3.85 (1.75)	11 (27.9)	3 (1.36)	11 (27.9)	N/A	Industrial-grade mason club hammer, double-faced forged and tempered steel head. Durable and safe mechanical assembly thanks to two-piece slip-eye connection with metal rod for undetachable head and handle. Ultra-sturdy fiberglass handle and TPE overmold non-slip rubberized grip. Handle resists to temperatures as low as - 30°C. Designed for demanding jobs.
B	GPMCH40011	80063	2	288	4.69 (2.13)	11 (27.9)	4 (1.81)	11 (27.9)	N/A	Industrial-grade mason club hammer, double-faced forged and tempered steel head. Durable and safe mechanical assembly thanks to two-piece slip-eye connection with metal rod for undetachable head and handle. Ultra-sturdy fiberglass handle and TPE overmold non-slip rubberized grip. Handle resists to temperatures as low as - 30°C. Designed for demanding jobs.
C	GPBSH30016	80064	2	220	3.95 (1.79)	16 (40.6)	3 (1.36)	16 (40.6)	N/A	Industrial-grade blacksmith hammer, 3 lb. forged and tempered steel head. Durable and safe mechanical assembly thanks to two-piece slip-eye connection with metal rod for undetachable head and handle. Ultra-sturdy fiberglass handle and TPE overmold non-slip rubberized grip. Handle resists to temperatures as low as - 30°C. Designed for demanding jobs.

\* Weight in ounces.



### UNDETACHABLE HEAD AND HANDLE

- Safety lock fitting
- Keeps head firmly fixed to handle
- When assembled, the handle resin molds to the head and creates a uniform structure

### STEEL OVERSTRIKE PROTECTION

- Neck forged to head for increased handle impact protection
- Avoid broken handles!

Patent pending

**A** TCA12514



**B** TCA22528



**C** TCA35032



**D** TCSMS60036



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	HEAD WEIGHT LB. (KG)	TOTAL LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	TCA12514	99183	6	432	2.10 (0.95)	14 (35.6)	1.25 (0.57)	14 (35.6)	N/A	Hatchet, an essential tool for all leisure outings. Unique design for more precision and safety: overstrike protection, undetachable head and handle, integrated nail puller and non-slip ergonomic handle with curved grip. Perfect for pruning, trimming, cutting shrubs and removing nails.
B	TCA22528	99184	4	432	3.98 (1.80)	28 (71.1)	2.25 (1.02)	28 (71.1)	N/A	2.25 lb. all-purpose axe, perfect for all felling, delimiting and brush clearing needs. Unique design for more precision and safety: overstrike protection, undetachable head and handle, and non-slip ergonomic handle with curved grip.
C	TCA35032	99164	4	336	5.52 (2.50)	32 (81.3)	3.50 (1.59)	32 (81.3)	N/A	3.5 lb. all-purpose axe, perfect for all felling, delimiting and brush clearing needs. Unique design for more precision and safety: overstrike protection, undetachable head and handle, and non-slip ergonomic handle with curved grip.
D	TCSMS60036	99185	2	144	9.23 (4.19)	36 (91.4)	6.00 (2.72)	36 (91.4)	N/A	6 lb. splitting maul, perfect for splitting firewood. Unique design: longer cutting edge for a better contact surface, striking surface that can be used for splitting wood in conjunction with a splitting wedge and ramps perfectly designed to provide more splitting power and to reduce effort and fatigue.



**PRO  
SERIES**



## STRIKING TOOLS • SLEDGE HAMMERS AND POST MAUL



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	HEAD WEIGHT LB. (KG)	REPL. HANDLE US (CAN) EYE	TOTAL LENGTH IN. (CM)	REPL. HANDLE	DESCRIPTION
A	DF0416	81318	4	144	4.75 (2.16)	16 (40.6)	4 (1.81)	(B4061601SG)	16 (40.6)	N/A	Industrial-quality sledge hammer, double-faced tempered steel head, machine-finished face, varnished premium hickory handle, non-slip safety grip. Used for general sledging operations in striking wood, concrete, metal and stone. Common uses are striking spikes, cold chisels, star drills and hardened nails. Large Canadian eye fitting American eye.
-	DF0424	81319	4	288	5.00 (2.27)	24 (61.0)	4 (1.81)	B3002401SG	24 (61.0)	N/A	
B	DF0632	81320	4	200	7.40 (3.36)	32 (81.3)	6 (2.72)	B3903201SG (B3003201SG)*	32 (81.3)	N/A	
C	DF0832	81321	4	120	9.40 (4.26)	32 (81.3)	8 (3.63)	B3903201SG (B3013201SG)	32 (81.3)	N/A	
D	DF1036	81323	2	96	11.60 (5.26)	36 (91.4)	10 (4.54)	B3903601SG (B3013601SG)	36 (91.4)	N/A	
E	DF1236	81324	2	96	13.60 (6.17)	36 (91.4)	12 (5.44)	B3903601SG (B3013601SG)	36 (91.4)	N/A	
F	DF1636	81326	2	72	17.60 (7.98)	36 (91.4)	16 (7.26)	(B3013601SG)	36 (91.4)	N/A	
-	DF2036	78617	2	72	17.60 (7.98)	36 (91.4)	20 (9.02)	(B3013601SG)	36 (91.4)	N/A	
G	FM1036	81327	2	110	11.60 (5.26)	36 (91.4)	10 (4.54)	(B3013601SG)	36 (91.4)	N/A	Farmer's post maul, cast-iron head, hickory handle, non-slip safety grip. Large Canadian eye fitting American eye.

\* Canadian eye fits older products, see replacement handles for dimensions.



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	HEAD WEIGHT LB. (KG)	REPL. HANDLE US (CAN) EYE	TOTAL LENGTH IN. (CM)	DESCRIPTION
A	D4015NS	78096	4	288	3.50 (1.59)	16 (40.64)	3 (1.36)	-	16 (40.64)	Double-faced sledge hammer, forged head with non-sparking, brass head, varnished hickory handle. Used for general sledging operations in striking wood, concrete, metal and stone. Common uses are striking spikes, cold chisels, star drills and hardened nails.
-	D4025NS	78099	4	160	7.20 (3.27)	32 (81.28)	5 (2.27)	B3903205	32 (81.28)	
-	D4040NS	78106	4	120	9.30 (4.22)	32 (81.28)	8 (3.63)	B3903605	32 (81.28)	
-	D4050NS	78110	2	96	11.50 (5.22)	36 (91.44)	10 (4.54)	B3903605	36 (91.44)	
-	D4060NS	78114	2	96	14.10 (6.40)	36 (91.44)	12 (5.44)	B3903605	36 (91.44)	
B	DF0516NS	83353	4	144	6.5 (2.95)	16 (40.64)	5 (2.27)	B4061605	16 (40.64)	
C	DF0816NS	83354	4	144	8.9 (4.04)	16 (40.64)	8 (3.63)	B4061605	16 (40.64)	



**PRO  
SERIES**



## STRIKING TOOLS • HAMMERS



**A** MCH25011



**B** MCH40011

**C** BSH30016SG



**D** D22405SG  
D23205SG



**E** D2320NS



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	HEAD WEIGHT LB. (KG)	REPL. HANDLE US (CAN) EYE	TOTAL LENGTH IN. (CM)	DESCRIPTION
A	MCH25011	81311	2	360	2.85 (1.29)	11 (27.9)	2.5 (1.13)	B4031001 (B4931005)*	11 (27.9)	Mason club hammer, varnished premium hickory handle. Used with chisels, punches, star drills and hardened nails. Its design permits heavy blows with limited swing.
B	MCH40011	81312	2	300	4.40 (2.00)	11 (27.9)	4 (1.81)	B4031001 (B4931005)*	11 (27.9)	
C	BSH30016SG	81525	2	200	3.50 (1.58)	16 (40.6)	3 (1.36)	B4961601 (B4061601SG)*	16 (40.6)	Blacksmith hammer, varnished premium hickory handle with safety grip. The striking face is designed for general blacksmith work in striking unhardened metal. The peens are used for shaping (fullering) and bending unhardened metal.
D	D22405SG	78413	4	264	2.00 (0.91)	16 (40.64)	24** (0.68)	B4021605	16 (40.64)	Machinist ball-pein hammer, polished/painted head, varnished hickory handle.
-	D23205SG	78414	4	264	2.50 (1.13)	16 (40.64)	32** (0.91)	B4021605	16 (40.64)	
E	D2320NS	78087	4	264	2.50 (1.13)	16 (40.64)	32** (0.91)	B4021605	16 (40.64)	Machinist ball-pein hammer, non-sparking, brass head, varnished hickory handle.

\* Canadian eye fits older products, see replacement handles for dimensions.  
\*\* Weight in ounces.



Unique head design makes chopping wood easier by minimizing effort

**A** CAR22521



**B** CHS17526



**C** CAN22528



**D** MIC30032



**E** MIC35036



**F** GSS40036



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	HEAD WEIGHT LB. (KG)	REPL. HANDLE US (CAN) EYE	TOTAL LENGTH IN. (CM)	DESCRIPTION
<b>A</b>	CAR22521	81254	4	300	3.10 (1.41)	21 (53.3)	2.25 (1.02)	B1002101SG (B7102105)*	21 (53.3)	Professional carpenter axe, forged steel head, hickory handle, non-slip safety grip, American eye.
<b>B</b>	CHS17526	81255	4	240	2.70 (1.22)	26 (66.0)	1.75 (0.79)	B1002601SG (B7102605)*	26 (66.0)	Chainsaw axe, forged steel head, hickory handle, non-slip safety grip, American eye.
<b>C</b>	CAN22528	81252	4	320	3.30 (1.50)	28 (71.1)	2.25 (1.02)	B1002801SG (B7102805)*	28 (71.1)	All-purpose axe, Canadian-style forged steel head, hickory handle, non-slip safety grip, American eye.
<b>D</b>	MIC30032	81509	4	224	4.19 (1.90)	32 (81.3)	3 (1.36)	B1003201SG (B7103205)*	32 (81.3)	All-purpose axe, Michigan style forged steel head, hickory handle, non-slip safety grip, American eye.
<b>E</b>	MIC35036	81269	4	224	4.90 (2.22)	36 (91.4)	3.5 (1.59)	B1003601SG (B7103605)*	36 (91.4)	
<b>F</b>	GSS40036	81707	2	120	5.00 (2.27)	36 (91.4)	4 (1.81)	B1093601	36 (91.4)	"Super splitter" splitting maul, forged steel head, varnished premium hickory handle. The ultimate woodsplitting tool providing more splitting power with less weight, reducing fatigue.

\* Canadian eye fits older products, see replacement handles for dimensions.



**PRO  
SERIES**



## STRIKING TOOLS • AXES AND SPLITTING MAUL



Oversized striking surface for easy, precise and secure insertion



Constant pivoting action for maximum leverage

**A** GPWB24  
GPWB30  
GPWB36  
GPWB48



**B** WB24T



**C** WB30T



**D** WB36T




**E** GPLDT51




**F** 8306300

Tools not included

KEY	MODEL NUMBER	ITEM NUMBER	PKG.	MASTER PACK	PALLET PACK	UNIT WEIGHT LB. (KG)	TOTAL LENGTH IN. (CM)	DESCRIPTION
A	GPWB24	80073	1	10	320	3.88 (1.76)	24 (61.0)	Industrial-grade ultra-sturdy forged and tempered steel demolition bar. Unique design perfect for heavy-duty work requiring maximum power. Oversized and well-oriented striking surface for easy penetration with precision and safety. Its wide curved end gives a continuous pivot point for maximum leverage while pulling. Three nail slots for removing nails in different working positions. Its H-shaped handle allows for better control and maximum sturdiness.
-	GPWB30	80074	1	10	320	4.59 (2.08)	30 (76.2)	
-	GPWB36	80077	1	6	288	5.29 (2.40)	36 (91.4)	
-	GPWB48	80177	1	6	180	6.61 (3.00)	48 (121.9)	
B	WB24T	78931	1	10	250	3.80 (1.72)	24 (61.0)	"T" wrecking bar, ultra-sturdy forged and tempered steel. Perfect for construction jobs in tight spaces. Claw on gooseneck to remove nails.
C	WB30T	78932	1	10	250	4.10 (1.88)	30 (76.2)	
D	WB36T	78933	1	10	250	4.90 (2.22)	36 (91.4)	
E	GPLDT51	83311	2	-	96	11.5 (5.22)	51 (20.08)	Industrial-grade deck demolition tool, unique head design allowing stable support on joists for maximum control, long claws for removing angled planks. Oversized striking surface for easy penetration or to be used as a sledge hammer. Three nail slots for removing nails, two of them in the head providing a perfect alignment on 2" x 4" plank, one-piece heavy-duty steel tool.
F	8306300	83063	1	-	84	7.16 (2.67)	-	Deck demolition tool wooden display. Can hold 6 units. (tools not included)



**Wedge point for breaking up hard surfaces or for digging**  
CB51WC, CB60WC



**Pinch point for significant leverage and more control**  
CB51PC, CB54PC,  
CB57PC, CB60PC

**A** CB51PC  
CB54PC  
CB57PC  
CB60PC

**B** CB51WC  
CB60WC

**C** GDT1769

**D** GPT1448

**E** GPMB24



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	TIP OPENING IN. (CM)	TOTAL LENGTH IN. (CM)	DESCRIPTION
A	CB51PC	81037	1	150	12.00 (5.44)	1 1/8 (2.9)	51 (129.5)	Crowbar, pinch point, forged and tempered steel.
-	CB54PC	78023	1	150	14.00 (6.35)	1 1/8 (2.9)	54 (137.16)	
-	CB57PC	78006	1	120	16.00 (7.26)	1 1/8 (2.9)	57 (144.78)	
-	CB60PC	81036	1	120	18.00 (8.16)	1 1/8 (2.9)	60 (152.4)	
B	CB51WC	81039	1	150	12.00 (5.44)	1 1/8 (2.9)	51 (129.5)	Crowbar, wedge point, forged and tempered steel.
-	CB60WC	81038	1	120	18.00 (8.16)	1 1/4 (3.2)	60 (152.4)	
C	GDT1769	80472	1	100	17.00 (7.71)	2 3/8 (6.0)	69 (175.3)	High-quality post hole digging-tamper bar, forged steel. Cutter width 2 3/8" (6 cm). Used to dig holes in the ground with the blade end. The tamper head is used to tamp the earth around fence posts and deck supports in the ground.
D	GPT1448	80071	2	36	13.5 (6.12)	10 x 10 (25.4 x 25.4)	48.5 (123.2)	Industrial-grade tamper, 10" x 10" forged steel head, ultra-sturdy fiberglass handle, comfort grip.
E	GPMB24	83113	1	400	3.75 (1.7)	24 (61.0)	0.083 (0.0023)	Industrial-grade manhole cover bar. Made from hexagonal high grade tempered and forged steel with a hardened steel diamond point providing superior strength and durability. Perfect for prying manhole covers.



**PRO  
SERIES**



## STRIKING TOOLS • PICKS

**A** GPAP250



**C** GPCP600



**D** CAP19  
CAP40



**B** GPPM500



**D** GPCM500



**F** 9923400



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	CUTTER LENGTH IN. (CM)	REPL. HANDLE EYE US (CAN)	TOTAL LENGTH IN. (CM)	DESCRIPTION
A	GPAP250	80066	2	144	5.34 (2.43)	36 (91.4)	2 5/8 (6.66)	8009600	36 (91.4)	Industrial-garde garden pick, forged and tempered steel head, ultra-sturdy high-density polypropylene overmolded fiberglass handle and rubberized non-slip grip. Mechanical assembly. Handle resists to temperatures as low as -30°C. Perfect for burying or for digging in packed earth or clay. Pick head used to loosen the soil and mattock end practical for digging out. Designed for demanding jobs.
B	GPPM500	80068	2	96	7.5 (3.40)	36 (91.4)	3 9/16 (9.04)	8009600	36 (91.4)	Industrial-grade pick and mattock, 5 lb. forged and tempered steel head with ultra-sturdy premium fiberglass handle and TPE overmold non-slip rubberized grip. Handle resists to temperatures as low as -30°C. Perfect for burying or for digging in packed earth or clay. Pick head used to loosen the soil and mattock end practical for digging out. Designed for demanding jobs.
C	GPCP600	80070	2	84	8.5 (3.86)	36 (91.4)	1 1/4 (3.17)	8009600	36 (91.4)	Industrial-grade clay pick, 6 lb. forged and tempered steel head with ultra-sturdy premium fiberglass handle and TPE overmold non-slip rubberized grip. Handle resists to temperatures as low as -30°C. Perfect for digging in clay or packed earth, particularly when long or deep ditches are to be dug. Designed for demanding jobs.
D	GPCM500	80069	2	84	7.5 (3.40)	36 (91.4)	3 1/2 (8.89)	8009600	36 (91.4)	Industrial-grade cutter mattock, 5 lb. forged and tempered steel head with ultra-sturdy premium fiberglass handle and TPE overmold non-slip rubberized grip. Handle resists to temperatures as low as -30°C. Perfect for breaking and smoothing hard ground, or for removing rocks and roots. Designed for demanding jobs.
E	CAP19	81867	2	96	7.5 (3.40)	36 (91.4)	3 9/16 (9.04)	B6053601SG	36 (91.4)	Pick and mattock head assembled with a hickory handle.
-	CAP40	78419	2	84	7.80 (3.54)	36 (91.4)	1 1/4 (3.17)	B6053601SG	36 (91.4)	Clay pick head assembled with a hickory handle.
F	9923400	99234	2	48	9.375 (4.25)	36 (91.4)	-	B6053601SG	36 (91.4)	Dig EZ Pick™, pick and shovel combined, 5.5 lb. head, 4" blade. One extremity can be used as a pick, the other as a shovel to clean holes. Can be used to dig trenches.

A close-up photograph of a person's lower torso and hands. They are wearing blue jeans and a white t-shirt. A red Garant striking tool is held in their right hand, pointing downwards. The brand name 'Garant' is visible on both the tool handle and the jeans pocket.

Garant®

# GARANT STRIKING TOOLS



## STRIKING TOOLS • HATCHET, AXES AND SPLITTING MAUL



Hole to hang products  
in garage or shed

**A** HUN15016FG



**B** CAN22528FG



**C** MIC35034FG



**D** SMS60034FG



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	HEAD WEIGHT LB. (KG)	REPL. HANDLE EYE US (CAN)	TOTAL LENGTH IN. (CM)	DESCRIPTION
A	HUN15016FG	78602	4	288	2.2 (1)	16 (40.6)	1.5 (0.68)	-	16 (40.6)	Hunting hatchet, forged steel head, fiberglass handle, safety TPR (Thermo Plastic Rubber) grip handle.
B	CAN22528FG	78599	4	144	3.5 (1.59)	28 (71.1)	2.25 (1.02)	HA034F	28 (71.1)	Canadian axe, forged steel head, fiberglass handle, safety TPR (Thermo Plastic Rubber) grip handle.
C	MIC35034FG	78600	4	120	5.1 (2.32)	34 (86.4)	3.5 (1.58)	HA034F	34 (86.4)	Michigan axe, forged steel head, fiberglass handle, safety TPR (Thermo Plastic Rubber) grip handle.
D	SMS60034FG	78601	2	70	7.3 (3.32)	36 (91.4)	6 (2.71)	HSH0634F	36 (91.4)	Splitting maul, forged steel head, fiberglass handle, safety TPR (Thermo Plastic Rubber) grip handle.



**D** DF0634FG  
DF0834FG  
DF1034FG  
DF1234FG

**B** BSH30016FG



**C** DF0416FG



**A** MCH25011FG  
MCH40011FG



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	HEAD WEIGHT LB. (KG)	REPL. HANDLE EYE US (CAN)	TOTAL LENGTH IN. (CM)	DESCRIPTION
A	MCH25011FG	78645	2	252	2.7 (1.23)	10 (25.4)	2.5 (1.13)	-	10 (25.4)	Mason club hammer, fiberglass handle, safety TPR (Thermo Plastic Rubber) grip handle.
-	MCH40011FG	78646	2	150	4.2 (1.9)	10 (25.4)	4 (1.81)	-	10 (25.4)	
B	BSH30016FG	78609	2	168	3.5 (1.57)	16 (40.6)	3 (1.36)	HBSH016F	16 (40.6)	Blacksmith hammer, fiberglass handle, safety TPR (Thermo Plastic Rubber) grip handle.
C	DF0416FG	78603	4	264	4.4 (2.00)	16 (40.6)	4 (1.81)	HBSH016F	16 (40.6)	Double-faced sledge hammer, fiberglass handle, safety TPR (Thermo Plastic Rubber) grip handle.
D	DF0634FG	78604	4	180	8 (3.73)	36 (91.4)	6 (2.71)	HSH0634F	36 (91.4)	
-	DF0834FG	78605	4	144	10 (4.55)	36 (91.4)	8 (3.61)	HSH0634F	36 (91.4)	
-	DF1034FG	78606	2	96	12.6 (5.73)	36 (91.4)	10 (4.54)	HSH0634F	36 (91.4)	
-	DF1234FG	78607	2	84	14 (6.36)	36 (91.4)	12 (5.44)	HSH0634F	36 (91.4)	



## STRIKING TOOLS • SLEDGE HAMMERS



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	HEAD WEIGHT LB. (KG)	REPL. HANDLE EYE US (CAN)	TOTAL LENGTH IN. (CM)	DESCRIPTION
A	D40104	78095	4	360	4.50 (2.04)	16 (40.64)	4 (1.81)	(B4061605)	16 (40.64)	Double-faced sledge hammer, machined faces, forged steel head, varnished hickory handle. Used for general sledging operations in striking wood, concrete, metal and stone. Common uses are striking spikes, cold chisels, star drills and hardened nails.
B	DF0424C	81031	4	288	5.00 (2.27)	24 (61.0)	4 (1.81)	B3903201SG (B3002405)*	24 (61.0)	
C	D40204	78098	4	240	5.00 (2.27)	32 (81.28)	4 (1.81)	B3903205	32 (81.28)	
-	D40304	78102	4	200	7.00 (3.18)	32 (81.28)	6 (2.72)	B3903205	32 (81.28)	
-	D40404	78105	4	120	9.50 (4.31)	32 (81.28)	8 (3.63)	B3903205	32 (81.28)	
D	D40504	78109	2	96	11.00 (4.99)	36 (91.44)	10 (4.54)	B3903605	36 (91.44)	
-	D40604	78113	2	96	13.50 (6.12)	36 (91.44)	12 (5.44)	B3903605	36 (91.44)	
-	D40804	78118	2	72	17.00 (7.71)	36 (91.44)	16 (7.26)	(B3013605)	36 (91.4)	



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HEAD WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	REPL. HANDLE EYE US (CAN)	TOTAL LENGTH IN. (CM)	DESCRIPTION
A	D10004	78075	4	396	3.00 (1.36)	2.25 (1.13)	10 (25.4)	B4031005	10 (25.4)	Mason club hammer, machined faces, varnished hickory handle. Used with chisels, punches, star drills and hardened nails. Design permits heavy blows with limited swing, American eye.
-	D10104	78076	4	336	4.50 (2.04)	4 (1.81)	10 (25.4)	B4031005	10 (25.4)	
B	D10204	78077	4	320	4.00 (1.81)	4 (1.81)	16 (40.64)	B4961605	16 (40.64)	
C	D30004	78092	4	360	3.80 (1.72)	3 (1.36)	16 (40.64)	B4961605	16 (40.64)	Blacksmith hammer, machined faces, varnished hickory handle. The striking face is designed for general blacksmith work in striking unhardened metal. The peens are used for shaping (fullering) and bending unhardened metal, American eye.

\* Canadian eye fits older products, see replacement handles for dimensions.



## STRIKING TOOLS • MACHINIST AND BLACKSMITH HAMMERS



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HEAD WEIGHT OZ. (G)	HANDLE LENGTH IN. (CM)	TOTAL LENGTH IN. (CM)	REPL. HANDLE EYE US (CAN)	DESCRIPTION
A	D20405	78080	10	200	0.50 (0.22)	4 (113.4)	10 (25.4)	10 (25.4)	-	Machinist ball-pein hammer, polished/painted head, varnished hickory handle.
-	D20805	78081	10	480	0.80 (0.36)	8 (226.8)	12 (30.48)	12 (30.48)	B4021205	
-	D21205	78082	10	630	1.00 (0.45)	12 (340.2)	12 (30.48)	12 (30.48)	B4021205	
B	D21605	78083	10	360	1.40 (0.64)	16 (40.64)	14 (35.56)	14 (35.56)	B4021405	
-	D22405	78085	4	576	2.00 (0.91)	24 (680.4)	16 (40.64)	16 (40.64)	B4021605	
C	D23205	78086	4	256	2.50 (1.13)	32 (907.2)	16 (40.64)	16 (40.64)	B4021605	
D	D24005	78088	4	216	3.3 (1.5)	40 (1134)	18 (45.72)	18 (45.72)	B4021805	Machinist ball-pein hammer, polished/painted head, varnished hickory handle.
-	D24805	78089	4	216	3.50 (1.59)	48 (1360.8)	18 (45.72)	18 (45.72)	B4021805	
E	D22400	78084	4	240	1.90 (0.86)	-	12 (30.5)	12 (30.5)	-	Brick hammer, polished/painted head, varnished hickory handle.



Shockless      Noiseless      Dead-blow      Won't break


Rubber  
comfort  
grip

KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	MASTER PACK	UNIT WEIGHT LB. (KG)	HEAD WEIGHT OZ. (G)	TOTAL LENGTH IN. (CM)	DESCRIPTION
A	GDBH18	83027	6	864	36	1.17 (0.53)	18 (510.3)	11 1/4 (28.56)	Dead-blow hammer, in a single rubber piece, contains no metal, balls in head, won't produce reflection. Perfect for use on cars, on furniture, in factories or for household purposes.
B	GDBH27	83025	4	432	24	1.88 (0.86)	27 (765.4)	12 3/4 (32.37)	
C	GDBH37	83024	4	432	24	2.36 (1.07)	35 (992.2)	13 3/4 (34.91)	
D	GDBH52	83023	4	384	16	3.33 (1.52)	52 (1474.2)	14 1/2 (36.82)	



## STRIKING TOOLS • MALLETS



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HEAD WEIGHT OZ. (G)	HANDLE LENGTH IN. (CM)	TOTAL LENGTH IN. (CM)	DESCRIPTION
A	D14B14	78078	6	480	1.00 (0.45)	14 (396)	14 (35.56)	14 (35.56)	Black rubber mallet, handle with clip, varnished hickory handle.
B	D28B16	78090	6	288	2.00 (0.91)	28 (793)	16 (40.64)	16 (40.64)	
C	D14W14	78079	6	480	1.00 (0.45)	14 (396)	14 (35.56)	14 (35.56)	White rubber mallet, handle with clip, varnished hickory handle. Won't mark the surface.
D	D28W16	78091	6	288	2.00 (0.91)	28 (793)	16 (40.64)	16 (40.64)	



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	TOTAL LENGTH IN. (CM)	HEAD WEIGHT LB. (KG)	REPL. HANDLE EYE US (CAN)	DESCRIPTION
A	HUN12514	81257	4	360	1.60 (0.73)	14 (35.6)	14 (35.6)	1.25 (0.57)	B2001405	Hatchet for camping, hunting and fishing, forged steel head, hickory handle.
-	HUN15021	81283	4	240	2.12 (0.96)	21 (53.3)	21 (53.3)	1.5 (0.68)	B2011605	
B	MDA22528	81284	4	320	3.30 (1.50)	28 (71.1)	28 (71.1)	2.25 (1.02)	B1002805 (B7102805)*	All-purpose axe, Dayton pattern, forged steel head, hickory handle, clear varnish finish.
C	SMA60036C	80698	2	112	7.30 (3.31)	36 (91.4)	36 (91.4)	6 (2.72)	B1083605 (B7173605)*	Splitting maul, forged steel head, hickory axe handle. Used for splitting wood in conjunction with woodsplitting wedge by first making a notch with the splitting edge and then driving the wedge with the maul's striking face.
D	SMA80036C	80699	2	112	9.30 (4.22)	36 (91.4)	36 (91.4)	8 (3.63)	B1083605 (B7173605)*	

\* Canadian eye fits older products, see replacement handles for dimensions.



## STRIKING TOOLS • AXES, SPLITTING MAULS AND SLEDGE HAMMERS



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	TOTAL LENGTH IN. (CM)	HEAD WEIGHT LB. (KG)	REPL. HANDLE EYE US (CAN)	DESCRIPTION
A	LOC22526	81484	6	420	3.15 (1.43)	26 (66.0)	26 (66.0)	2.25 (1.02)	B1002605 (B7102605)*	Promotional-quality all-purpose axe, forged steel head, hickory handle.
-	LOC35034	80697	6	222	5.00 (2.27)	34 (86.4)	34 (86.4)	3.5 (1.59)	B1003605 (B7103605)*	
B	SMS60032L	80670	4	140	7.30 (3.31)	32 (81.3)	32 (81.3)	6 (2.72)	B3903205 (B3003206)	Promotional-quality splitting maul, forged steel head, hickory sledge handle. Used for splitting wood in conjunction with woodsplitting wedge by first making a notch with the splitting edge and then driving the wedge with the maul's striking face.
-	SMS80032L	80690	4	140	9.30 (4.22)	32 (81.3)	32 (81.3)	8 (3.63)	B3903205 (B3013205)*	
C	LOC121516FG	80661	4	288	2.00 (0.91)	16 (40.6)	16 (40.6)	1.25 (0.57)	-	Promotional-quality hatchet, forged steel head, fiberglass handle.
D	LOC22528FG	80568	4	200	4.40 (1.99)	28 (71.1)	28 (71.1)	2.25 (1.02)	-	Promotional-quality all-purpose axe, forged steel head, fiberglass handle.
-	LOC35034FG	80567	4	180	5.00 (2.27)	34 (86.4)	34 (86.4)	3.5 (1.59)	-	
E	DF0632LFG	80566	4	168	7.20 (3.27)	32 (81.3)	32 (81.3)	6 (2.72)	-	Promotional-quality sledge hammer, forged steel head, fiberglass handle.
-	DF0832LFG	80546	4	168	9.20 (4.17)	32 (81.3)	32 (81.3)	8 (3.63)	-	

\* Canadian eye fits older products, see replacement handles for dimensions.

**A** GT1142

**B** GT1442

**C** GMDEZP

**D** GAP250


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PKG.	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	TIP OPENING IN. (CM)	HEAD DIMENSIONS IN. (CM)	SIDE DIMENSIONS IN. (CM)	REPL. HANDLE EYE US (CAN)	TOTAL LENGTH IN. (CM)	DESCRIPTION
A	GT1142	81355	2	42	11.50 (0.0231)	42 (106.7)	—	8 x 8 (20.3 x 20.3)	43 (109.2)	C4704209	42 (106.7)	Forged steel tamper for asphalt and gravel, premium quality hardwood handle. Used to pack and level soil.
B	GT1442	81356	2	36	14.50 (6.58)	42 (106.7)	—	10 x 10 (25.4 x 25.4)	43 (109.2)	C4704209	42 (106.7)	Forged steel tamper for asphalt and gravel, premium quality hardwood handle. Used to pack and level soil.
C	GMDEZP	83138	8	288	1.76 (0.8)	14 1/2 (36.8)	3.25 (8.26)	—	—	—	14 1/2 (36.8)	Mini DIG EZ pick, multi-use tool, forged steel head for strength and durability, fiberglass handle.
D	GAP250	80065	2	144	5 (2.27)	36 (91.44)	2.625 (6.66)	—	—	9942500	36 (91.44)	Garden pick, forged and tempered steel 2.5 lb. head assembled onto a premium quality hardwood handle. Perfect to grub or for digging in packed earth or clay.


**STRIKING TOOLS • DEMOLITION TOOLS**


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	MASTER PACK	PALLET PACK	UNIT WEIGHT LB. (KG)	APPROX. NET VOL./UN CU. FT. (CU. M)	TOTAL LENGTH IN. (CM)	DESCRIPTION
A	NP10	81340	2	12	1920	1.02 (0.46)	0.010 (0.0003)	8 (20.4)	<b>Small nail puller</b> , forged and tempered steel, hexagonal handle. Ideal for hard-to-reach places. Used for a variety of carpentry and nail pulling applications.
B	GDNP11	80114	12	36	1440	1.11 (0.5)	0.015 (0.0004)	11 (22.9)	<b>Double-end nail puller</b> . 90-degree end and offset 30-degree bottom end allowing claw to be driven under hard-to-reach or deeply embedded nails. 3/4" diameter for better control. Forged and tempered steel construction.
C	GMB7	80111	20	60	1800	0.49 (0.22)	0.006 (0.0002)	7 (17.8)	<b>All-purpose flat nail puller</b> useful for pulling nails, prying and scraping wood. Beveled ends to avoid surface damage. Perfect for any job requiring little leverage.
-	GMB12	80112	12	36	720	1.47 (0.67)	0.025 (0.0007)	12 (30.5)	
-	MB15	81339	2	12	1152	1.41 (0.64)	0.020 (0.0006)	15 (38.1)	<b>Flat nail puller</b> , forged and tempered steel. Ideal for hard-to-reach places, does not damage surfaces. Used to open crates and boxes. Remodeling slot nail remover on one end.
D	GNP08	80119	10	100	1200	0.42 (0.19)	0.007 (0.0002)	8 (20.3)	<b>Nail puller</b> . Polished ends reducing material damage. Claw with small striking surface allows for precision penetration and ease to be driven under embedded or headless nails. Nail slot at both ends to ease pulling nails. Made of forged and tempered steel. Perfect for precision nail pulling and prying.
-	GNP10	80120	6	60	1080	0.86 (0.39)	0.009 (0.0003)	10 (25.4)	
-	GNP12	80122	6	48	960	0.98 (0.44)	0.014 (0.0004)	12 (30.5)	
-	GNP14	80123	6	36	720	1.28 (0.58)	0.023 (0.0007)	14 (35.6)	
E	GCMP10	80125	6	60	1080	0.66 (0.3)	0.010 (0.0003)	10 (25.4)	<b>Molding bar</b> . Polished and beveled ends reducing material damage. Slot in blade for removing small nails. Claw with small striking surface allows for precision penetration and ease to be driven under embedded or headless nails. Made of forged and tempered steel. Perfect to cleanly remove molding and pulling nails.
-	GCMP12	80126	6	48	960	0.98 (0.44)	0.012 (0.0003)	12 (30.5)	
F	MBH12	81473	1	6	960	0.84 (0.38)	0.038 (0.0011)	11 3/4 (29.9)	<b>Multi-bar, 3-in-1</b> : pry bar, nail puller, hammer. Forged and tempered steel. Ideal for small carpentry jobs as well as for nailing and prying apart baseboards and trim.
G	GRP18	80116	6	12	840	2.3 (1.04)	0.044 (0.0012)	17 (43.2)	<b>Ripping chisel</b> . Combination of puller, claw and offset right angle claw for basic demolition work and ripping out nails, walls, studs or framework. This sharpened beveled ripping chisel endures a large capacity for removing nails with its claws.
H	WB12	81341	1	12	600	0.80 (0.36)	0.007 (0.0002)	12 (30.5)	<b>Hexagonal wrecking bar</b> , 3/4" diameter. Gooseneck for easier nail pulling. Forged steel construction with polished surfaces. Claw on gooseneck end for more leverage and nail puller at the other end.
-	WB18	81343	1	12	840	2.00 (0.91)	0.008 (0.0002)	18 (45.7)	
-	WB24	81345	1	12	600	3.30 (1.50)	0.014 (0.0004)	24 (61.0)	
-	WB30	81347	1	12	420	4.10 (1.86)	0.017 (0.0005)	30 (76.2)	
-	WB36	81349	1	12	360	4.90 (2.22)	0.021 (0.0006)	36 (91.4)	




KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	DESCRIPTION
A	PH400	81443	3	192	1.15 (0.52)	Pulp hook, forged steel, tempered tip, hardwood hand grip.
B	PH500	81445	3	288	1.15 (0.52)	
C	PH500RT	81447	3	324	1.32 (0.60)	Pulp hook, forged steel, replaceable tempered tip, hardwood hand grip.
D	SW55	81364	2	300	5.00 (2.27)	Steel splitting wedge, forged steel. Used for splitting wood.
E	TSW4	99634	4	600	4.00 (1.81)	Torpedo™, Innovative splitting wedge. Easy to tap into the log. Wide hitting surface. Maximizes effect of each strike by projecting force in four directions for more efficient splitting.
F	HH55	81062	3	324	0.78 (0.35)	Hay hook, forged and tempered steel, hardwood hand grip.
G	82828	82828	1	2400	0.06 (0.03)	2 replacement tempered steel tips for PH500RT pulp hook.

# GARANT BOTANICA CUTTING AND HAND TOOLS




**A** GAPT12DC


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PKG.	UNIT WEIGHT LB. (KG)	CUTTING CAPACITY IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	DESCRIPTION
A	GAPT12DC	83659	4	112	5.1 (2.31)	1 1/4 (3.2)	90.55 (230)	12' tree trimmer pole, double pulley. Telescopic handle in two 12' (3.7 m) long fiberglass sections. Ideal for reaching the highest branches. 14" blade saw for cutting the biggest branches. Double pulley head with bypass blades made from high carbon steel. Teflon® coating on blades for a friction-free, smooth, clean cut. Cutting capacity of the by-pass blades: 1 1/4". For branches more than 1 1/4": use saw blade.


**CUTTING AND HAND TOOLS • BYPASS AND ANVIL PRUNERS**


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	MASTER PACK	PALLET PACK	UNIT WEIGHT LB. (KG)	CUTTING CAPACITY IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	DESCRIPTION	
A	BOFS15	83082	10	100	1200	0.3 (0.14)	1/4 (0.63)	6.06 (15.39)	Flowers shears stainless steel blade, with safety latch, textured non-slip handles for maximum comfort.	
B	BOBP15	83083	10	100	1200	0.3 (0.14)	3/8 (0.95)	6.06 (15.39)	Precision bypass, stainless steel blade, safety latch, textured non-slip handles for maximum comfort.	
C	NXBP7S	78526	6	60	960	0.37 (0.17)	5/8 (1.6)	7 (17.8)	Bypass pruner, small 7". Heat-treated blades, made from top-grade, high carbon/steel/Teflon® coated blades for a friction-free, smooth, clean cut. Safety latch: locks and unlocks snuggly with one hand for your safety. 2-piece molded supergrip handles. Soft non-slip grip is more comfortable and easier to use.	
D	NXBP8M	78527	6	60	720	0.57 (0.26)	3/4 (1.9)	8 (20.3)	Bypass pruner, medium 8". Heat-treated blades, made from top-grade, high carbon/steel/Teflon® coated blades for a friction-free, smooth, clean cut. Safety latch: locks and unlocks snuggly with one hand for your safety. 2-piece molded supergrip handles. Soft non-slip grip is more comfortable and easier to use.	
E	NXBP9L	78528	6	60	900	0.63 (0.29)	7/8 (2.2)	9 (22.9)	Bypass pruner, large 9". Heat-treated blades, made from top-grade, high carbon/steel/Teflon® coated blades for a friction-free, smooth, clean cut. Safety latch: locks and unlocks snuggly with one hand for your safety. 2-piece molded supergrip handles. Soft non-slip grip is more comfortable and easier to use.	
F	NXBP8F	78529	6	60	1080	0.59 (0.27)	3/4 (1.9)	8.5 (21.6)	Bypass pruner, classic model 8". Non-rusting aluminum die casting body for long life with non-slip vinyl covered handles for a better grip.	
G	NXAP8M	78533	6	60	900	0.55 (0.25)	3/4 (1.9)	8 (20.3)	Anvil pruner, medium 8". 2-piece molded supergrip handles. Soft non-slip grip is more comfortable and easier to use.	
H	NXAP8R	78531	6	60	1080	0.51 (0.23)	7/8 (2.2)	8 (20.3)	Anvil pruner, large 8". Quality 4-position ratchet system for maximum cutting performance with less effort. Heat-treated blades, made from top-grade high carbon steel. Non-stick coated blade for a friction-free, smooth, clean cut. Safety slide latch system for easy opening and locking action.	
I	NXBP7	78530	6	60	960	0.48 (0.22)	5/8 (1.6)	7 (17.8)	Bypass pruner, high precision cut 7". Heavy-duty aluminum handles with soft non-slip grips more comfortable and easier to use.	



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	HEAD DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	DESCRIPTION	
A	NXHS24	78537	6	288	2.47 (1.12)	12 (30.48)	8 1/2 (21.59)	24 1/2 (62.23)	<b>Hedge shears</b> , classic model 24". Heat-treated blades, made from top-grade high carbon steel. Non-stick coated blades for a friction-free, smooth, clean cut. Tension knob can be adjusted to user's strength and fatigue level for added comfort during extended use. Lightweight aluminum handles with non-slip comfort grips.	
B	NXHS27T	78538	6	180	3.21 (1.46)	14 1/2<22 (36.8<55.9)	8 1/2 (21.59)	27<34 1/2 (68.8<87.6)	<b>Hedge shears, 27"—telescopic handles</b> . Heat-treated wavy blades, made from top-grade high carbon/steel/Teflon®-coated blades for a friction-free, smooth, clean cut. Tension knob can be adjusted to user's strength and fatigue level for added comfort during extended use. Lightweight aluminum, five-position telescopic handles.	
C	NXGS45	78940	6	72	5 (2.27)	35.17 (89.33)	7.63 (19.37)	45 (114.3)	<b>Grass shears</b> . Handles reducing the user's effort by allowing to cut grass without bending. Made from durable tubular steel with sturdy steel blades. Perfect for pruning grass along flowerbeds and rock gardens.	

## CUTTING AND HAND TOOLS • LOPPING SHEARS

**A** NXBL29

**B** NXBL28RT

**C** NXAL30D


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	CUTTING CAPACITY IN. (CM)	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	DESCRIPTION
A	NXBL29	78539	6	144	2.24 (1.02)	1 1/2 (5.0)	22 1/2 (57.2)	—	29 (73.7)	<b>Bypass 29" lopping shears</b> , single action. Heat-treated blades made with top-grade carbon steel. Non-stick blades for a friction-free, smooth, clean cut. Shock-absorbing rubber bumper reduces shock and fatigue while cutting. Lightweight aluminum handles with non-slip comfort grips.
B	NXBL28RT	78540	6	168	3.63 (1.65)	2 (5.0)	19 1/2<32 (49.5<81.3)	—	27 1/2<40 (69.9<101.6)	<b>Bypass 28" lopping shears</b> , ratchet model. Quality five-position ratchet system, for less effort and maximum cutting performance. Heat-treated cutting blade, made with high carbon steel of top-grade Teflon® coating on blades for a friction-free, smooth, clean cut. Serrated bypass blade to retain branches during cutting action. 6-position telescopic lightweight aluminum handles with comfort non-slip grips.
C	NXAL30D	78542	6	192	2.81 (2.72)	1 1/2 (3.8)	22 (55.9)	—	29 3/4 (75.6)	<b>Anvil 30" lopping shears</b> , double action shock-absorbing rubber bumper. Heat-treated blades made with top-grade carbon steel. Non-stick blades for a friction-free, smooth, clean cut. Shock-absorbing rubber bumper reduces shock and fatigue while cutting. Lightweight aluminum handles with non-slip comfort grips.



Poly/gel hand tools  
are shipped in  
an attractive and  
practical display

KEY	MODEL NUMBER	ITEM NUMBER			UNIT WEIGHT	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	DESCRIPTION
			MASTER PKG.	PALLET PKG.					
A	NXEHTW	78941	6	48	864	0.68 (0.31)	6 1/4 (15.9)	3 1/4 (8.3)	13 (33) <b>Hand trowel with poly/gel grip.</b> Makes it easy to dig holes for planting perennials or annuals and then backfill them with soil. Ergonomic grip designed to fit the hand perfectly. Soft gel cushion for maximum comfort. Heavy-duty stainless steel blade.
B	NXEHGF	78944	6	48	864	0.52 (0.24)	6 1/4 (15.9)	3 (7.6)	12 (30.5) <b>Hand fork with poly/gel grip.</b> Ideal for turning clay soil or working flowerbeds and vegetable gardens. Ergonomic grip designed to fit the hand perfectly. Soft gel cushion for maximum comfort. Heavy-duty stainless steel head.
C	NXEHGC	78943	6	48	864	0.53 (0.24)	6 1/4 (15.9)	3 1/2 (8.9)	11 (27.9) <b>Hand cultivator with poly/gel grip.</b> Perfect for loosening and aerating topsoil and breaking up weed roots, especially in dense flowerbeds. Ergonomic grip designed to fit the hand perfectly. Soft gel cushion for maximum comfort. Heavy-duty stainless steel head.
D	NXEHGTP	78942	6	48	864	0.58 (0.26)	6 1/4 (15.9)	2 1/2 (6.4)	13 (33) <b>Hand transplanter with poly/gel grip.</b> Perfect for loosening the root ball with ease when transplanting healthy plants or removing diseased or dead plants. Ergonomic grip designed to fit the hand perfectly. Soft gel cushion for maximum comfort. Heavy-duty stainless steel blade.
E	BOEHW	83650	6	48	864	0.51 (0.23)	6 1/4 (15.9)	3 (7.6)	13 1/4 (33.6) <b>Weeder, 3 in 1,</b> ergonomic non-slip handle. Convenient for edging around steps, sidewalks and hard-to-reach places. Stainless steel blade, corrosion-free easy cleaning. Sharpened blade for a clean cut. Ergonomically designed supergrip handle, soft non-slip grip.
F	NXEHW	78945	6	48	864	0.53 (0.24)	6 1/4 (15.9)	3/4 (1.9)	14 (35.6) <b>Weed cutter with poly/gel grip,</b> ergonomic, non-slip handle. Convenient for edging around steps, sidewalks and hard-to-reach places. Stainless steel blade. Ergonomically designed supergrip handle, soft non-slip grip.
G	BOEHSR6	83651	6	48	864	0.51 (0.23)	6 1/4 (15.9)	5 (12.7)	15 1/4 (39) <b>Hand shrub rake</b> with poly/soft non-slip grip. Perfect to work in small spaces or in flower boxes. Ergonomic grip designed to fit the hand perfectly. Soft gel cushion for maximum comfort. Heavy-duty steel head.
H	BOEH3CH	83649	6	48	864	0.62 (0.28)	6 1/4 (15.9)	3 (7.6)	13 1/4 (33.6) <b>Cultivator comined with hoe,</b> poly/soft non-slip handle, Botanica. Ideal for turning clayey soil or working flowerbeds and vegetable gardens. Ergonomic grip designed to fit the hand perfectly. Soft gel cushion for maximum comfort. Heavy-duty stainless steel head.
I	BOHMT	81286	6	36	972	0.70 (0.32)	6 (15.2)	2 (5.1)	12 (30.5) <b>Planter's Pal 7-in-1 multi-purpose garden tool,</b> featuring trowel, transplanter blade, serrated edge, twine cutter, weeder tip, 12" measurement scale, and tamper. Ergonomic grip for comfort. Strong stainless steel blade.
J	NXWC	78544	6	96	1728	0.36 (0.16)	6 (15.2)	5 (12.7)	10 3/4 (27.3) <b>Weed cutter,</b> ergonomic non-slip handle. Stainless steel blade, corrosion-free, easy cleaning. Sharpened blade for a clean cut. Convenient for edging quickly around steps, sidewalks and hard-to-reach places.
K	BOHSS	80135	6	48	864	0.88 (0.40)	6.25 (15.87)	3 1/2 x 6 (8.89 x 15.23)	13 3/4 (34.91) <b>Soil scoop,</b> ideal for transplanting plants. Handle with unique ergonomic design that fits perfectly in your hand. Gel pads add maximum comfort. Durable stainless steel blade.

## CUTTING AND HAND TOOLS • SHEARS AND PRUNERS

**A** LBL25

**B** LHS09

**C** LAP8M

**D** LBP8MP


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	MASTER PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	CUT CAPACITY IN. (CM)	DESCRIPTION
A	LBL25	78949	6	168	—	1.98 (0.90)	20 (50.8)	2 1/2 x 1 3/4 (6.35 x 4.44)	25.5 (64.8)	1 3/4 (4.4)	<b>Bypass lopping shears.</b> Ideal for casual gardener. A perfect tool for cutting off broken, diseased, or undesirable branches. Non-stick blades. Oval steel handles and comfort grips.
B	LHS09	78952	6	240	—	2.71 (1.22)	14.8 (37.6)	8 3/4 (22.2)	23.5 (59.7)	—	<b>Hedge shears,</b> 9" serrated blades. Ideal for casual gardener. Perfect for the pruning of the tender shoots of hedges, shrubs, and softwood trees. Can also be used for lawn edging along flowerbeds or in rock gardens. Oval steel handles and comfort grips. Natural finish blade with oval steel handles.
C	LAP8M	78947	6	960	60	0.44 (0.20)	4 (10.16)	2 x 1 1/2 (5.08 x 3.81)	8.31 (21.1)	1/2 (1.2)	<b>Anvil pruner,</b> 8 1/2". Ideal for casual gardener. Perfect for the pruning of the dead branches and stems. Non-stick blades. Oval steel handles and comfort grips.
D	LBP8MP	78948	6	960	60	0.53 (0.24)	4 (10.16)	2 x 1 (5.08 x 2.54)	8.25 (21)	1/2 (1.2)	<b>Bypass pruner,</b> 8 1/2". Ideal for casual gardener. Perfect for the pruning of the tender shoots of hedges, shrubs, and softwood trees. Natural finish blades. Oval steel handles and comfort grips.

# GARANT KIDS




**YOUNG GARDENERS • DISPLAYS, RAKES AND SHOVELS**


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	BLADE DIMENSIONS IN. (CM)	APPROX. TOT. LENGTH IN. (CM)	DESCRIPTION
A	KTGK60A	78502	1	4	44.90 (20.38)	—	35 (88.87)	Garant Kids children tool display, delivered with 60 units. Contains 12 of each: GKBR11, GKPR1D, GKPR1L and 24 GKFR15.
B	KTGK39	99263	13	52	31.32 (14.21)	—	35 (88.87)	Garant Kids tool display including 13 kits of 3 tools, for a total of 39 units. Each kit contains: 1 x GKFR15, 1 x GKBR11, 1 x GKPR1D.
C	GKFR15	78493	12	192	0.66 (0.30)	9 1/2 (24.1)	32 (81.3)	Poly lawn rake, delivered in a standard box.
D	GKBR11	78492	12	192	0.68 (0.31)	9 (22.9)	32 (81.3)	Poly garden rake, delivered in a standard box.
E	GKPR1DP	80136	12	192	0.62 (0.28)	6 3/8 x 8 1/4 (16.2 x 21.0)	26 (66.0)	Poly "D" handle round point shovel, delivered in a standard box.
F	GKPR1D	78491	12	192	0.62 (0.28)	6 3/8 x 8 1/4 (16.2 x 21.0)	26 (66.0)	Poly "D" handle round point shovel, delivered in a standard box.
G	GKPR1L	78490	12	192	0.62 (0.28)	6 3/8 x 8 1/4 (16.2 x 21.0)	32 (81.3)	Poly long handle round point shovel, delivered in a standard box.

**A** GKHT0610**B** KPWBLW5

KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	TOTAL LENGTH IN. (CM)	DESCRIPTION
A	GKHT0610	8035510	10	600	0.53 (0.24)	8 (20.31)	Kids hand tool kit including 6 tools: two cultivators of 2 and 4 tines, one weeder, one trowel, one transplanter and one fork. Made of nylon and poly.
B	KPWBLW5	01908	5	40	8.6 (3.9)	32.21 (81.78)	Kids poly LIL True Temper wheelbarrow with hardwood handles and solid molded rubber tire. Corrosion-proof poly tray. Eye-catching retail packaging.

# GARANT PRO SERIES WHEELBARROWS




**A** TIFS600

**B** TIFS600FF

**C** KTTIFS612

KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	CAPACITY CU. FT. (CU. M)	CAPACITY WEIGHT LB (KG)	DESCRIPTION
A	TIFS600	78237	1	12	53 (24.04)	6 (0.170)	600 (272.15)	<b>Heavy-duty industrial wheelbarrow</b> , rolled edge seamless steel tray, yellow safety baked enamel finish. Welded tray clips, funnel tray with easy pouring lip. 4-ply 16" (40.6 cm) pneumatic tire with inner tube, roller bearings with zert fitting. Oversized 3/4" (1.9 cm) steel axle. Heavy-duty steel undercarriage with tray braces, leg stabilizers, stays and leg shoe pads. 64" (162.6 cm) oversized premium quality hardwood handles.
B	TIFS600FF	99232	1	12	57 (25.85)	6 (0.170)	600 (272.15)	<b>Heavy-duty industrial wheelbarrow with flat-free tire</b> , rolled edge seamless steel tray, yellow safety baked enamel finish. Wheldeed tray clips, funnel tray with easy pouring lip. 16" flat-free tire (40.6 cm), roller bearings with zert fitting. Oversized 3/4" (1.9 cm) steel axle. Heavy-duty steel undercarriage with tray braces, leg stabilizers, stays and leg shoe pads. 64" (162.6 cm) oversized premium quality hardwood handles.
C	KTTIFS612	84176	1	1	690 (312.98)	-	-	Wheelbarrow kit, 6 x TIFS600 and 6 x TIFS600FF. Mix Pallet.

# TRUE TEMPER WHEELBARROWS



**A** CP6

**B** C6PSP

**C** C6TC14GA

**D** CP6TC14GA


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	CAPACITY CU. FT. (CU. M)	CAPACITY WEIGHT LB (KG)	DESCRIPTION
A	CP6	01047	1	25	40 (18.14)	6 (0.170)	270 (122.47)	Contractor wheelbarrow, corrosion-proof poly tray with reinforcing ribs around tray curl for added strength, front tray braces, H-brace, 16" (40.6 cm) wheel assembly with pneumatic 2-ply tire with oilube bushing, 60" (152.4 cm) premium quality hardwood handles. 5/8" (1.6 cm) steel axle.
B	C6PSP	02373	1	25	36.7 (16.65)	6 (0.170)	270 (122.47)	EZ Pour™ pour spout wheelbarrow, innovative pour spout design allows more accurate, more efficient pouring. Heavy-duty, corrosion-proof poly tray is built for demanding applications. 5/8" (1.6 cm) steel axle.
C	C6TC14GA	03308	1	14	43.58 (19.77)	6 (0.170)	270 (122.47)	Total Control wheelbarrow with ErgoLoop™ grips, 6 cubic feet steel tray, 16" pseudo knobby tire and red-black steel handles. 5/8" (1.6 cm) steel axle.
D	CP6TC14GA	03309	1	14	35.12 (15.93)	6 (0.170)	270 (122.47)	Total Control wheelbarrow with ErgoLoop™ grips, 6 cubic feet poly tray, 16" pseudo knobby tire and red-black steel handles. 5/8" (1.6 cm) steel axle.


**WHEELBARROWS • CONTRACTOR WHEELBARROWS**
**A C6**

**B C6FF**

**C C6STSPFF**

**D BP8**


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	CAPACITY CU. FT. (CU. M)	CAPACITY WEIGHT LB (KG)	DESCRIPTION	
A	C6	01044	1	25	46.6 (21.14)	6 (0.170)	270 (122.47)	<b>Contractor wheelbarrow</b> , heavy-gauge seamless steel tray, front tray braces, H-brace, 16" (40.6 cm) wheel assembly with pneumatic 2-ply tire with oilube bushing, 60" (152.4 cm) premium quality hardwood handles, 5/8" (1.6 cm) steel axle.	
B	C6FF	01886	1	25	48 (21.79)	6 (0.170)	270 (122.47)	<b>Contractor wheelbarrow</b> with steel tray and flat-free tire, cushioned grips, 60" (152.4 cm) premium quality hardwood handles, ultra-heavy-duty undercarriage with tray braces. 16" (40.6 cm) wheel with oilube bushing, 5/8" (1.6 cm) steel axle.	
C	C6STSPFF	03918	1	25	50 (22.7)	6 (0.170)	270 (122.47)	<b>Contractor wheelbarrow</b> , 6 cu. ft. heavy gauge seamless steel tray, front tray braces, 60 in. square (1.5" x 1.5") steel handles with comfort grips, H-brace, 16" (40.6 cm) flat-free mag tire, 5/8" (1.6 cm) steel axle and powder metal, oil impregnated steel, bearings.	
D	BP8	00808	1	10	53.9 (24.50)	8 (0.226)	368 (166.92)	<b>Contractor wheelbarrow</b> , large capacity, corrosion-proof poly tray with steel front braces, cross braces and shoes, two 15" (38.1 cm) wheel assemblies with pneumatic 2-ply tire with oilube bushing. H-brace, 60" (152.4 cm) premium quality hardwood handles, 5/8" (1.6 cm) steel axle.	

# PRACTICA WHEELBARROWS




**WHEELBARROWS • HOMEOWNER WHEELBARROWS**
**A** SP5CA16

**B** S4

**C** S5

**D** S6


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	CAPACITY CU. FT. (CU. M)	CAPACITY WEIGHT LB (KG)	DESCRIPTION	
A	SP5CA16	03925	1	16	22 (9.98)	5 (0.1415)	190 (86.18)	Homeowner use, corrosion-proof poly tray, flat front, easier assembly-bolt retention in risers, double-coated premium quality hardwood handles. 5/8" (1.6 cm) steel axle.	
B	S4	00109	1	30	30.0 (13.6)	4 (0.1132)	160 (72.57)	Homeowner use, seamless steel tray, 13.25" (33.65 cm) wheel assembly with pneumatic 2-ply tire with nylon bushing, 5/8" (1.6 cm) steel axle, 55" (139.7 cm) premium quality hardwood handles.	
C	S5	00434	1	25	37.8 (10.2)	5 (0.1415)	190 (86.18)	Homeowner use, seamless steel tray, 14" (35.6 cm) wheel assembly with pneumatic 2-ply tire with nylon bushing, 5/8" (1.6 cm) steel axle, 55" (139.7 cm) premium quality hardwood handles.	
D	S6	01306	1	25	46.4 (21.1)	6 (0.1699)	190 (86.18)	Homeowner use, seamless steel tray with front tray braces, 14" (35.6 cm) wheel assembly with pneumatic 2-ply tire with nylon bushing, 5/8" (1.6 cm) steel axle, 60" (152.4 cm) premium quality hardwood handles.	

**A** 1123047100



**B** 2463675



**C** 8014500



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	PRODUCT DIMENSIONS IN. (CM)	TRAY CAP. CU. FT. (CU.M)	DESCRIPTION	
A	1123047100	03924	3	15	20.5 (9.30)	27 x 15 x 14 (68.58 x 38.1 x 35.56)	4 (0.110)	<b>Gardening cart.</b> Practical for carrying flowering plants and small tools, it also lets you organize your gear and converts into a gardening bench. Fully assembled. Removable tool tray for added convenience. Storage compartments and molded-in drink holders. Tool clips. Large 7" (17.8 cm) wheels with solid steel axles.	
B	2463675	24636	1	14	15.2 (6.89)	38 x 21 x 25.5 (96.52 x 53.34 x 64.77)	3 (0.085)	<b>Easy Roller Plus lawn cart,</b> all-poly construction with tubular steel axle. Extra-wide wheel base. Flat bottom. Recessed tool tray. Tool clips on side. 10" (25.4 cm) wheels.	
C	8014500	80145	1	8	26.22 (11.88)	49 x 23 x 16 (124.5 x 58.4 x 40.6)	-	<b>Residential lawn roller,</b> capacity of 155 lb. (70.6 kg), strength of 93 lb. per foot, comfortable cushioned handle, screwable slotted plug, retractable steel handle for storage with scraper bar.	

# SOUTHERN PATIO PLANTERS AND ACCESSORIES




**A** HRG0301SC

**B** HRG0301ET

**C** HRG0301GI


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	LENGTH IN. (CM)	WIDTH IN. (CM)	HEIGHT IN. (CM)	CAPACITY CU. FT.	COLOR	DESCRIPTION
A	HRG0301SC	80459	1	6	13.6 (6.17)	29.125 (73.97)	16 (40.64)	28.75 (73.02)	3	Stone and charcoal	Raised garden made of HDR (high-density resin). 3 square feet gardening, reversible legs. Heights available: 28" and 36".
B	HRG0301ET	80473	1	6	13.6 (6.17)	29.125 (73.97)	16 (40.64)	28.75 (73.02)	3	Earth tones	
C	HRG0301GI	84057	1	6	13.6 (6.17)	29.125 (73.97)	16 (40.64)	28.75 (73.02)	3	Greige	



SOUTHERN PATIO™



## PLANTERS AND DECORATIVE ACCESSORIES • PLANTERS

**CMX**  
A SOUTHERN PATIO® INNOVATION**A** EHJ1606SS**B** EHJ2006SS**C** EHU1604IB

KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	LENGTH IN. (CM)	WIDTH IN. (CM)	HEIGHT IN. (CM)	COLOR	DESCRIPTION
A	EHJ1606SS	80624	6	108	4.15 (1.88)	16 (40.64)	16 (40.64)	12 (30.48)	Sandstone	Handle Jar planter made of CMX, a unique blend 100% eco-friendly and yet durable. Cracked look with integrated handle design.
B	EHJ2006SS	80628	6	48	9.46 (4.29)	20 (50.8)	20 (50.8)	15 (38.1)	Sandstone	
C	EHU1604IB	83679	4	48	6.82 (3.09)	16 (40.64)	16 (40.64)	21 (53.34)	Black	Urne Handle Jar made of CMX, a unique blend 100% eco-friendly and yet durable. Cracked look with integrated handle design.


**A** HDR-007227

**B** HDR-012252

**C** HTN1512NO

**D** HBR2012AR

KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	LENGTH IN. (CM)	WIDTH IN. (CM)	HEIGHT IN. (CM)	COLOR	DESCRIPTION
A	HDR-007227	80489	6	48	1.94 (0.88)	14.75 (37.46)	14.75 (37.46)	10.5 (26.67)	Kentucky walnut	Wine barrel planter made of 15" HDR (high-density resin). Two wide strips and antique wood effect.
B	HDR-012252	80490	12	12	4.4 (2)	20.5 (52.07)	20.5 (52.07)	14.5 (36.83)	Kentucky walnut	Wine barrel planter made of 20.5" HDR (high-density resin). Two wide strips and antique wood effect.
C	HTN1512NO	80208	12	144	1.85 (0.84)	15.5 (39.37)	15.5 (39.37)	12.2 (30.98)	Natural oak	Tennessee planter made of 15.5" HDR (high-density resin), planter inspired by whisky barrels with two strips.
D	HBR2012AR	80218	12	48	4.6 (2.09)	20.47 (51.99)	20.47 (51.99)	9.21 (23.39)	Antique red	Bourbon planter, planter made of 20.5" HDR (high-density resin). Inspired by whisky barrels with two strips.



SOUTHERN PATIO™



## PLANTERS AND DECORATIVE ACCESSORIES • PLANTERS



C HSI1508TG



C HSI1508BI



D HSI1508PM



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	LENGTH IN. (CM)	WIDTH IN. (CM)	HEIGHT IN. (CM)	COLOR	DESCRIPTION
A	HSI1508TG	84114	8	96	1.5 (0.45)	15 (38.1)	15 (38.1)	11.5 (27.94)	Storm gray	Shiloh planter, made of HDR (high-density resin). Gradient finish.
B	HSI1508BI	84116	8	96	1.5 (0.45)	15 (38.1)	15 (38.1)	11.5 (27.94)	Gradient bison	
C	HSI1508PM	84115	8	96	1.5 (0.45)	15 (38.1)	15 (38.1)	11.5 (27.94)	Gradient plum	


**A** HKD1508PL

**B** HKD1508OR

**C** HKD1508SFL

**D** HKD1508PR


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	LENGTH IN. (CM)	WIDTH IN. (CM)	HEIGHT IN. (CM)	COLOR	DESCRIPTION
A	HKD1508PL	84059	8	144	1.43 (0.45)	15.5 (38.1)	15.5 (38.1)	11 (27.94)	Pearl	Kittredge planter, made of HDR (high-density resin). Gradient finish.
B	HKD1508OR	84060	8	144	1.43 (0.45)	15.5 (38.1)	15.5 (38.1)	11 (27.94)	Gradient orange	
C	HKD1508SFL	84061	8	144	1.43 (0.45)	15.5 (38.1)	15.5 (38.1)	11 (27.94)	Ocean blue	
D	HKD1508PR	84062	8	144	1.43 (0.45)	15.5 (38.1)	15.5 (38.1)	11 (27.94)	Gradient plum	



SOUTHERN PATIO™



## PLANTERS AND DECORATIVE ACCESSORIES • PLANTERS

**A** HLY1808CE**B** HLY1808WE

KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	LENGTH IN. (CM)	WIDTH IN. (CM)	HEIGHT IN. (CM)	COLOR	DESCRIPTION
A	HLY1808CE	83676	8	96	3.08 (1.39)	18 (45.72)	18 (45.72)	14.93 (37.92)	Coffee	Lilly planter made of HDR (high-density resin). Unique ombré finish.
B	HLY1808WE	83677	8	96	3.08 (1.39)	18 (45.72)	18 (45.72)	14.93 (37.92)	Dark white	


**A HEG1504EX**

**B HEG1504RR**

**C HEG1504TB**

**D HEG1504SG**


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	LENGTH IN. (CM)	WIDTH IN. (CM)	HEIGHT IN. (CM)	COLOR	DESCRIPTION
A	HEG1504EX	80205	4	72	2.77 (1.26)	15 (38.1)	15 (38.1)	14 (35.56)	Espresso	Egg Planter 15" planter, made of HDR (high-density resin), glossy ceramic look alike finish.
B	HEG1504RR	80206	4	72	2.77 (1.26)	15 (38.1)	15 (38.1)	14 (35.56)	Red reactive	
C	HEG1504PL	80207	4	72	2.77 (1.26)	15 (38.1)	15 (38.1)	14 (35.56)	Teal	
D	HEG1504SG	83041	4	72	2.77 (1.26)	15 (38.1)	15 (38.1)	14 (35.56)	Sage	



SOUTHERN PATIO™



## PLANTERS AND DECORATIVE ACCESSORIES • PLANTERS



A HBA1010AW

B HBA1010AN



C HBA1010BG

D HBY1010AV



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	LENGTH IN. (CM)	WIDTH IN. (CM)	HEIGHT IN. (CM)	COLOR	DESCRIPTION
A	HBA1010AW	80616	10	160	1.32 (0.6)	10 (25.4)	10 (25.4)	8.7 (22.09)	White	10" Barnett planter made of HDR (high-density resin). Curved lines embossed for a unique look. Brown vintage over wash.
B	HBA1010AN	80615	10	160	1.32 (0.6)	10 (25.4)	10 (25.4)	8.7 (22.09)	Anthracite	10" Barnett planter made of HDR (high-density resin). Curved lines embossed for a unique look. Metallic silver over wash.
C	HBA1010BG	80618	10	160	1.32 (0.6)	10 (25.4)	10 (25.4)	8.7 (22.09)	Burgundy	10" Barnett planter made of HDR (high-density resin). Curved lines embossed for a unique look. Black over wash for a warm feel.
D	HBY1010AV	80619	10	160	1.32 (0.6)	10 (25.4)	10 (25.4)	8.7 (22.09)	Avocado	10" Byrne planter made of HDR (high-density resin). Unique embossed leaf pattern. For indoor or outdoor use.


**A** HAU1308CC

**B** HAU1308MI

**C** HAU1308VM

**D** HAU1308NV


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	LENGTH IN. (CM)	WIDTH IN. (CM)	HEIGHT IN. (CM)	COLOR	DESCRIPTION
A	HAU1308CC	83031	8	72	1.65 (0.75)	13 (33.02)	13 (33.02)	11 (27.94)	Concrete	13" Augustine planter made of HDR (high-density resin), glossy finish.
B	HAU1308MI	83032	8	72	1.65 (0.75)	13 (33.02)	13 (33.02)	11 (27.94)	Mimosa	
C	HAU1308VM	83040	8	72	1.65 (0.75)	13 (33.02)	13 (33.02)	11 (27.94)	Vermillion	
D	HAU1308NV	84056	8	72	1.65 (0.75)	13 (33.02)	13 (33.02)	11 (27.94)	Navy	

SOUTHERN  
RECREATIONDYNAMIC  
DESIGN™

## PLANTERS AND DECORATIVE ACCESSORIES • PLANTERS

**A** SD0812CG  
SD1006CG  
SD1206CG**B** SD0812RX  
SD1006RX  
SD1206RX**C** SD0812WH  
SD1006WH  
SD1206WH

KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PKG Pallet	UNIT WEIGHT LB. (KG)	LENGTH IN. (CM)	WIDTH IN. (CM)	HEIGHT IN. (CM)	DESCRIPTION	DESCRIPTION
A	SD0812CG	83720	12	432	0.6 (0.27)	8.25 (20.90)	8.25 (20.90)	7.38 (18.74)	Cool Grey	High-gloss planter made of poly with integrated saucer. For indoor and outdoor use.
-	SD1006CG	83721	6	192	1.4 (0.64)	10 (25.4)	10 (25.4)	8.95 (22.47)		
-	SD1206CG	83722	6	144	2 (0.90)	12 (30.48)	12 (30.48)	11.68 (29.66)		
B	SD0812RX	03104	12	432	0.6 (0.27)	8.25 (20.90)	8.25 (20.90)	7.38 (18.74)	Red Pop	
-	SD1006RX	03108	6	240	1.4 (0.64)	10 (25.4)	10 (25.4)	8.95 (22.47)		
-	SD1206RX	03130	6	144	2 (0.90)	12 (30.48)	12 (30.48)	11.68 (29.66)		
C	SD0812WH	18000	12	432	0.6 (0.27)	8.25 (20.90)	8.25 (20.90)	7.38 (18.74)	White	
-	SD1006WH	19000	6	192	1.4 (0.64)	10 (25.4)	10 (25.4)	8.95 (22.47)		
-	SD1206WH	12000	6	144	2 (0.90)	12 (30.48)	12 (30.48)	11.68 (29.66)		



**A** SD0812TB  
SD1006TB  
SD1206TB

**B** SD0812AC  
SD1006AC  
SD1206AC

**C** SD0812BK  
SD1006BK  
SD1206BK



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PKG Pallet	UNIT WEIGHT LB. (KG)	LENGTH IN. (CM)	WIDTH IN. (CM)	HEIGHT IN. (CM)	DESCRIPTION	DESCRIPTION
A	SD0812TB	83711	12	432	0.6 (0.27)	8.25 (20.90)	8.25 (20.90)	7.38 (18.74)	Teal Blue	High-gloss planter made of poly with integrated saucer. For indoor and outdoor use.
-	SD1006TB	83712	6	192	1.4 (0.64)	10 (25.4)	10 (25.4)	8.95 (22.47)		
-	SD1206TB	83713	6	144	2 (0.90)	12 (30.48)	12 (30.48)	11.68 (29.66)		
B	SD0812AC	03099	12	432	0.6 (0.27)	8.25 (20.90)	8.25 (20.90)	7.38 (18.74)	Lime green	
-	SD1006AC	03105	6	192	1.4 (0.64)	10 (25.4)	10 (25.4)	8.95 (22.47)		
-	SD1206AC	03127	6	144	2 (0.90)	12 (30.48)	12 (30.48)	11.68 (29.66)		
C	SD0812BK	18007	12	432	0.6 (0.27)	8.25 (20.90)	8.25 (20.90)	7.38 (18.74)	Black	
-	SD1006BK	19007	6	192	1.4 (0.64)	10 (25.4)	10 (25.4)	8.95 (22.47)		
-	SD1206BK	80689	6	144	2 (0.90)	12 (30.48)	12 (30.48)	11.68 (29.66)		



SOUTHERN PATIO™



PLANTERS AND DECORATIVE ACCESSORIES • WATERING CANS

**A** WC8024BE**B** WC8024GE

KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	CAPACITY GAL. (L)	COLOR	DESCRIPTION
A	WC8024BE	02381	24	192	0.75 (0.34)	2 (7.57)	Electric blue	Poly watering can. 2 gallons. Removable nozzle. Embossed measure on the side.
B	WC8024GE	02382	24	192	0.75 (0.34)	2 (7.57)	Electric green	



**A** 24001

Heavy-duty construction  
won't blow away

Rugged poly composite  
material won't chip or crack  
like concrete and keeps its  
natural slate appearance  
for years

**B** 13112




KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	COLOR	DESCRIPTION	
A	24001	24001	24	288	1.5 (0.68)	Slate grey	<b>Poly splash block.</b> Dimensions: 21 1/2 x 10 1/4 x 1 1/2" (54.6 x 26.0 x 3.8 cm).	
B	13112	13112	24	288	1.5 (0.68)	Natural grey	<b>Poly splash block.</b> Dimensions: 21 1/2 x 10 1/4 x 1 1/2" (54.6 x 26.0 x 3.8 cm).	


SOUTHERN  
BACKYARD PATIODYNAMIC  
DESIGN™

## PLANTERS AND DECORATIVE ACCESSORIES • FENCING

A 2402100




B 2401900



C 2401700




D 2404300



KEY	MODEL NUMBER	ITEM NUMBER	UNIT PKG.		PALLET PACK	WEIGHT LB. (KG)	COLOR	DESCRIPTION
			PKG.	PACK				
A	2402100	24021	24	360	0.29 (0.13)	Black	<b>Fleur de Lys fencing.</b> Easy-to-install, snap-together sections. Weatherproof poly construction. Single piece. Dimensions : 13.3 x 1 x 23.5" (33.8 x 2.5 x 59.7 cm).	
B	2401900	24019	24	432	0.703 (0.319)	Black	<b>Wrought iron fencing.</b> Easy to install, snap-together sections. Waterproof poly construction. Single piece. Dimensions : 24 x 1/2 x 12 1/2" (61 x 1.3 x 31.8 cm).	
C	2401700	24017	24	432	0.622 (0.282)	White	<b>Cap Cod fencing.</b> Easy to install, snap-together sections. Waterproof poly construction. Single piece. Dimensions : 23 3/4 x 0.7 x 12 7/8" (60.3 x 1.1 x 32.7 cm).	
D	2404300	24043	24	432	0.461 (0.209)	White	<b>Classic picket lawn fencing.</b> Easy-to-install, snap-together sections. Weatherproof poly construction. Single piece. Dimensions : 23 x 1/2 x 12" (58.42 x 1.27 x 30.48 cm).	



# GARANT DECO COLLECTION HOSE REELS



**A** 8407400

**B** 9980800


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	PRODUCT DIMENSIONS IN. (CM)	CAPACITY 5/8" HOSE	WARRANTY	DESCRIPTION
A	8407400	84074	1	8	6.6 (2.72)	19.6 x 17 x 21 (48.3 x 43.18 x 53.34)	100' (30.48 m)	2-year	Aluminum hose reel cart, telescopic handles, quick connect system, smooth crank handle, sturdy poly wheels. (Hose not included.)
B	9980800	99808	2	12	14.54 (6.6)	15.25 x 19.5 x 16 (38.73 x 49.53 x 40.64)	125' (38.1 m)	2-year	Aluminum wall-mount hose reel. New rust-proof and leak-proof aluminum die-cast water system with 2-position angle for leader hose. Convenient storage tray and soft-touch comfort grip. (Hose not included.)

# AMES HOSE REELS




**A** 23988GA

**B** 23989GA


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	PRODUCT DIMENSIONS IN. (CM)	CAPACITY 5/8" HOSE	WARRANTY	DESCRIPTION
A	23988GA	80097	1	8	9.4 (4.26)	20 x 18.5 x 17.5 (50.78 x 47 x 44.4)	175' (53.3 m)	2-year	Poly deck unit with NeverLeak™ system. Easyspin grip for ease of use, manual hose guide and footstep. 4 ft. leader hose included. (Hose not included.)
B	23989GA	80146	1	8	9.4 (4.26)	20 x 18.5 x 17.5 (50.78 x 47 x 44.4)	175' (53.3 m)	2-year	Poly deck unit with poly water system. One-piece sturdy handle and large footstep. 4 ft. leader hose included. (Hose not included.)



## HOSE REELS • POLY WALL-MOUNT HOSE REELS



A 23883NL



All wall-mounted units mount on 16" (40.6 cm) centers for easy attachment to studs and mortar joints.

B 23832



C 8014700



D 8014800



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	PRODUCT DIMENSIONS IN. (CM)	CAPACITY 5/8" HOSE	WARRANTY	DESCRIPTION
A	23883NL	83657	6	24	5.22 (2.36)	8 x 19.5 x 18 (20.32 x 49.53 x 45.72)	100' (30.48 m)	2-year	Ames® NeverLeak™ wall mount. Poly construction with aluminum water system 8X stronger than typical poly system. Corrosion resistant and no cross threading. Robust one piece handle. (Hose not included.)
B	23832	23832	4	36	4.50 (2.04)	8 x 14 x 14 (20.32 x 35.56 x 35.56)	60' (18.3 m)	2-year	ReelEasy® side-mount hose reel. Fully assembled. Convenient, molded-in hose guide with 180° arc. 4' (1.22 m leader hose with brass coupling. (Hose not included.)
C	8014700	80147	2	12	8.06 (3.66)	23.75 x 18 x 18 (60.3 x 45.7 x 45.7)	225' (68.6)	2-year	Ames® NeverLeak™ wall-mount hose reel. Poly construction with aluminum water system 8X stronger than typical poly system. Corrosion resistant and no cross threading. Easyspin grip and manual hose guide for easy maneuvering. Tray for gardening accessories. (Hose not included.)
D	8014800	80148	2	12	6.64 (3.02)	23.75 x 18 x 18 (60.3 x 45.7 x 45.7)	225' (68.6)	2-year	Ames® NeverLeak™ wall mount. Poly construction with aluminum water system 8X stronger than typical poly system. Corrosion resistant and no cross threading. Robust one piece handle. (Hose not included.)


**A** 2384685NL

**B** 23862NL

**C** 23855NL

**D** 2385630NL


KEY	MODEL NUMBER	ITEM NUMBER	PALLET PKG.	PKG. PACK	ASSEMBLED DIMENSIONS	UNIT WEIGHT LB. (KG)	CAPACITY 5/8" HOSE	WARRANTY	DESCRIPTION
A	2384685NL	2384685NL	2	8	20 x 22 x 24	16 (7.59)	250' (76.2 m)	2-year	NeverLeak™ hose reel cart with hose guide. Storage tray and 4 1/2' (1.37 m) leader hose with brass coupling. Large 7" (17.8 cm) wheels. Foldable handle with nozzle and hose notches and large accessory bin in base for nozzle/accessories. Fully assembled. (Hose not included.)
B	23862NL	83335	1	8	23 x 21 x 24	14 (6.35)	250' (76.2 m)	2-year	NeverLeak™ hose reel cart. Made of poly with aluminum water system. Foldable handle with nozzle and hose notches and large accessory bin in base for nozzle/accessories. 7" (17.8 cm) wheels. Fully assembled. 4 1/2" (1.37 m) leader hose with brass coupling included. (Hose not included.)
C	23855NL	83066	4	8	23 1/2 x 22 x 24 1/2	13.25 (6.01)	175' (53.3 m)	2-year	ReelEasy® hose reel cart with NeverLeak™ aluminum water system. 4' (1.22 m) leader hose with brass coupling included. 6" (15.2 cm) wheels. (Hose not included.)
D	2385630NL	80326	3	18	34 x 17 x 7	15.5 (7.03)	175' (53.3 m)	2-year	Fold & Store hose reel cart. Compact folding model makes carrying and storage easy. Wide wheels provide improved stability. Ergonomic design includes a folding crank handle, a storage bin, and a reinforced NeverLeak™ aluminum water system. (Hose not included.)


**HOSE REELS • METAL HOSE HANGERS**
**A** 2392100

**B** 2392400

**C** 2383520


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	PRODUCT DIMENSIONS IN. (CM)	CAPACITY 5/8" HOSE	WARRANTY	DESCRIPTION
A	2392100	23921	4	48	9.00 (4.08)	52.1 x 14 x 7.5 (132.3 x 35.6 x 19.1)	100' (30.5 m)	2-year	Freestanding metal hose hanger, with decorative style and finish. Rust-resistant finish. Ready to install. Fully assembled. (Hose not included.)
B	2392400	23924	6	108	1.70 (0.77)	6 x 12.4 x 6.7 (15.2 x 31.5 x 17)	100' (30.5 m)	2-year	Metal wall-mount hose hanger, with decorative style and finish. Rust-resistant finish. Fully assembled. (Hose not included.)
C	2383520	2383520	6	324	1.10 (0.50)	11 x 5.5 x 10.5 (27.94 x 13.97 x 26.67)	150' (45.7 m)	2-year	Ribbed steel hose hanger. (Hose not included.)



Easy hose removal

Storage compartment  
pulls out of unit for  
easy transporting

Removable compartment  
to transport tools or  
cleaning supplies

**A** 2382561



**B** 2391600



**C** 2384110




**D** 2384010



KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	PRODUCT DIMENSIONS IN. (CM)	CAPACITY 5/8" HOSE	WARRANTY	DESCRIPTION
<b>A</b>	2382561	2382561	3	54	2.36 (1.07)	14 x 5.5 x 13.5 (35.56 x 13.97 x 34.29)	150' (45.7 m)	2-year	<b>Deluxe hose hanger.</b> Enclosed storage compartment for watering accessories. Mounts securely to wall. Hanger keeps hose stable. (Hose not included.)
<b>B</b>	2391600	23916	6	108	1 (0.45)	9.3 x 3 x 17 (23.6 x 7.6 x 43.2)	125' (38.1 m)	2-year	<b>Antique bronze poly hose hanger.</b> Easy assembly with stainless steel mounting screws included. (Hose not included.)
<b>C</b>	2384110	2384110	6	288	0.90 (0.41)	12 x 6 x 10.5 (30.48 x 15.24 x 26.67)	150' (45.7 m)	2-year	<b>Deluxe poly hose hanger.</b> Slotted shelf for hose accessories. (Hose not included.)
<b>D</b>	2384010	2384010	6	234	0.50 (0.23)	8.5 x 6.5 x 8.5 (21.59 x 16.51 x 21.59)	150' (45.7 m)	2-year	<b>Poly hose hanger.</b> (Hose not included.)

# PRACTICA HOSE REELS



**A** 8407000

**B** 8407100


KEY	MODEL NUMBER	ITEM NUMBER	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	PRODUCT DIMENSIONS IN. (CM)	CAPACITY 5/8" HOSE	WARRANTY	DESCRIPTION
A	8407000	84070	1	8	8.8 (3.68)	17.5 x 16.5 x 8.8 (44.45 x 41.9 x 22.35)	225' (68.6 m)	90 days	Hose reel cart made of steel and poly with hose guide. Retractable handle to ease transportation on the lawn and easier winding thanks to the hose guide. Quick connect system. (Hose not included)
B	8407100	84071	1	24	4.4 (1.81)	20.5 x 13 x 16.5 (50.8 x 33.02 x 40.64)	100' (30.48 m)	90 days	Compact deck hose reel, poly and metal structure, quick connect system. (Hose not included)



# REPLACEMENT PARTS



## REPLACEMENT HANDLES

All Garant® products are manufactured from premium quality materials for ruggedness, durability and superior performance.

# How to replace a shovel handle?

### Materials:

1 replacement handle  
2 rivets

### Tools required:

Hammer  
File (or grindstone)  
Punch  
Vise (or similar tool)  
Electric drill

- 1 - Hold the old shovel with a vise or a similar tool in order to file the rivet's head; a grindstone can also be used.
- 2- Using a punch and a hammer, hit the old rivet until it pops out from underneath.
- 3- Take out the old handle from the blade.
- 4- Take out the cap at the end of the replacement handle and locate the rivets that will be used to assemble the new handle.
- 5- Insert the new handle into the blade's socket. With the blade up and the handle down, push down on the blade until it reaches the shoulder of the handle or until it holds firm. Make sure that the grip is in line with the blade.
- 6- With an electric drill, bore a hole through the handle.
- 7- Drive the rivet through the socket and the handle with a hammer.
- 8- Hammer the rivet's head until it is flat, so that it holds firmly in place.
- 9- File the excess from the rivet to prevent injuries.

Your shovel is now as good as new!





## THE SUPERIOR QUALITY OF OUR FIBERGLASS

Our fiberglass handles are made from long strands of fiber that are compressed and bound in resin, then encapsulated in a high-density polypropylene jacket, that makes the handle 100% waterproof. In addition, the bright colored handle is highly visible and the overmolded TPR (Thermo Plastic Rubber) non-slip safety grip provides added safety.

### TIPS FOR REPLACING A FIBERGLASS HANDLE

Along with a replacement handle and epoxy, you will need the following:

- A vice (or similar opening)
- A cardboard drinking glass (or similar disposable recipient)
- A disposable stick

#### Steps:

1. After sawing off the old handle as close to the head as possible, make the eye of the head perfectly clean by using a steel brush or sandpaper. Remove any dirt or dust.
2. Install the gasket provided with the epoxy kit and position the latest vertically in a vice (or any other holder) for 24 hours in a normal-temperature room.
3. Insert head on fiberglass handle while making sure to line up the head with the gasket.
4. Mix epoxy by following instructions attentively and take precautions:
  - 4.1 To mix up, use a cardboard drinking glass or another disposable recipient—avoid styrofoam and plastic;
  - 4.2 Pour the entire content of the two bottles into the disposable recipient;
  - 4.3 Use a disposable stick to mix both parts of epoxy. Stir epoxy for two minutes until the color is uniform—this step is very important, as epoxy will not harden if not mixed correctly;
  - 4.4 Once epoxy has a well-mixed consistency, pour or drip it into the top of the head around the handle and allow 24 hours for the epoxy to harden—note that one should wait one week before using the tool;
  - 4.5 Dispose correctly of waste bottles, mixing stick and recipient.

## GRADES OF WOOD

We only use U.S. hickory in our handles. Its long fibers and exceptional shock absorption properties make it particularly well-suited for striking tools.

### TIPS FOR REPLACING A WOODEN HANDLE

Along with a replacement handle, a wooden wedge and a steel wedge, you will need the following:

- A saw
- A hammer or mallet
- A flat-end punch or small dowel
- A rasp or sandpaper
- A vice (or similar opening)

#### Steps:

1. After sawing off the old handle as close to the head as possible, place the head across the jaws of the vice (or similar opening). Using the punch or dowel, remove the remainder of the old handle.
2. Use the saw to trim the end of the new handle over a length of about 1 3/4 in. (4.45 cm) to the approximate dimensions of the head socket.
3. Use the rasp or sandpaper to fashion the handle to easily fit into the head socket. Don't remove too much wood as the handle needs to fit as tightly as possible. Push the handle into the socket to about 1/2 an inch (1.27 cm) of the bulge.
4. Place the end of the handle on a strong and stable surface. Insert the wooden wedge (block) into the groove as far and as tightly as possible. Make sure you don't split the tool head. Saw off the end of the wedge remaining above the head of the axe or mallet.
5. Place the steel wedge crosswise on the wood wedge and hit it in with a hammer.

Here you are with an almost brand new tool!




KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	DESCRIPTION
A	C4512409	86752	Garant	4	216	1.3 (0.58)	26 (66.04)	"YD" grip (steel/wood) shovel handle with 2 rivets.
-	C4512809	86753	Garant	4	300	1.5 (0.68)	28 (71.12)	
-	C4513609	86755	Garant	4	216	1.9 (0.86)	36 (91.44)	
-	C4622809	86879	Garant	4	144	1.5 (0.68)	28 (71.12)	"YD" grip (steel/wood) grain scoop handle.
B	C4564809	86760	Garant	6	504	1.6 (0.72)	48 (121.92)	Straight shovel handle with 2 rivets.
-	C4565409	86877	Garant	6	300	1.8 (0.82)	54 (137.16)	
-	C4554009	86759	Garant	4	300	1.4 (0.63)	40 (101.60)	Firefighter shovel handle with 2 rivets.
C	C5603	86765	Garant	1	-	1.5 (0.68)	46 (116.84)	Post hole digger handle, clear lacquered, 1 3/8".
D	C5604	86883	Garant	1	-	3 (1.36)	58 (147.32)	Post hole digger handle, hardwood, 1 1/4" x 1 1/2".
E	B7173201SG	86630	Garant	2	360	2 (0.91)	32 (81.28)	Muck scoop handle, safety grip, varnished hickory.



## REPLACEMENT PARTS • REPLACEMENT HANDLES



KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	DESCRIPTION
A	F9508	86766	Pro Series	1	-	5.7 (2.58)	96 (243.84)	Post hole spoon replacement handle.
-	F9509	86767	Pro Series	1	-	6.4 (2.90)	108 (274.32)	
-	F9510	86768	Pro Series	1	-	7.1 (3.22)	120 (304.80)	
-	F9512	86769	Pro Series	1	-	8.6 (3.90)	144 (365.76)	
B	C4704209	86881	Garant	2	72	1 (0.45)	42 (106.68)	Replacement handle for GT1142 and GT1442 tampers, hardwood.
C	C4503609	86751	Garant	4	144	1.7 (0.77)	34 (86.36)	Poly "D" shovel handle, 1 rivet.
-	C4502809	86750	Garant	4	240	1.5 (0.68)	27 (68.58)	
D	C4109	80185	Pro Series	4	216	2.18 (4.81)	41 (104.14)	41" shingle remover tool replacement handle, poly D grip.



KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	DESCRIPTION
A	C2515409	86742	Garant	4	300	1.4 (0.63)	54 (137.16)	Rake handle with ferrule, 5/16" hole.
-	C2516009	86743	Garant	4	300	1.4 (0.63)	60 (152.40)	Rake handle with ferrule, 29/64" hole.
-	C3514809	86746	Garant	4	100	1.1 (0.50)	48 (121.92)	Hoe handle with ferrule, 3/8" hole.
B	C2505409	86740	Garant	4	144	1.2 (0.54)	54 (137.16)	Rake handle, chuck & bored, 5/16" hole.
C	C3565409	86875	Garant	2	-	0.9 (0.41)	54 (137.16)	Replacement handle for GIH6.
D	C3526609	86748	Garant	2	-	2.2 (0.99)	66 (167.64)	Mortar hoe handle, 33/64" hole.
E	C2565409	86873	Garant	6	300	0.8 (0.36)	54 (137.16)	Lawn rake handle.
F	C1525209	86874	Garant	4	-	1.2 (0.54)	52 (132.08)	Replacement handle for GP1610L.
G	C2526009	86744	Garant	4	-	2.1 (0.95)	60 (152.40)	Asphalt rake handle, 7/16" hole.



## REPLACEMENT PARTS • REPLACEMENT HANDLES AND GRIPS



KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	DESCRIPTION
A	C1563309	86738	Agro Series	4	300	2.0 (0.90)	33 (83.82)	"YD" spading fork handle, 7/16" x 1/2" hole.
-	C1543309	86737	Agro Series	4	192	2.0 (0.90)	33 (83.82)	"YD" ensilage fork handle, 7/16" x 5/8" hole.
B	C1504809	86731	Agro Series	4	300	1.8 (0.81)	48 (121.92)	Hay/feeder fork handle, 7/16" x 7/16" hole.
-	C1514809	86733	Agro Series	4	312	1.9 (0.86)	48 (121.92)	Manure-straw fork handle, 7/16" x 1/2" hole.
-	C1505409	86732	Agro Series	4	300	1.9 (0.86)	54 (137.16)	Hay/feeder fork handle, 7/16" x 7/16" hole.
-	C1515409	86734	Agro Series	4	300	1.9 (0.86)	54 (137.16)	Manure-straw fork handle, 7/16" x 1/2" hole.
C	86138	86138	Garant	1	1100	0.28 (0.13)	-	Poly power D-grip.
D	86142	86142	Garant	1	-	0.32 (0.15)	-	Ribbed poly D-grip for a strong grip.
E	86135	86135	Garant	1	-	0.76 (0.34)	-	Black steel D-grip.
F	82610	82610	Garant	1	-	0.18 (0)	-	Shovel rivets (10 units).
G	C5504	86764	Garant	1	-	0.89 (0)	-	Shovel rivets (50 rivets per bag).

**A** 8009600

**B** B6053601SG

**C** B6053601

**D** 9942500


KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	EYE DIMENSIONS IN. (CM)	DESCRIPTION
A	8009600	80096	Pro Series	4	360	2.5 (1.13)	36 (91.44)	-	Ultra-sturdy pick handle, fiberglass and TPE overmold non-slip rubberized grip. Handle resists to temperatures as low as - 30°C. Fits standard pick heads.
B	B6053601SG	86698	Pro Series	4	400	1.00 (0.45)	36 (91.44)	2 1/16 x 3 3/32 (5.2 x 7.9)	Pick handle, non-slip safety grip, premium quality varnished wood. Fits standard pick heads.
C	B6053601	86986	Pro Series	4	400	1.00 (0.45)	36 (91.44)	2 1/16 x 3 3/32 (5.2 x 7.9)	Pick handle, premium quality varnished wood. Fits standard pick heads.
D	9942500	99425	Garant	4	400	2.30 (1.04)	36 (91.44)	3 x 2 1/8 (7.62 x 5.40)	Pick handle, varnished hardwood. Fits standard pick heads.



## REPLACEMENT PARTS • FIBERGLASS REPLACEMENT HANDLES

**A** HA034F



**C** HSH0634F



**B** HBSH016F



**D** G755RYB



**E** G799K



Note: The glue kit (G799K) is not included with fiberglass handles orders and must be ordered separately.

KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	DESCRIPTION
A	HA034F	86980	Garant	6	168	1.70 (0.77)	34 (86.36)	Axe replacement handle, orange and black fiberglass, TPR (Thermo Plastic Rubber) non-slip safety grip. Fits: CAN22528FG, MIC35034FG, SMA60034FG.
B	HBSH016F	86981	Garant	6	288	0.80 (0.36)	16 (40.64)	4 lb. blacksmith and sledge replacement handle, orange and black fiberglass, TPR (Thermo Plastic Rubber) non-slip safety grip. Fits: DF0416FG and BSH30016FG.
C	HSH0634F	86983	Garant	6	144	2.30 (1.04)	34 (86.36)	6-16 lb. sledge replacement handle, orange and black fiberglass, TPR (Thermo Plastic Rubber) non-slip safety grip. Fits: all FB sledges from 6-16 lb.
D	G755RYB	86812	Garant	4	164	0.60 (0.27)	14 (35.56)	Machinist ball-pein hammer fiberglass handle, non-slip safety grip. Fits: only 24 and 32 oz.*
E	G799K	86820	Garant	6	600	0.20 (0.09)	-	Epoxy kit (2 parts) for fiberglass replacement handles. Includes two repair epoxy bottles and a gasket.

\* Except new fiberglass series.



- B** B1002101SG  
 B1002601SG  
 B1002801SG  
 B1003201SG  
 B1003601SG
- C** B1002105  
 B1002605  
 B1002805  
 B1003205  
 B1003605

**A** B2001405  
 B2011605



KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	EYE DIMENSIONS IN. (CM)	DESCRIPTION	
A	B2001405	86664	Garant	6	540	0.30 (0.14)	14 (35.56)	5/8 x 1 17/32 (1.6 x 3.9)	<b>Scout hatchet handle</b> , American eye, varnished hickory. Fits any American eye axe head.	
-	B2011605	86667	Garant	6	540	0.60 (0.27)	16 (40.64)	5/8 x 1 17/32 (1.6 x 3.9)	<b>Hunter's hatchet handle</b> , American eye, varnished hickory. Fits any American eye axe head.	
B	B1002101SG	86612	Garant	6	540	0.80 (0.36)	21 (53.34)	3/4 x 2 1/4 (1.9 x 5.4)	<b>Single-bit axe handle</b> , American eye, varnished hickory, non-slip safety grip. For American eye axe heads.	
-	B1002601SG	86615	Garant	6	360	1.00 (0.45)	26 (66.04)	3/4 x 2 1/4 (1.9 x 5.4)		
-	B1002801SG	86618	Garant	6	360	1.10 (0.50)	28 (71.12)	3/4 x 2 1/4 (1.9 x 5.4)		
-	B1003201SG	86621	Garant	6	360	1.40 (0.64)	32 (81.28)	3/4 x 2 1/4 (1.9 x 5.4)		
-	B1003601SG	86624	Garant	6	360	1.50 (0.68)	36 (91.44)	3/4 x 2 1/4 (1.9 x 5.4)		
C	B1002105	86613	Garant	6	540	0.80 (0.36)	21 (53.34)	3/4 x 2 1/4 (1.9 x 5.4)	<b>Single-bit axe handle</b> , American eye, varnished hickory. Fits any American eye axe head.	
-	B1002605	86616	Garant	6	360	1.00 (0.45)	26 (66.04)	2 1/4 x 3/4 (5.715 x 1.905)		
-	B1002805	86619	Garant	6	360	1.10 (0.50)	28 (71.12)	3/4 x 2 1/4 (1.9 x 5.4)		
-	B1003205	86622	Garant	6	360	1.40 (0.64)	32 (81.28)	3/4 x 2 1/4 (1.9 x 5.4)		
-	B1003605	86625	Garant	6	360	1.50 (0.68)	36 (91.44)	3/4 x 2 1/4 (1.9 x 5.4)		



## REPLACEMENT PARTS • AXE HANDLES

**A** B1073605



**B** B7173605



**C** B1083605



**D** B1093601



KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	EYE DIMENSIONS IN. (CM)	DESCRIPTION
A	B1073605	86631	Garant	6	360	1.50 (0.68)	36 (91.44)	2 1/4 x 3/4 (5.7 x 1.9)	Splitting maul handle, straight shape, American eye, varnished hickory.
B	B7173605	86632	Garant	6	360	1.50 (0.68)	36 (91.44)	2 1/4 x 1 1/32 (5.7 x 2.6)	Maul handle for old Garant® mauls, Canadian eye, varnished hickory. Fits: splitting maul, American eye, chopped.
C	B1083605	86821	Garant	6	360	1.60 (0.73)	36 (91.44)	2 1/4 x 3/4 (5.7 x 1.9)	Maul handle for new Garant® series, American eye, varnished hickory. Fits: SMA60036C and SMA80036C.
D	B1093601	86822	Garant	6	360	1.60 (0.73)	36 (91.44)	2 1/4 x 3/4 (5.7 x 1.9)	Splitmaster axe handle, non-slip grip, premium varnished hickory. Fits: GSS40036.

- A** B3002401SG  
B3003201SG  
B3003601SG
- B** B3002405  
B3003205  
B3003605
- C** B3002406  
B3003206  
B3003606



KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	EYE DIMENSIONS IN. (CM)	DESCRIPTION	
A	B3002401SG	86634	Garant	6	576	1.00 (0.45)	24 (60.96)	15/16 x 1 1/4 (2.4 x 3.2)	Sledge hammer handle, non-slip safety grip, premium varnished hickory. Canadian eye, American eye dimension.	
-	B3003201SG	86640	Garant	6	540	1.40 (0.64)	32 (81.28)	1 x 1 3/8 (2.5 x 3.5)	Sledge hammer handle, non-slip safety grip, premium varnished hickory, Canadian eye.	
-	B3003601SG	86643	Garant	6	540	1.50 (0.68)	36 (91.44)	1 x 1 3/8 (2.5 x 3.5)		
B	B3002405	86635	Garant	6	576	1.00 (0.45)	24 (60.96)	15/16 x 1 1/4 (2.4 x 3.2)	Sledge hammer handle, varnished hickory.	
-	B3003205	86641	Garant	6	540	1.40 (0.64)	32 (81.28)	1 x 1 3/8 (2.5 x 3.5)		
-	B3003605	86644	Garant	6	540	1.50 (0.68)	36 (91.44)	1 x 1 3/8 (2.5 x 3.5)		
C	B3002406	86636	Garant	6	576	1.00 (0.45)	24 (60.96)	15/16 x 1 1/4 (2.4 x 3.2)	Sledge hammer handle, waxed hickory. Fits: DF0424C and DF0424.	
-	B3003206	86642	Garant	6	540	1.40 (0.64)	32 (81.28)	1 x 1 3/8 (2.5 x 3.5)	Sledge hammer handle, waxed hickory.	
-	B3003606	86645	Garant	6	540	1.50 (0.68)	36 (91.44)	1 x 1 3/8 (2.5 x 3.5)		



## REPLACEMENT PARTS • SLEDGE HAMMER HANDLES




KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	EYE DIMENSIONS IN. (CM)	DESCRIPTION	
A	B3013201SG	86831	Garant	6	450	1.00 (0.45)	32 (81.28)	1 1/8 x 1 1/2 (2.9 x 3.8)	Large sledge hammer handle, non-slip safety grip, premium varnished hickory, Canadian eye.	
B	B3013205	86707	Garant	6	450	1.00 (0.45)	32 (81.28)	1 1/8 x 1 1/2 (2.9 x 3.8)	Large sledge hammer handle, varnished hickory, Canadian eye. Fits: all old sledge hammer heads from 8 to 12 lb.	
-	B3013601SG	86646	Garant	6	432	2.10 (0.95)	36 (91.44)	1 1/8 x 1 1/2 (2.9 x 3.8)	Large sledge hammer handle, non-slip safety grip, premium varnished hickory, Canadian eye.	
-	B3013605	86647	Garant	6	432	2.10 (0.95)	36 (91.44)	1 1/8 x 1 1/2 (2.9 x 3.8)	Large sledge hammer handle, varnished hickory, Canadian eye.	
-	B3013606	86648	Garant	6	432	2.10 (0.95)	36 (91.44)	1 1/8 x 1 1/2 (2.9 x 3.8)	Large sledge hammer handle, waxed hickory, Canadian eye. Fits: all sledge hammer heads from 14 to 20 lb. and FM1036.	
C	B3903201SG	86862	Garant	6	540	1.47 (0.66)	32 (81.28)	15/16 x 1 1/4 (2.4 x 3.1)	Sledge handle, American eye, non-slip safety grip, premium varnished hickory. Fits: Elgin 4-6-8-10-12 lb. heads.	
-	B3903205	86863	Garant	6	540	1.47 (0.66)	32 (81.28)	15/16 x 1 1/4 (2.4 x 3.1)	Sledge handle, American eye, varnished hickory. Fits: Elgin 4-6-8 lb. heads.	
-	B3903601SG	86865	Garant	6	540	1.79 (0.81)	36 (91.44)	15/16 x 1 1/4 (2.4 x 3.1)	Sledge handle, American eye, non-slip safety grip, premium varnished hickory. Fits: Elgin 4-6-8-10-12 lb. heads.	
-	B3903605	86866	Garant	6	540	1.79 (0.81)	36 (91.44)	15/16 x 1 1/4 (2.4 x 3.1)	Sledge handle, American eye, varnished hickory. Fits: Elgin 4-6-8 lb. heads.	
D	B3913605	86868	Garant	6	360	1.73 (0.78)	36 (91.44)	1 1/4 x 1 5/8 (3.1 x 4.1)	Extra-large sledge hammer handle, Canadian eye, varnished hickory.	
E	B5003605	86828	Garant	6	360	1.80 (0.82)	36 (91.44)	1 13/16 x 2 3/32 (4.6 x 5.3)	Standard post maul handle, varnished hickory.	
F	B3033001SG	86825	Garant	6	450	1.30 (0.59)	30 (76.20)	1 5/8 x 1 13/16 (4.6 x 4.7)	Kentool tire hammer handle, non-slip safety grip, premium varnished hickory.	



KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	EYE DIMENSIONS IN. (CM)	DESCRIPTION	
A	B4031001	86680	Garant	6	648	0.30 (0.13)	10 (25.40)	11/16 × 15/16 (1.7 × 2.4)	<b>Mason club hammer handle</b> , American eye, premium varnished hickory.	
-	B4031005	86681	Garant	6	648	0.30 (0.13)	10 (25.40)	11/16 × 15/16 (1.7 × 2.4)	<b>Mason club hammer handle</b> , American eye, varnished hickory. Fits: all mason club hammers, American eye.	
B	B4931005	86870	Garant	6	648	0.32 (0.14)	10 (25.40)	13/16 × 1 1/8 (2.4 × 2.8)	<b>Mason club hammer handle</b> , Canadian eye, varnished hickory. Fits: all mason club hammers, Canadian eye.	
C	B4001405	86660	Garant	6	540	0.40 (0.18)	14 (35.56)	17/32 × 1 1/32 (1.3 × 2.6)	<b>Nail/claw hammer handle</b> , varnished hickory, adze eye.	
D	B7401505	86706	Garant	6	300	1.00 (0.45)	15 (38.10)	3/4 × 1 5/16 (1.9 × 3.3)	<b>Nail/claw hammer handle</b> , waxed hickory, adze eye.	
E	B4061601SG	86683	Garant	6	540	0.50 (0.22)	16 (40.64)	29/32 × 1 3/16 (2.22 × 2.8)	<b>Garant nail hammer handle</b> for Stanley model, varnished hickory. Non-slip safety grip.	
F	B4061605	86684	Garant	6	540	0.50 (0.22)	16 (40.64)	29/32 × 1 3/16 (2.22 × 2.8)	<b>4 lb. sledge hammer handle</b> , Canadian eye, premium varnished hickory.	
-	B4061805	86687	Garant	6	504	0.60 (0.27)	18 (45.72)	1 3/16 × 29/32 (2.22 × 2.8)	<b>4 lb. sledge blacksmith hammer handle</b> , Canadian eye, varnished hickory. Fits: all sledge hammers.	
G	B4911805	86944	Garant	6	240	0.8 (0.36)	18 (45.72)	-	<b>Blacksmith hammer handle</b> , premium varnished hickory.	



## REPLACEMENT PARTS • HAMMER HANDLES



KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	EYE DIMENSIONS IN. (CM)	DESCRIPTION
A	B4111201	86690	Garant	6	540	0.30 (0.13)	12 (30.48)	17/32 x 1 1/32 (2.6 x 1.4)	Brick hammer handle, premium varnished hickory. Fits: D2240.
B	B4961605	86869	Garant	6	648	0.48 (0.21)	16 (40.64)	11/16 x 15/16 (1.7 x 2.4)	Mason club/blacksmith handle, American eye, varnished hickory. Fits: all mason club hammers, American eye.
C	B4021205	86653	Garant	6	672	0.30 (0.13)	12 (30.48)	15/32 x 23/32 (1.1 x 1.8)	Machinist ball-pein hammer handle, varnished hickory. Fits: D20805 and D21205.
-	B4021405	86656	Garant	6	504	0.40 (0.18)	14 (35.56)	17/32 x 27/32 (1.3 x 2.1)	Machinist ball-pein hammer handle, varnished hickory. Fits: D21605.
D	B4021605	86674	Garant	6	648	0.50 (0.23)	16 (40.64)	19/32 x 1 1/32 (1.5 x 2.5)	Machinist ball-pein hammer handle, varnished hickory.
E	B4021806	86679	Garant	6	504	0.60 (0.27)	18 (45.72)	21/32 x 1 5/32 (1.6 x 2.9)	Machinist ball-pein hammer handle, waxed hickory.
F	B4021601SG	78412	Garant	6	648	0.50 (0.23)	16 (40.64)	19/32 x 1 1/32 (1.5 x 2.5)	Machinist ball-pein hammer handle, premium varnished hickory with non-slip safety grip. Fits: D22401SG and D23205SG.


**A** HD29

**B** HD19

**C** HD30

**D** HD40

KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	HANDLE LENGTH IN. (CM)	CUTTER LENGTH IN. (CM)	DESCRIPTION
A	HD29	81358	Garant	2	150	5.00 (2.27)	16 1/4 (41.3)	3 1/2 (8.89)	Cutter mattock head, forged and tempered steel. Ideal size for breaking and smoothing hard ground, or for removing rocks and roots.
B	HD19	81357	Garant	2	150	5.00 (2.27)	18 3/4 (47.6)	3 9/16 (9.05)	Pick and mattock head, forged and tempered steel. Used to dig or grub into the earth and for digging in packed earth or clay. Also used to loosen the clay or earth with pick and dig out with mattock end.
C	HD30	81359	Garant	2	150	5.00 (2.27)	21 (53.3)	1 1/4 (3.17)	Clay pick head, forged and tempered steel. Used for digging in clay or packed earth, particularly when long or deep ditches are to be dug.
D	HD40	81360	Garant	2	150	6.00 (2.72)	22 3/4 (57.8)	1 1/4 (3.17)	



**PRO  
SERIES**



## REPLACEMENT PARTS • REPLACEMENT BLADES AND HEADS

**A** GPFSB09



**B** GPFSB14



**C** GPFSB18



**D** GPFSB22



**E** HDGRB24



**F** 82799



**G** 82801



**H** BEGFPS



KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	BLADE DIMENSIONS IN. (CM)	DESCRIPTION
A	GPFSB09	83130	Pro Series	6	2592	0.45 (0.20)	9 (22.86)	Steel floor scraper replacement blade.
B	GPFSB14	83131	Pro Series	6	1296	0.73 (0.33)	14 (35.56)	
C	GPFSB18	83132	Pro Series	6	1296	0.95 (0.43)	18 (45.72)	
D	GPFSB22	83133	Pro Series	6	1296	1.164 (0.53)	22 (55.88)	
E	HDGRB24	83737	Pro Series	12	196	4 (1.81)	24 (60.96)	Roofer's Brush, replacement head 24".
F	82799	82799	Pro Series	1	-	4 (1.81)	13 (33.02)	Blade,digging for GPHDU.
G	82801	82801	Pro Series	1	-	4 (1.81)	9 (22.86)	Blade for GPHDU.
H	BEGFPS	82969	Pro Series	1	-	3.25 (1.47)	18 (45.72)	Replacement blade for GFPS08, GFPS09, GFPS10, GFPS12. Forged, tempered steel blade, varnished. 9 x 10 3/4" (22.9 x 27.3 cm).

**A** 86961



**B** 86088



**C** 86349



**D** HDEAAL36



**E** 83751



**F** 83752



**G** 83753



KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	BLADE DIMENSIONS IN. (CM)	DESCRIPTION	
A	86961	86961	Pro Series	1	-	2.1 (0.91)	-	Handle, asphalt rake EAAL36.	
B	86088	86088	Pro Series	1	-	0.34 (0)	-	Tubular braces for EAAL36 (2).	
C	86349	86349	Pro Series	1	-	0.12 (0)	-	Hardware bag for asphalt rake EAAL36.	
D	HDEAAL36	86077	Pro Series	1	-	2.44 (0.91)	36 (91.44)	Head (only), asphalt rake, 36" (no screw, no brace) EAAL36.	
E	83751	83751	Pro Series	1	-	2.3 (0.91)	-	Landscaper rake head for model GALR36.	
F	83752	83752	Pro Series	1	-	0.4 (0)	-	2x braces and hardware for landscaper rake mode GALR36. Braces with half moon spade ends.	
G	83753	83753	Pro Series	1	-	1.7 (0.45)	-	Landscaper rake replacement handle for model GALR36.	



## REPLACEMENT PARTS • FORKS REPLACEMENT HEADS

**A** HDG0312  
HDG0314



**B** HDG0413



**C** HDG0513  
HDG0516



**D** HDG0613



**E** HDG0816



**F** HDG1016



**G** HDG1013



KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	UNIT WEIGHT LB. (KG)	LONG. TOT. APPROX. PO (CM)	DESCRIPTION
A	HDG0312	82769	Agro Series	3	1.00 (0.45)	12 (30.5)	Replacement head for G031248, G031254. <b>Hay fork head</b> , forged, 3 tines.
-	HDG0314	82768	Agro Series	3	1.20 (0.54)	14 (35.6)	Replacement head for G031448. <b>Straw fork head</b> , forged, 3 tines.
B	HDG0413	82767	Agro Series	3	1.50 (0.68)	13 (33.0)	Replacement head for G0413D, G0413L. <b>Manure fork head</b> , forged, 4 tines.
C	HDG0513	82766	Agro Series	3	1.83 (0.83)	13 (33.0)	Replacement head for G0513D, G0513L. <b>Manure fork head</b> , forged, 5 tines.
-	HDG0516	82765	Agro Series	3	2.50 (1.13)	16 (40.6)	Replacement head for G0516D, G0516L. <b>Barn fork head</b> , forged, 5 tines.
D	HDG0613	82764	Agro Series	3	2.25 (1.02)	13 (33.0)	Replacement head for G0613D, G0613L. <b>Manure fork head</b> , forged, 6 tines.
E	HDG0816	82763	Agro Series	3	3.91 (1.77)	16 (40.6)	Replacement head for G0816D. <b>Ensilage fork head</b> , forged, 8 tines.
F	HDG1016	82713	Agro Series	3	4.59 (2.08)	16 (40.6)	Replacement head for G1016D. <b>Ensilage fork head</b> , forged, 10 tines.
G	HDG1013	82758	Agro Series	3	2.17 (0.98)	13 (33.0)	Replacement head for G1013L. <b>Bedding fork head</b> , 10 tempered steel and welded tines.

**A** BEGBS24**B** BEGPG12**C** BEGAG08

KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	UNIT WEIGHT LB. (KG)	BLADE DIMENSIONS IN. (CM)	LONG. TOT. APPROX. PO (CM)	DESCRIPTION
A	BEGBS24	82963	Agro Series	3	3.51 (1.59)	6 x 24 (15.2 x 60.96)	24 (60.96)	Replacement blade for GBS24D, GBS24L. Reversible steel barn scraper blade.
B	BEGPG12	82785	Agro Series	3	2.1 (0.91)	14 1/2 x 18 1/2 (36.8 x 47)	18 1/2 47	ABS grain scoop replacement blade.
C	BEGAG08	82993	Agro Series	3	2.5 (0.91)	13 x 17 3/8 (33 x 44.1)	17 3/8 44.1	Aluminum grain scoop replacement blade.



## REPLACEMENT PARTS • WEDGES

### FOR 2-4 LB. SLEDGES

A7001	Wide all-purpose wooden wedge. (Cut to the same width as the sledge's eye before assembly)
A7003	#3 steel wedge.

**A** A7001  
B7001

**B** A7003  
B7003

**C** A7004  
B7004



### FOR 6-10 LB. SLEDGES

A7001	Wide all-purpose wooden wedge. (Cut to the same width as the sledge's eye before assembly)
A7004	#4 steel wedge.

### FOR 2-4 LB. SLEDGES

A7006	Universal wedge for sledges of all sizes. #5 steel wedge
-------	---

**D** A7005  
B7005



**E** A7006  
B7006



**F** A7007



**G** B7007



KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	MASTER PKG.	PALLET PKG.	DIMENSIONS IN. (CM)	DESCRIPTION
A	A7001	86709	Garant	10	100	2880	2 1/2 x 2 1/2 x 3/8 (6.35 x 6.35 x 0.95)	Wooden wedges for axes and sledges. 1 wedge per card. 10 cards per pack.
-	B7001	86719	Garant	40	480	11520	2 1/2 x 2 1/2 x 3/8 (6.35 x 6.35 x 0.95)	Single-bit axe wooden wedges. Carton box.
B	A7003	86710	Garant	10	320	2880	1 1/8 x 15/32 x 5/32 (2.85 x 1.19 x 0.39)	#3 steel wedge for hammers (16 oz. and over) and sledges (2, 3 and 4 lb.). 2 wedges per card. 10 cards per pack.
-	B7003	86720	Garant	50	2500	120000	1 1/8 x 15/32 x 5/32 (2.85 x 1.19 x 0.39)	#3 steel wedges. Plastic bag.
C	A7004	86711	Garant	10	320	15360	1 1/8 x 3/4 x 5/32 (2.85 x 1.9 x 0.39)	#4 steel wedges for sledges (6, 8 and 10 lb.). 2 wedges per card. 10 cards per pack.
-	B7004	86722	Garant	50	2500	120000	1 1/8 x 3/4 x 5/32 (2.85 x 1.9 x 0.39)	#4 steel wedges. Plastic bag.
D	A7005	86712	Garant	10	320	2880	1 1/8 x 1 x 5/32 (2.85 x 2.54 x 0.39)	#5 steel wedges for sledges (12, 14 and 16 lb.). 2 wedges per card. 10 cards per pack.
-	B7005	86724	Garant	50	2000	96000	1 1/8 x 1 x 5/32 (2.85 x 2.54 x 0.39)	#5 steel wedges. Plastic bag.
E	A7006	86713	Garant	10	90	2880	1 24/25 x 1 5/8 x 1/5 (4.97 x 4.13 x 0.51)	Combo wedge pack for sledges. 1 of each: #5 steel and medium wooden wedge. 10 cards per pack.
-	B7006	86725	Garant	50	1000	48000	1 1/8 x 1 1/4 x 5/32 (2.85 x 3.022 x 0.39)	#6 steel wedges. Plastic bag.
F	A7007	86714	Garant	10	150	2880	1 1/8 x 1 1/4 x 5/32 (2.85 x 3.18 x 0.39)	#6 all-purpose steel wedges. 2 wedges per card. 10 cards per pack. Not specific to a particular product.
G	B7007	86726	Garant	140	840	20160	2 1/4 x 1 1/2 x 3/8 (5.72 x 3.81 x 0.95)	Wooden sledge hammer wedges. Carton box.

**A** A7008  
B7008

**B** A7009  
B7011

**C** A7011  
B7010

**D** A7012  
B7009

**E** A7102  
B7102


KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	MASTER PACK	PALLET PACK	DIMENSIONS IN. (CM)		DESCRIPTION
A	A7008	86715	Garant	10	120	4800	1 24/25 x 1 5/9 x 1/10 (4.97 x 4.13 x 0.25)		Combo wedge pack for short hammers. 1 of each: #3 steel & small wooden wedge. 10 cards per pack.
-	B7008	86727	Garant	60	840	8640	4 1/3 x 2 1/3 x 3/4 (11 x 5.93 x 1.9)		Small hammer wedge pack, 1 wooden & 1 steel wedge. Plastic bag.
B	A7009	86716	Garant	10	120	2880	1 24/25 x 1 5/8 x 1/5 (4.97 x 4.13 x 0.51)		#9 all-purpose aluminum wedges. 2 wedges per card. 10 cards per pack. Not specific to a particular product.
-	B7011	86729	Garant	50	600	28800	2 1/3 x 2 1/10 x 3/4 (5.93 x 5.33 x 1.9)		Aluminum wedges for axes 2 lb. and over. Plastic bag.
C	A7011	86717	Garant	10	90	2880	1 24/25 x 1 5/9 x 1/3 (4.97 x 4.13 x 0.85)		#7 aluminum wedges for axes (2 lb. and over). 2 wedges per card. 10 cards per pack.
-	B7010	86836	Garant	10	500	12000	2 3/4 x 1 1/2 x 1/2 (6.99 x 3.81 x 1.27)		Aluminum wedges. Plastic bag.
D	A7012	86837	Garant	10	110	2880	1 3/4 x 1 x 5/16 (4.45 x 2.54 x 0.79)		Wooden wedges for ball-pein and blacksmith hammers. 2 wedges per card. 10 cards per pack.
-	B7009	86728	Garant	200	1600	28800	1 3/4 x 1 x 5/16 (4.45 x 2.54 x 0.79)		Wooden small hammer wedges. Carton box.
E	A7102	86718	Garant	10	300	2880	3/4 x 5/16 x 1/8 (1.9 x 0.79 x 0.32)		#2 steel wedges for hammers (8 oz. and 13 oz.). 2 wedges per card. 10 cards per pack.
-	B7102	86730	Garant	50	2500	120000	3/4 x 5/16 x 1/8 (1.9 x 0.79 x 0.32)		#2 steel wedges. Plastic bag.



## REPLACEMENT PARTS • WARRANTY

### WARRANTY COVERAGE


Garant® Company warrants to the original purchaser only of the accompanying product that such product will be free from defects in material or workmanship for a limited warranty period. The warranty period begins on the date of purchase and extends from 90 days to lifetime as specified. This warranty is offered to the original purchaser only and is not transferable.

In the event of a defect in material or workmanship during the warranty period, Garant® will provide a replacement product at no charge to the original purchaser, provided that the product is returned to its original place of purchase and is accompanied by proof of purchase. Damage to the product due to any cause other than a defect in material or workmanship—including, but

not limited to, accident, misuse, abuse or incorrect use, normal wear, unauthorized repair or alteration, and non-personal use—is excluded from this warranty.

This is the only warranty recognized by Garant®. All other warranties, whether legal, expressed or implied, are void. Garant® is not liable for damage of any kind resulting from the use of its products. Garant's responsibility is limited solely to product replacement in accordance with the above terms.

The application of this warranty may vary from province to province in conformity with provincial law.



### IMPORTANT NOTICE

**Tighten assembly using a screwdriver before use.**

Assembling of molded parts after the injection process and/or vibrations during transportation may have caused the assembly to loosen and leak if not tightened properly.



**A** 23816



**B** 23817



**C** 72601



**D** 80394



**E** 80395



**F** 80347



**G** 8302900



**H** 80370



**I** 99404



**J** 72133



KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	DIMENSIONS IN. (CM)	DESCRIPTION
A	23816	23816	Ames	1	–	2.46 (70)	5 3/4 x 5 x 2 3/4 (14.6 x 12.7 x 7.0)	Water system, replacement part for Ames hose reels numbers: 23881, 23882, 23883.
B	23817	23817	Ames	1	–	3.17 (90)	6 x 5 1/2 x 3 (15.2 x 14.0 x 7.6)	Water system, replacement part for Ames hose reels numbers: 23855, 23862, 23863, 23844, 23845, 23846, 23785, 23786.
C	72601	72601	Ames	1	–	2.08 (59)	4 3/4 x 4 x 2 3/4 (12.1 x 10.2 x 7.0)	Water system, replacement part for Ames hose reels numbers: 2385630, 23913, 23914, 23917.
D	80394	80394	Ames	1	–	1.28 (36.2)	5 1/2 x 4 1/4 x 2 1/2 (13.9 x 10.8 x 6.4)	Aluminum water system, replacement part for Ames hose reels numbers: 99971, 99972.
E	80395	80395	Ames	1	–	1.28 (36.2)	6 x 6 x 2 1/2 (15.2 x 15.2 x 6.4)	Water system, replacement part for Ames hose reels numbers: 99973.
F	80347	80347	Ames	1	–	0.4 (0.18)	5 1/2 x 4 1/4 x 2 1/2 (13.9 x 10.8 x 6.4)	Aluminum water system and retaining clip for 80326, 2385630B or 23918 hose reel.
G	8302900	83029	Ames	1	–	0.56 (0.25)	6 1/4 x 2 1/4 x 6 (15.9 x 5.72 x 15.2)	Aluminum water system and retaining clip for NeverLeak™ hose reels 80147, 80148 and 80345.
H	80370	80370	Ames	1	–	0.5 (0.23)	7 x 5 x 2 1/2 (17.8 x 12.7 x 6.4)	Aluminum water system for 99575, 99807, 99808, 99809 hose reel (no retaining clip necessary).
I	99404	72035	Ames	1	640	0.83 (0)	71 x 1 (180.34 x 2.54)	Hose reel connector hose for models: 2385630, 23913, 23914, 23917, 23918 (6' hose, 2 female couplings).
J	72133	72133	Ames	1	640	0.66 (0)	9 x 8 x 1 (22.9 x 20.3 x 2.5)	6' connector hose (1 cut extremity, 1 female coupling).


**REPLACEMENT PARTS • WHEELBARROW REPLACEMENT PARTS**
**A** TT6CC

**B** TT8CC

**C** T14CC

**D** T22CC

**E** FFTU

**F** SFFTCC

**G** T22KBCC

**H** FFTCC

**I** FFTKBCC

**J** TWKT

**K** 86156

**L** 99319

**M** 99562

**N** IT6CC

**O** IT8CC

**P** 74141R

**Q** 00038360


KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	UNIT			DESCRIPTION
				PKG.	PALLET	WEIGHT LB. (KG)	
A	TT6CC	00790	True Temper	3	54	2.66 (1.21)	Replacement tire, 2 ply, 4" x 6" x 14" (10 x 15 x 35.6 cm), universal for 6" (15 cm) hub.
B	TT8CC	00791	True Temper	3	54	3.00 (1.36)	Replacement tire, 2 ply, 4" x 8" x 16" (10 x 20 x 40.6 cm), universal for 8" (20 cm) hub.
C	T14CC	00788	True Temper	3	108	5.20 (2.36)	Wheel and tire assembly, 4" x 6" x 13" (10 x 15 x 32.5 cm) wheel, no inner tube, nylon bushing for 5/8" (1.6 cm) axle.
D	T22CC	00206	True Temper	3	54	6.00 (2.72)	Wheel and tire assembly, 4" x 8" x 16" (10 x 20 x 40 cm) wheel, no inner tube, oilube bushing for 5/8" (1.6 cm) axle.
E	FFTU	99770	True Temper	3	54	9.50 (4.31)	15" True Temper universal flat-free tire.
F	SFFTCC	78728	True Temper	3	36	9 (4.08)	Replacement flat-free tire with automotive inspired design 3.5" x 10.5" x 16" (8.75 x 26.25 x 40 cm) wheel, with 5/8" (1.6 cm) axle.
G	T22KBCC	01666	True Temper	3	54	8.20 (3.72)	Wheel and knobby tire assembly, 4" x 8" x 16" (10 x 20 x 40 cm) wheel, no inner tube, ball bearing for 5/8" (1.6 cm) axle.
H	FFTCC	01791	True Temper	3	54	9.36 (4.25)	Wheel and flat-free rubber tire, 4" x 8" x 16" (10 x 20 x 40 cm) wheel, ball bearing for 5/8" (1.6 cm) axle.
I	FFTKBCC	01845	True Temper	3	54	9.36 (4.25)	Wheel and knobby flat-free tire, 4" x 8" x 15" (10 x 20 x 38 cm) wheel, ball bearing for 5/8" (1.6 cm) axle.
J	TWKT	00818	True Temper	1	36	10.4 (4.72)	Conversion kit for wheelbarrow with 4" x 8" x 16" (10 x 20 x 40 cm) wheel, and 5/8" (1.6 cm) axle, (Kit includes: 1 wheel and 1 tire assembly T22CC, 5/8" (1.6 cm) axle, 2 axle brackets and nuts.)
K	86156	86156	True Temper	1	10	10.36 (4.70)	Conversion kit for wheelbarrow with 4" x 8" x 16" (10 x 20 x 40 cm) wheel, and 3/4" x 23" (1.9 x 59 cm) axle, (Kit includes: 1 wheel and 1 tire assembly T22CC, 3/4" (1.9 cm) axle, 2 axle brackets and nuts.)
L	99319	99319	True Temper	1	60	11 (4.99)	Flat-free tire, 4" x 8" x 15" (10 x 20 x 37.5 cm) wheel, for axle brackets 3/4" (1.9 cm).
M	99562	99562	True Temper	1	30	16.6 (7.53)	Industrial conversion kit, 4" x 8" x 15" (10 x 20 x 37.5 cm) wheel, 3/4" x 23" axle, flat-free tire.
N	IT6CC	01142	True Temper	6	648	0.5 (0.23)	Inner tube for 4" x 6" x 14" (10 x 15 x 35.6 cm) tire (universal).
O	IT8CC	00852	True Temper	6	648	0.65 (0.30)	Inner tube for 4" x 8" x 16" (10 x 20 x 40.6 cm) tire (universal).
P	74141R	74141R	True Temper	1	54	7.3 (3.31)	Wheel and tire assembly, 4" x 8" x 16" (10 x 20 x 40 cm) wheel, with inner tube, 4 ply tire, roller bearing for 3/4" (1.9 cm) axle.
Q	00038360	86348	True Temper	1	40	7.3 (3.31)	Wheel and tire assembly 15" (38.1 cm), 2 ply, 3 1/2 x 8 x 14 3/4" (8.8 x 20 x 37.4 cm), oilube bushing for 5/8" axle.

**C** 00221400ND**B** 00223600ND**A** BBCC**D** 8304300**E** 83045

KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PALLET		UNIT WEIGHT LB. (KG)	DESCRIPTION
				PKG.	PACK		
A	BBCC	01609	True Temper	6	—	0.33 (0.15)	Ball bearings (pair), for 5/8" (1.9 cm) axle and outside hub dia. 3/8" (0.9 cm).
B	00223600ND	01542	True Temper	1	150	4.0 (1.81)	S series replacement handles. No holes. Sizes: 1 7/16" H x 1 11/16" W x 60" L (3.7 x 4.3 x 152.4 cm).
C	00221400ND	01198	True Temper	1	300	4.0 (1.81)	C series replacement handles. No holes. Sizes: 1 1/2" H x 1 1/2" W x 60" L (3.8 x 3.8 x 152.4 cm).
D	8304300	83043	Garant	1	—	2.2 (1)	Sealing rubber plug for 8014500 lawn roller.
E	83045	83045	Garant	1	—	0.188 (0)	Hardware kit for 8014500 lawn roller. Includes (2 attachments, 4 break sphere, 2 break plates, 2 tightening bolts and instructions) (excluding the plus and the rubber seal).



**REPLACEMENT PARTS • TREE POLE TRIMER REPLACEMENT PARTS**
**A** 82629

**B** 99163


**C** 99399

**D** 99402


KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	PKG. PALLET	UNIT WEIGHT LB. (KG)	DESCRIPTION	
A	82629	82629	Garant	1	-	0.26 (0)	Adjustment arm kit	for models NXPT10-NXPT12D-GAPT12DC.
B	99163	99163	Garant	1	-	0.14 (0)	Cutting blade	for models NXPT10-NXPT12D-GAPT12DC.
C	99399	99399	Garant	1	-	0.04 (0)	Spring	for models NXPT10.
D	99402	99402	Garant	1	-	0.20 (0)	Saw blade	NXPT10-NXPT12D-GAPT12DC.

**A** 99778

**B** KTBO

**C** 80482

**D** KTBOM

**E** 22460



KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	UNIT			DESCRIPTION
				PKG.	PKG. Pallet	WEIGHT LB. (KG)	
A	99778	99778	Garant	1	10	26 (11.81)	Rolling black steel display for long handle tools. Includes 10 hooks for price tags. (Without tools)
B	KTBO	99861	Botanica	1	10	26 (11.81)	Rolling black steel display for long handle tools including a Botanica POP and 2 POP brackets. Includes 10 hooks for price tags. (Without tools)
C	80482	80482	Garant	1	8	33 (15)	Modular rolling black steel display including: 10 single hooks (11"), 5 double hooks (10"), 1 camel back hook (10"), 2 POP brackets. (Without POP) (Without tools)
D	KTBOM	80349	Botanica	1	3	33 (15)	Modular rolling black steel display including: a Botanica POP, 10 single hooks (11"), 5 double hooks (10"), 1 camel back hook (10"), 2 POP brackets. (Without tools)
E	22460	22460	Ames	1	10	21.10 (9.57)	Tubular steel display, can hold 3 wheelbarrows. Wheelbarrows not included.

## DISPLAYS AND HOOKS

**A** GSD4



**B** GAH5



**C** GBD1



**D** 89480



**E** 80099



**F** 80599



**G** 88252




**H** 83065




KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	DIMENSIONS IN. (CM)	DESCRIPTION
A	GSD4	80078	Pro Series	1	10	47 (21.32)	28 x 22.5 x 49 (71.12 x 57.15 x 124.46)	2-ft. metal display for striking tools. Signs included.
B	GAH5	80457	Pro Series	2	50	0.57 (0)	8.5 x 2.75 x 4 (20.32 x 5.08 x 10.16)	Additional hook for striking tool display mode GSD4.
C	GBD1	80094	Pro Series	1	4	46 (20.87)	24.75 x 55 x 43 (62.86 x 139.69 x 109.22)	2-ft. metal display for bars. Signs included.
D	89480	89480	Pro Series	1	30	-	25 1/4 x 23 x 29 3/4 (64.14 x 58.42 x 75.57)	Cardboard display..
E	80099	80099	Pro Series	1	18	36 (16.33)	25 x 25 x 26 1/4 (63.5 x 63.5 x 67.3)	Wooden display, 18 holes for D-grip tools.
F	80599	80599	Pro Series	1	18	36 (16.33)	25 x 25 x 26 1/4 (63.5 x 63.5 x 67.3)	Wooden display, 18 holes for D-grip tools (80099) and 2 POP Garant® logo (TSC).
G	88252	88252	Pro Series	1	18	36 (16.33)	25 x 25 x 26 1/4 (63.5 x 63.5 x 67.3)	Wooden display, 36 holes for long handle tools.
H	83065	83065	Pro Series	1	18	36 (16.33)	25 x 25 x 26 1/4 (63.5 x 63.5 x 67.3)	Wooden display, mixed perforation. 18 holes for long handle tools and 6 holes for D-grip tools.

**A** R8B

**B** GSSR

**C** GSH

**D** GSSH

**E** GSSDH

**F** GSHPGTT


KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	PKG. Pallet	UNIT WEIGHT LB. (KG)	DESCRIPTION
A	R8B	82531	Garant	6	240	0.90 (0.41)	Steel hook. Ideal for aluminum or poly shovels, rakes, garden hoes, etc. Also for DR88 mobile merchandiser.
B	GSSR	81583	Garant	3	264	1.30 (0.59)	Garant® chrome-plated steel hanger for lawn rakes, Garant® and True Temper signs included.
C	GSH	81804	Garant	6	216	1.28 (0.58)	Garant® chrome-plated steel hanger for pushers and shovels, Garant® and True Temper signs included. Capacity: 7 items.
D	GSSH	81585	Garant	3	96	1.00 (0.45)	Garant® chrome-plated steel hanger for hoes. Garant® and True Temper signs included.
E	GSSDH	81845	Garant	6	288	1.30 (0.59)	Garant® chrome-plated steel hanger for "D" handled tools. Garant® and True Temper signs included.
F	GSHPGTT	82502	Garant	6	3024	0.1 (0.05)	Plastic sign with True Temper or Garant® sticker for the hooks: GSH and GSSH.

## DISPLAYS AND HOOKS


**A** GAH2    **B** GAH3




**C** GSSL



**D** GHH1



**E** GAH1



KEY	MODEL NUMBER	ITEM NUMBER	QUALITY	PKG.	PALLET PACK	UNIT WEIGHT LB. (KG)	DESCRIPTION	
A	GAH2	81801	Garant	2	72	1.08 (0.49)	Chrome-plated steel display hooks, perfect for axes up to 1 1/2 lb. (0.68 kg), sledges up to 6 lb. (2.72 kg), steel shovels, garden tools, etc.	
B	GAH3	81802	Garant	2	144	1.14 (0.52)	Chrome-plated steel display hooks, perfect for axes up to 6 lb. (2.72 kg), sledges up to 12 lb. (5.44 kg), and other heavy items.	
C	GSSL	81833	Garant	3	72	0.40 (0.18)	Chrome-plated steel hook for grass and lopping shears.	
D	GHH1	99654	Garant	2	108	0.9 (0.408)	Sledge hammer hook. For GSD1 display.	
E	GAH1	99653	Garant	2	108	1.1 (0.498)	Axe hook. For GSD1 display.	



## MODEL NUMBER INDEX

Model No.	UPC	Page
00038360	055636863482	158
00221400ND	027997011987	159
00223600ND	027997015428	159
1123047100	049206039247	107
131112	781945131126	121
22460	049206224605	161
23816	049206238169	157
23817	049206238176	157
2382561	049206039469	131
23832	049206238329	128
2383520	049206039384	130
2384010	049206039445	131
2384110	049206039506	131
2384685NL	049206631649	129
23855NL	055636830668	129
2385630NL	055636803266	129
23862NL	055636833355	129
23883NL	055636836578	128
2391600	049206239166	131
2392100	049206239210	130
2392400	049206239241	130
23988GA	055636800975	127
23989GA	055636801460	127
24001	781945131003	121
2401700	049206240179	122
2401900	049206240193	122
2402100	049206240216	122
2404300	049206240438	122
2463675	049206246362	107
72035	055636994049	157
72133	055636721331	157
72601	055636726015	157
74141R	055636741414	158
8009600	055636800968	141
80099	055636800999	162
8014500	055636801453	107
8014700	055636801477	128
8014800	055636801484	128
80347	055636803471	157
80370	055636803709	157
80394	055636803945	157
80395	055636803952	157
80482	055636804829	161
80599	055636805991	162
82610	055636826104	140
82629	055636826296	160
82799	055636827996	150

Model No.	UPC	Page
82801	055636828016	150
82828	055636828283	89
8302900	055636830293	157
8304300	055636830439	159
8306300	055636830637	74
83065	055636830658	162
83751	055636837513	151
83752	055636837520	151
83753	055636837537	151
83949	055636839494	27
84037	055636840377	25
8407000	055636840704	133
8407100	055636840711	133
8407400	055636840742	125
84191	055636841913	27
86088	055636860887	151
86135	055636861358	140
86138	055636861389	140
86142	055636861426	140
86156	055636861563	158
86349	055636863499	151
86961	055636869613	151
88252	055636882520	162
89480	055636894806	162
99163	055636991635	160
9923400	055636992342	76
99319	055636993196	158
99399	055636993998	160
99402	055636994025	160
9942500	055636994254	141
99562	055636995626	158
99778	055636997781	161
9980800	055636998085	125
A7001	064730004073	154
A7003	064730004110	154
A7004	064730004134	154
A7005	064730004158	154
A7006	064730004172	154
A7007	064730020325	154
A7008	064730004196	155
A7009	064730020301	155
A7011	064730020318	155
A7012	064730021803	155
A7102	064730020332	155
B1002101SG	064730021827	143
B1002105	064730004356	143

Model No.	UPC	Page
B1002601SG	064730021834	143
B1002605	064730022428	143
B1002801SG	064730018063	143
B1002805	064730004509	143
B1002806	064730004516	143
B1003201SG	064730018162	143
B1003205	064730004677	143
B1003206	064730004684	143
B1003601SG	064730018179	143
B1003605	064730004776	143
B1073605	064730005704	144
B1083605	064730005797	144
B1093601	064730005841	144
B2001405	064730006244	143
B2011605	064730006336	143
B3002401SG	064730004837	145
B3002405	064730006923	145
B3002406	064730006930	145
B3003201SG	064730017837	145
B3003205	064730007258	145
B3003206	064730007265	145
B3003601SG	064730017721	145
B3003605	064730007364	145
B3003606	064730007371	145
B3013201SG	064730021896	146
B3013205	064730007630	146
B3013601SG	064730017684	146
B3013605	064730007715	146
B3013606	064730007722	146
B3033001SG	064730021926	146
B3903201SG	064730022060	146
B3903205	064730021636	146
B3903601SG	064730022077	146
B3903605	064730021599	146
B3913605	064730022084	146
B4001405	064730008293	147
B4021205	064730008620	148
B4021405	064730008712	148
B4021601SG	064730018469	148
B4021605	064730008804	148
B4021806	064730008903	148
B4031001	064730009047	147
B4031005	064730009078	147
B4061601SG	064730018438	147
B4061605	064730009658	147
B4061805	064730009740	147
B4111201	064730015178	148



## MODEL NUMBER INDEX

Model No.	UPC	Page
B4911805	055636869446	147
B4931005	064730021902	147
B4961605	064730022343	148
B5003605	064730010227	146
B6053601	064730869863	141
B6053601SG	064730018186	141
B7001	064730010890	154
B7003	064730010937	154
B7004	064730010951	154
B7005	064730010975	154
B7006	064730016557	154
B7007	064730010999	154
B7008	064730011019	155
B7009	064730011026	155
B7010	064730014829	155
B7011	064730021810	155
B7102	064730016823	155
B7173201SG	064730021858	137
B7173605	064730021865	144
B7401505	064730022053	147
BAG10	027997370121	55
BAG10L	027997007294	55
BAG12	027997370145	55
BAG12L	027997007300	55
BBCC	055636782417	159
BEGAG08	055636829938	153
BEGBS24	055636829631	153
BEGFPS	055636829693	150
BEGPG12	055636827859	153
BOBP15	055636830835	92
BOEH3CH	055636836493	95
BOEHMW	055636836509	95
BOEHSR6	055636836516	95
BOFS15	055636830828	92
BOHMT	055636812862	95
BOHSS	055636801354	95
BP8	027997008086	104
BSH30016FG	055636786095	79
BSH30016SG	055636815252	72
C1504809	064730011064	140
C1505409	064730011088	140
C1514809	064730011125	140
C1515409	064730011156	140
C1525209	064730021766	139
C1543309	064730011262	140
C1563309	064730011323	140
C2505409	064730011460	139

Model No.	UPC	Page
C2515409	064730011552	139
C2516009	064730011576	139
C2526009	064730011613	139
C2565409	064730021742	139
C3514809	064730011699	139
C3526609	064730011736	139
C3565409	064730021735	139
C4109	055636801859	138
C4502809	064730014737	138
C4503609	064730017769	138
C4512409	064730011798	137
C4512809	064730011828	137
C4513609	064730011897	137
C4554009	064730011927	137
C4564809	064730011958	137
C4565409	064730021704	137
C4622809	064730021698	137
C4704209	064730021674	138
C5504	064730012061	140
C5603	064730020189	137
C5604	064730021391	137
C6	027997010447	104
C6FF	049206018860	104
C6PSP	049206023734	103
C6STSPFF	049206039186	104
C6TC14GA	049206033085	103
CAN22528	055636812527	73
CAN22528FG	055636785999	78
CAP19	055636818673	76
CAP40	055636784190	76
CAR22521	055636812541	73
CB51PC	055636810370	75
CB51WC	055636810394	75
CB54PC	055636780239	75
CB57PC	055636780062	75
CB60PC	055636810363	75
CB60WC	055636810387	75
CBR14	055636812169	63
CCR14	055636812176	63
CHDS14FD	055636812152	63
CHR2FD	055636812084	62
CHR2FL	055636812091	62
CHS17526	055636812558	73
CHS2D	055636817652	62
CHS2L	055636817669	62
CHS4D	055636812114	62
CLR24	055636812183	63

Model No.	UPC	Page
CP6	027997010478	103
CP6TC14GA	049206033092	103
CSHGS2FD	055636812145	63
D10004	064730012139	81
D10104	064730012153	81
D10204	064730012177	81
D14B14	064730017431	84
D14W14	064730017417	84
D20405	064730012207	82
D20805	064730012238	82
D21205	064730012252	82
D21605	064730012283	82
D22400	064730012290	82
D22405	064730012320	82
D22405SG	055636784138	72
D23205	064730012351	82
D23205SG	055636784145	72
D2320NS	064730019909	72
D24005	064730012375	82
D24805	064730012399	82
D28B16	064730017448	84
D28W16	064730017424	84
D30004	064730012412	81
D40104	064730012467	80
D4015NS	064730013990	71
D40204	064730012481	80
D4025NS	064730019862	71
D40304	064730012528	80
D40404	064730012566	80
D4040NS	064730019893	71
D40504	064730012597	80
D4050NS	064730018865	71
D40604	064730012634	80
D4060NS	064730017578	71
D40804	064730012702	80
DF0416	055636813180	70
DF0416FG	055636786033	79
DF0424	055636813197	70
DF0424C	055636810318	80
DF0516NS	055636833539	71
DF0632	055636813203	70
DF0632LFG	055636805666	86
DF0634FG	055636786040	79
DF0816NS	055636833546	71
DF0832	055636813210	70
DF0832LFG	055636805468	86
DF0834FG	055636786057	79



## MODEL NUMBER INDEX

Model No.	UPC	Page
DF1034FG	055636786064	79
DF1036	055636813234	70
DF1234FG	055636786071	79
DF1236	055636813241	70
DF1636	055636813265	70
DF2036	055636786170	70
E432SG	064730021537	20
EAAL36	064730014850	19
EH1606SS	055636806243	110
EHJ2006SS	055636806281	110
EHU1604IB	055636836790	110
EXFLR24	055636999594	36
EXFPHD	055636999693	36
F410D	055636810295	45
F9508	064730014171	137
F9509	064730014188	138
F9510	064730014195	138
F9512	064730014201	138
FC348MS	055636801057	48
FCUS1D	055636782394	45
FDW37	055636996456	47
FDW3712	055636996456	47
FDW48	055636810233	46
FFTCC	027997017910	158
FFTKBCC	049206018457	158
FFTU	055636997705	158
FGSDH	055636997811	45
FHC5LH	055636997804	46
FHR1D	055636810172	45
FHR1L	055636810189	45
FLHW54	055636830569	46
FLR7L	055636810264	46
FLR7MS	055636801033	48
FM1036	055636813272	70
FOBS22	055636840483	46
FPLR22	055636781243	46
FPSR15L	055636810240	46
FPSR15MS	055636801040	48
G031248	055636810646	32
G031254	055636810691	32
G031448	055636810707	32
G0413D	055636810714	31
G0413L	055636810721	31
G0513D	055636810745	31
G0513L	055636810790	31
G0516D	055636810820	31
G0516L	055636810837	31

Model No.	UPC	Page
G0613D	055636810844	31
G0613L	055636810868	31
G0816D	055636810875	32
G1013L	055636817270	32
G411D	055636810950	15
G411L	055636811100	15
G755RYB	064730019374	142
G799K	064730014546	142
GAAH6	055636808483	17
GAG08D	055636800128	29
GAG08D35	055636800142	29
GAG10D	055636800159	29
GAG10D35	055636800173	29
GAG10L	055636800791	29
GAH1	055636996531	164
GAH2	055636818017	164
GAH3	055636818024	164
GAH5	055636804577	162
GALR36	055636808414	19
GAP250	055636800654	87
GAPT12DC	055636836592	91
GAR14	055636807448	18
GBBFHGS2D	055636839784	38
GBD1	055636800944	162
GBFBR14	055636837018	36
GBFC448	055636836721	36
GBFGH6	055636836714	36
GBFHGS2FD	055636836677	35
GBFHR2BD	055636836974	35
GBFHR2BL	055636836981	35
GBFHR2FD	055636836684	35
GBFHR2FL	055636836660	35
GBFHHS2D	055636839296	38
GBFHHS2FD	055636836998	35
GBFHHS2FL	055636837001	35
GBFHHS2L	055636839777	38
GBGH65	055636839791	39
GBH12	055636810608	33
GBH185	055636810615	33
GBH65	055636807103	17
GBHC5LH	055636840445	39
GBHR2BFD	055636839234	38
GBHR2BFL	055636839289	38
GBLR14	055636830576	39
GBNP24	055636836899	23
GBR15	055636807455	18
GBS24D	055636810530	33

Model No.	UPC	Page
GBS24L	055636810561	33
GC348	055636807929	20
GCMP10	055636801255	88
GCMP12	055636801262	88
GCR14	055636807479	18
GDBH18	055636830279	83
GDBH27	055636830255	83
GDBH37	055636830248	83
GDBH52	055636830231	83
GDPN11	055636801149	88
GDT1769	055636804720	75
GDW37	055636999518	37
GDW3712	055636999518	37
GEX2FD	055636996395	10
GEX2FD35	055636996418	10
GEX2FL	055636996401	10
GFBH7S	055636807134	16
GFDS14D	055636803563	6
GFDS14L	055636804676	6
GFR1D	055636804409	9
GFR1L	055636804416	9
GFGS2FD	055636811940	6
GFGS2FL	055636805062	6
GFPS08	055636804430	9
GFPS09	055636804447	9
GFPS10	055636804454	9
GFPS12	055636804461	9
GFR02D35	055636803600	6
GFR22	055636817232	19
GFR2D	055636803617	8
GFR2D35	055636803648	8
GFR2L	055636803655	8
GFR2NL	055636811872	7
GFS2D	055636803662	8
GFS2D35	055636804478	8
GFS2L	055636803679	8
GFSH7	055636837025	16
GFSL9D	055636808575	15
GFTS2D	055636804546	9
GFWH7	055636807158	16
GGCW	055636803549	37
GGCW8	055636803549	37
GGH65	055636807165	17
GGH8	055636807189	17
GH348	055636807981	17
GH406P	055636810974	33
GH409M	055636810998	33



## MODEL NUMBER INDEX

Model No.	UPC	Page
GHDS16FD	055636811834	13
GHFFR1FL	055636811957	13
GHGS2FD	055636810059	13
GHGS5D	055636803686	13
GHH1	055636996548	164
GHH4	055636807394	16
GHR1FD	055636840247	13
GHR1FL	055636816884	13
GHR2DCP	055636804027	64
GHR2DGP	055636804034	64
GHR2FD	055636803754	11
GHR2FD35	055636811810	11
GHR2FD35S	055636801491	10
GHR2FD35SS	055636831924	11
GHR2FDS	055636801545	10
GHR2FL	055636803778	11
GHR2FLS	055636801514	10
GHR2FLSS	055636831146	11
GHRS2D	055636801637	24
GHS2L	055636801644	24
GHS2D	055636817676	12
GHS2D35	055636818697	12
GHS2FDS	055636840186	12
GHS2FLS	055636840209	12
GHS2L	055636817683	12
GHS4D	055636815702	12
GHS6D	055636833553	12
GHTS4L	055636837049	13
GIFR2D	055636811858	7
GIFR2FD	055636811889	6
GIFR2FL	055636811896	6
GIFR2L	055636811865	7
GIH6	055636807202	16
GIP139KD	055636817594	21
GIPM18KD	055636990683	21
GIPP21KD	055636817607	21
GIPP26KD	055636817706	21
GKBR11	055636784923	98
GKFR15	055636784930	98
GKHT0610	055636803556	99
GKPR1D	055636784916	98
GKPR1DP	055636801361	98
GKPR1L	055636784909	98
GLR14	055636807516	18
GLR16	055636807523	18
GLR16SP	055636836530	41
GLR16SPC	055636836523	41

Model No.	UPC	Page
GLR16SPC24	055636836523	41
GLR20SP	055636830644	41
GLR20SPC	055636803518	41
GLR20SPC24	055636803518	41
GLR22	055636811841	19
GMB12	055636801125	88
GMB7	055636801118	88
GMDEZP	055636831382	87
GMH07	055636807219	17
GMH10	055636807226	17
GNP08	055636801194	88
GNP10	055636801200	88
GNP12	055636801224	88
GNP14	055636801231	88
GP1610L	055636817133	32
GPAP250	055636800661	76
GPBNP24	055636836639	23
GPBRI6	055636833126	5
GPBSH30016	055636800647	68
GPCM500	055636800692	76
GPCP600	055636800708	76
GPCR14	055636833133	5
GPCS20	055636831122	14
GPDF0416	055636806786	67
GPDF0424	055636806731	67
GPDF0624	055636804683	67
GPDF0632	055636806724	67
GPDF0816	055636804652	67
GPDF0832	055636806717	67
GPDF1036	055636806694	67
GPDF1236	055636806656	67
GPDF1636	055636800616	67
GPDT39	049206113916	40
GPFDS14D	055636833157	3
GPGFS2FD	055636833164	3
GPFMS8	055636835779	3
GPFR2L	055636833195	3
GPFS09	055636830170	14
GPFS14	055636830187	14
GPFS18	055636830194	14
GPFS22	055636830200	14
GPFSB09	055636831306	150
GPFSB14	055636831313	150
GPFSB18	055636831320	150
GPFSB22	055636831337	150
GPG12D	055636800302	30
GPG12L	055636800807	30

Model No.	UPC	Page
GPHDS16FD	055636804362	4
GPHDU	055636803501	20
GPHGS2FDS	055636804379	4
GPHR2FDS	055636804423	4
GPHR2FLS	055636804485	4
GPHS2D	055636804508	4
GPHS2L	055636804515	4
GPLDT51	055636833119	74
GPMB24	055636831139	75
GPMCH30011	055636800623	68
GPMCH40011	055636800630	68
GPPBMS18	055636839425	26
GPPBMS24	055636839401	26
GPPBRS18	055636839432	26
GPPBRS24	055636839418	26
GPPBSS24	055636839371	26
GPPHA	0556368040179	20
GPPM500	055636800685	76
GPRS12L	055636833218	23
GPRS7L	055636833201	23
GPSDT39	049206113909	40
GPSDT3912	049206113909	40
GPT1448	055636800715	75
GPWB24	055636800739	74
GPWB30	055636800746	74
GPWB36	055636800777	74
GPWB48	055636801774	74
GRP18	055636801163	88
GRR14	055636807554	19
GRS12D	055636804522	24
GRS5D	055636801064	24
GRS5MS	055636801620	24
GRS7D	055636787566	24
GRS7L	055636801651	24
GSD4	055636800784	162
GSG02D	055636800401	30
GSG04D	055636800418	30
GSG04L	055636800821	30
GSG06D	055636800425	30
GSG08D	055636800432	30
GSG10D	055636804812	30
GSH	055636818048	163
GSHPGTT	055636825022	163
GSS40036	055636817072	73
GSSDH	055636818451	163
GSSH	055636815856	163
GSSL	055636818338	164



## MODEL NUMBER INDEX

Model No.	UPC	Page
GSSR	055636815832	163
GT1142	055636813555	87
GT1442	055636813562	87
GTEBFT	055636803532	37
GTEBFT12	055636803532	37
GTED	055636789270	17
GTEL	055636789287	17
GTR19	055636788525	19
GWC09	055636808384	20
GWC14	055636808391	20
HA034F	055636869804	142
HAU1308CC	055636830316	117
HAU1308MI	055636830323	117
HAU1308NV	055636840568	117
HAU1308VM	055636830408	117
HBA1010AN	055636806151	116
HBA1010AW	055636806168	116
HBA1010BG	055636806182	116
HBR2012AR	055636802184	111
HSB016F	055636869811	142
HBY1010AV	055636806198	116
HD19	055636813579	149
HD29	055636813586	149
HD30	055636813593	149
HD40	055636813609	149
HDEAAL36	055636860771	151
HDG0312	055636827699	152
HDG0314	055636827682	152
HDG0413	055636827675	152
HDG0513	055636827668	152
HDG0516	055636827651	152
HDG0613	055636827644	152
HDG0816	055636827637	152
HDG1013	055636827583	152
HDG1016	055636827132	152
HDGPPBMS18	055636839470	27
HDGPPBMS24	055636839456	27
HDGPPBRS18	055636839487	27
HDGPPBRS24	055636839463	27
HDGPPBSS24	055636839449	27
HDGRB24	055636837377	150
HDR-007227	684143007227	111
HDR-012252	684143012252	111
HEG1504EX	055636802054	115
HEG1504RR	055636802061	115
HEG1504SG	055636830415	115
HEG1504TB	055636836783	115

Model No.	UPC	Page
HH55	055636810622	89
HKD1508FL	055636840612	113
HKD1508OR	055636840605	113
HKD1508PL	055636840599	113
HKD1508PR	055636840629	113
HLY1808CE	055636836769	114
HLY1808WE	055636836776	114
HRG0301ET	055636804737	109
HRG0301GI	055636840575	109
HRG0301SC	055636804591	109
HSH0634F	055636869835	142
HSI1508BI	055636841169	112
HSI1508PM	055636841152	112
HSI1508TG	055636841145	112
HTN1512NO	055636802085	111
HTR2212	027997210052	57
HUN12514	055636812572	85
HUN15016FG	055636786026	78
HUN15021	055636812831	85
IT6CC	027997011420	158
IT8CC	027997008529	158
KPWBLW5	049206019089	99
KTBO	055636998610	161
KTBO60LH	055636998627	47
KTBOM	055636803495	161
KTGK39	055636992632	98
KTGK60A	055636785029	98
KTGRNSP21	055636837193	25
KTGRS18	055636804539	25
KTGRS21	055636833300	25
KTTIFS612	055636841761	101
L410D	055636811049	52
LAG08D	055636817157	52
LAG08L	055636817164	52
LAG10D	055636817171	52
LAG12D	055636817188	52
LAG14D	055636817195	52
LAP8M	055636789478	96
LBL25	055636789492	96
LBP8MP	055636789485	96
LBR14	055636807592	51
LC348	055636810417	52
LC448	055636808032	52
LDR24	055636810400	51
LFR22	055636807790	51
LGH6	055636807264	52
LHGS2D	055636804140	50

Model No.	UPC	Page
LHR2D	055636804171	50
LHR2L	055636804195	50
LHS09	055636789522	96
LHS2D	055636804218	50
LHS2L	055636804232	50
LLR22	055636807806	51
LOC12516FG	055636806618	86
LOC22526	055636814842	86
LOC22528FG	055636805680	86
LOC35034	055636806977	86
LOC35034FG	055636805673	86
LPLR22	055636808421	51
LTR19	055636809947	51
MB15	055636813395	88
MBH12	055636814736	88
MCH25011	055636813111	72
MCH25011FG	055636786453	79
MCH40011	055636813128	72
MCH40011FG	055636786460	79
MDA22528	055636812848	85
MIC30032	055636815092	73
MIC35034FG	055636786002	78
MIC35036	055636812695	73
NP10	055636813401	88
NXAL30D	055636785425	94
NXAP8M	055636785333	92
NXAP8R	055636785319	92
NXBL28RT	055636785401	94
NXBL29	055636785395	94
NXBPA7	055636785302	92
NXBPA7S	055636785265	92
NXBPA8F	055636785296	92
NXBPA8M	055636785272	92
NXBPA9L	055636785289	92
NXEHGC	055636789430	95
NXEHGF	055636789447	95
NXEHGTP	055636789423	95
NXEHGTW	055636789416	95
NXEHGW	055636789454	95
NXGS45	055636789409	93
NXHS24	055636785371	93
NXHS27T	055636785388	93
NXWC	055636785449	95
PH400	055636814439	89
PH500	055636814453	89
PH500RT	055636814477	89
PPCR24	055636786668	41



## MODEL NUMBER INDEX

Model No.	UPC	Page
PPCR24C	055636786835	41
R8B	055636825312	163
SD31254	055636788884	42
S0513D	055636788891	42
S0513L	055636788907	42
S4	027997001094	106
S5	027997004347	106
S6	027997013066	106
SD0812AC	049206030992	119
SD0812BK	038776180077	119
SD0812CG	055636837209	118
SD0812RX	049206031043	118
SD0812TB	055636837117	119
SD0812WH	038776180008	118
SD1006AC	049206031050	119
SD1006BK	038776190076	119
SD1006CG	055636837216	118
SD1006RX	049206031081	118
SD1006TB	055636837124	119
SD1006WH	038776190007	118
SD1206AC	049206031272	119
SD1206BK	038776120073	119
SD1206CG	055636837223	118
SD1206RX	049206031302	118
SD1206TB	055636837131	119
SD1206WH	038776120004	118
SDR26	055636811650	43
SFFTCC	055636787283	158
SHGS2L	055636810486	42
SMA60036C	055636806984	85
SMA80036C	055636806991	85
SMS60032L	055636806700	86
SMS60034FG	055636786019	78
SMS80032L	055636806908	86
SP5CA16	049206039254	106
SPG12D	055636817201	43
SRE42L	055636811964	43
SW55	055636813647	89
SWH8	055636810080	43
T14CC	027997007881	158
T22CC	027997002060	158
T22KBCC	027997016661	158
TB14	027997001919	57
TC348	055636787269	56
TC448	055636833775	56
TCA12514	055636991833	69
TCA22528	055636991840	69

Model No.	UPC	Page
TCA35032	055636991642	69
TCR14	055636784107	57
TCSMS60036	055636991857	69
TCUS1D	055636833799	54
TDF	027997001889	56
TDGS	027997001995	54
TDR	027997001957	54
TDS	027997001964	54
TDW	055636836608	58
TFDW42	055636787252	58
TFS24	055636001938	58
TFS30	027997001940	58
TH	027997001896	56
THDS14FD	055636788877	54
TIFS600	055636782370	101
TIFS600FF	055636992328	101
TLR	027997001971	54
TLS	027997001988	54
TPHD	027997001902	56
TPSR15L	055636840223	58
TSL22	027997001926	57
TSW4	055636996340	89
TT6CC	027997007904	158
TT8CC	027997007911	158
TTBR14	055636835380	61
TTCR14	055636837162	61
TTHDS16FD	055636835373	61
TTHGS2FD	055636835359	61
TTHR2FD	055636835311	60
TTHR2FL	055636835328	60
TTHS2FD	055636835342	60
TTHS2FL	055636835335	60
TTHS4FD	055636837155	60
TTLR22	055636837186	61
TTSFA18	055636998399	57
TWKT	027997008185	158
WB12	055636813418	88
WB18	055636813432	88
WB24	055636813456	88
WB24T	055636789317	74
WB30	055636813470	88
WB30T	055636789324	74
WB36	055636813494	88
WB36T	055636789331	74
WC8024BE	684143023814	120
WC8024GE	684143023828	120
XPED	027997002640	56



## ITEM NUMBER INDEX

Item No.	UPC	Page
00109	027997001094	106
00188	027997001889	56
00189	027997001896	56
00190	027997001902	56
00191	027997001919	57
00192	027997001926	57
00193	055636001938	58
00194	027997001940	58
00195	027997001957	54
00196	027997001964	54
00197	027997001971	54
00198	027997001988	54
00199	027997001995	54
00206	027997002060	158
00264	027997002640	56
00434	027997004347	106
00729	027997007294	55
00730	027997007300	55
00788	027997007881	158
00790	027997007904	158
00791	027997007911	158
00808	027997008086	104
00818	027997008185	158
00852	027997008529	158
01044	027997010447	104
01047	027997010478	103
01142	027997011420	158
01198	027997011987	159
01306	027997013066	106
01542	027997015428	159
01609	055636782417	159
01666	027997016661	158
01791	027997017910	158
01845	049206018457	158
01886	049206018860	104
01908	049206019089	99
02373	049206023734	103
02381	684143023814	120
02382	684143023828	120
03099	049206030992	119
03104	049206031043	118
03105	049206031050	119
03108	049206031081	118
03127	049206031272	119
03130	049206031302	118
03308	049206033085	103
03309	049206033092	103

Item No.	UPC	Page
03918	049206039186	104
03924	049206039247	107
03925	049206039254	106
12000	038776120004	118
13112	781945131126	121
18000	038776180008	118
18007	038776180077	119
19000	038776190007	118
19007	038776190076	119
21005	027997210052	57
22460	049206224605	161
23816	049206238169	157
23817	049206238176	157
2382561	049206039469	131
23832	049206238329	128
2383520	049206039384	130
2384010	049206039445	131
2384110	049206039506	131
2384685NL	049206631649	129
23916	049206239166	131
23921	049206239210	130
23924	049206239241	130
24001	781945131003	121
24017	049206240179	122
24019	049206240193	122
24021	049206240216	122
24043	049206240438	122
24636	049206246362	107
27230	049206113916	40
27240	049206113909	40
2724012	049206113909	40
37012	027997370121	55
37014	027997370145	55
72133	055636721331	157
72601	055636726015	157
74141R	055636741414	158
78006	055636780062	75
78023	055636780239	75
78075	064730012139	81
78076	064730012153	81
78077	064730012177	81
78078	064730017431	84
78079	064730017417	84
78080	064730012207	82
78081	064730012238	82
78082	064730012252	82
78083	064730012283	82

Item No.	UPC	Page
78084	064730012290	82
78085	064730012320	82
78086	064730012351	82
78087	064730019909	72
78088	064730012375	82
78089	064730012399	82
78090	064730017448	84
78091	064730017424	84
78092	064730012412	81
78095	064730012467	80
78096	064730013990	71
78098	064730012481	80
78099	064730019862	71
78102	064730012528	80
78105	064730012566	80
78106	064730019893	71
78109	064730012597	80
78110	064730018865	71
78113	064730012634	80
78114	064730017578	71
78118	064730012702	80
78124	055636781243	46
78167	064730021537	20
78168	064730014850	19
78237	055636782370	101
78239	055636782394	45
78410	055636784107	57
78412	064730018469	148
78413	055636784138	72
78414	055636784145	72
78419	055636784190	76
78490	055636784909	98
78491	055636784916	98
78492	055636784923	98
78493	055636784930	98
78502	055636785029	98
78526	055636785265	92
78527	055636785272	92
78528	055636785289	92
78529	055636785296	92
78530	055636785302	92
78531	055636785319	92
78533	055636785333	92
78537	055636785371	93
78538	055636785388	93
78539	055636785395	94
78540	055636785401	94



## ITEM NUMBER INDEX

Item No.	UPC	Page
78542	055636785425	94
78544	055636785449	95
78599	055636785999	78
78600	055636786002	78
78601	055636786019	78
78602	055636786026	78
78603	055636786033	79
78604	055636786040	79
78605	055636786057	79
78606	055636786064	79
78607	055636786071	79
78609	055636786095	79
78617	055636786170	70
78645	055636786453	79
78646	055636786460	79
78666	055636786668	41
78683	055636786835	41
78725	055636787252	58
78726	055636787269	56
78728	055636787283	158
78756	055636787566	24
78852	055636788525	19
78887	055636788877	54
78888	055636788884	42
78889	055636788891	42
78890	055636788907	42
78927	055636789270	17
78928	055636789287	17
78931	055636789317	74
78932	055636789324	74
78933	055636789331	74
78940	055636789409	93
78941	055636789416	95
78942	055636789423	95
78943	055636789430	95
78944	055636789447	95
78945	055636789454	95
78947	055636789478	96
78948	055636789485	96
78949	055636789492	96
78952	055636789522	96
80012	055636800128	29
80014	055636800142	29
80015	055636800159	29
80017	055636800173	29
80030	055636800302	30
80040	055636800401	30

Item No.	UPC	Page
80041	055636800418	30
80042	055636800425	30
80043	055636800432	30
80061	055636800616	67
80062	055636800623	68
80063	055636800630	68
80064	055636800647	68
80065	055636800654	87
80066	055636800661	76
80068	055636800685	76
80069	055636800692	76
80070	055636800708	76
80071	055636800715	75
80073	055636800739	74
80074	055636800746	74
80077	055636800777	74
80078	055636800784	162
80079	055636800791	29
80080	055636800807	30
80082	055636800821	30
80094	055636800944	162
80096	055636800968	141
80097	055636800975	127
80099	055636800999	162
80103	055636801033	48
80104	055636801040	48
80105	055636801057	48
80106	055636801064	24
80111	055636801118	88
80112	055636801125	88
80114	055636801149	88
80116	055636801163	88
80119	055636801194	88
80120	055636801200	88
80122	055636801224	88
80123	055636801231	88
80125	055636801255	88
80126	055636801262	88
80135	055636801354	95
80136	055636801361	98
80145	055636801453	107
80146	055636801460	127
80147	055636801477	128
80148	055636801484	128
80149	055636801491	10
80151	055636801514	10
80154	055636801545	10

Item No.	UPC	Page
80162	055636801620	24
80163	055636801637	24
80164	055636801644	24
80165	055636801651	24
80177	055636801774	74
80185	055636801859	138
80205	055636802054	115
80206	055636802061	115
80208	055636802085	111
80218	055636802184	111
80326	055636803266	129
80347	055636803471	157
80349	055636803495	161
80350	055636803501	20
80351	055636803518	41
8035124	055636803518	41
80353	055636803532	37
8035312	055636803532	37
80354	055636803549	37
803548	055636803549	37
8035510	055636803556	99
80356	055636803563	6
80360	055636803600	6
80361	055636803617	8
80364	055636803648	8
80365	055636803655	8
80366	055636803662	8
80367	055636803679	8
80368	055636803686	13
80370	055636803709	157
80375	055636803754	11
80377	055636803778	11
80394	055636803945	157
80395	055636803952	157
80402	055636804027	64
80403	055636804034	64
80414	055636804140	50
80417	055636804171	50
80419	055636804195	50
80421	055636804218	50
80423	055636804232	50
80436	055636804362	4
80437	055636804379	4
80440	055636804409	9
80441	055636804416	9
80442	055636804423	4
80443	055636804430	9



## ITEM NUMBER INDEX

Item No.	UPC	Page
80444	055636804447	9
80445	055636804454	9
80446	055636804461	9
80447	055636804478	8
80448	055636804485	4
80450	055636804508	4
80451	055636804515	4
80452	055636804522	24
80453	055636804539	25
80454	055636804546	9
80457	055636804577	162
80459	055636804591	109
80465	055636804652	67
80467	055636804676	6
80468	055636804683	67
80472	055636804720	75
80473	055636804737	109
80481	055636804812	30
80482	055636804829	161
80489	684143007227	111
80490	684143012252	111
80506	055636805062	6
80546	055636805468	86
80566	055636805666	86
80567	055636805673	86
80568	055636805680	86
80599	055636805991	162
80615	055636806151	116
80616	055636806168	116
80618	055636806182	116
80619	055636806198	116
80624	055636806243	110
80628	055636806281	110
80661	055636806618	86
80665	055636806656	67
80669	055636806694	67
80670	055636806700	86
80671	055636806717	67
80672	055636806724	67
80673	055636806731	67
80678	055636806786	67
80689	038776120073	119
80690	055636806908	86
80697	055636806977	86
80698	055636806984	85
80699	055636806991	85
80710	055636807103	17

Item No.	UPC	Page
80713	055636807134	16
80715	055636807158	16
80716	055636807165	17
80718	055636807189	17
80720	055636807202	16
80721	055636807219	17
80722	055636807226	17
80726	055636807264	52
80739	055636807394	16
80744	055636807448	18
80745	055636807455	18
80747	055636807479	18
80751	055636807516	18
80752	055636807523	18
80755	055636807554	19
80759	055636807592	51
80779	055636807790	51
80780	055636807806	51
80792	055636807929	20
80798	055636807981	17
80803	055636808032	52
80838	055636808384	20
80839	055636808391	20
80841	055636808414	19
80842	055636808421	51
80848	055636808483	17
80857	055636808575	15
80994	055636809947	51
81005	055636810059	13
81008	055636810080	43
81017	055636810172	45
81018	055636810189	45
81023	055636810233	46
81024	055636810240	46
81026	055636810264	46
81029	055636810295	45
81031	055636810318	80
81036	055636810363	75
81037	055636810370	75
81038	055636810387	75
81039	055636810394	75
81040	055636810400	51
81041	055636810417	52
81048	055636810486	42
81053	055636810530	33
81056	055636810561	33
81060	055636810608	33

Item No.	UPC	Page
81061	055636810615	33
81062	055636810622	89
81064	055636810646	32
81069	055636810691	32
81070	055636810707	32
81071	055636810714	31
81072	055636810721	31
81074	055636810745	31
81079	055636810790	31
81082	055636810820	31
81083	055636810837	31
81084	055636810844	31
81086	055636810868	31
81087	055636810875	32
81095	055636810950	15
81097	055636810974	33
81099	055636810998	33
81104	055636811049	52
81110	055636811100	15
81165	055636811650	43
81181	055636811810	11
81183	055636811834	13
81184	055636811841	19
81185	055636811858	7
81186	055636811865	7
81187	055636811872	7
81188	055636811889	6
81189	055636811896	6
81194	055636811940	6
81195	055636811957	13
81196	055636811964	43
81208	055636812084	62
81209	055636812091	62
81211	055636812114	62
81214	055636812145	63
81215	055636812152	63
81216	055636812169	63
81217	055636812176	63
81218	055636812183	63
81252	055636812527	73
81254	055636812541	73
81255	055636812558	73
81257	055636812572	85
81269	055636812695	73
81283	055636812831	85
81284	055636812848	85
81286	055636812862	95



## ITEM NUMBER INDEX

Item No.	UPC	Page
81311	055636813111	72
81312	055636813128	72
81318	055636813180	70
81319	055636813197	70
81320	055636813203	70
81321	055636813210	70
81323	055636813234	70
81324	055636813241	68
81326	055636813265	70
81327	055636813272	70
81339	055636813395	88
81340	055636813401	88
81341	055636813418	88
81343	055636813432	88
81345	055636813456	88
81347	055636813470	88
81349	055636813494	88
81355	055636813555	87
81356	055636813562	87
81357	055636813579	149
81358	055636813586	149
81359	055636813593	149
81360	055636813609	149
81364	055636813647	89
81443	055636814439	89
81445	055636814453	89
81447	055636814477	89
81473	055636814736	88
81484	055636814842	86
81509	055636815092	73
81525	055636815252	72
81570	055636815702	12
81583	055636815832	163
81585	055636815856	163
81688	055636816884	13
81707	055636817072	73
81713	055636817133	32
81715	055636817157	52
81716	055636817164	52
81717	055636817171	52
81718	055636817188	52
81719	055636817195	52
81720	055636817201	43
81723	055636817232	19
81727	055636817270	32
81759	055636817594	21
81760	055636817607	21

Item No.	UPC	Page
81765	055636817652	62
81766	055636817669	62
81767	055636817676	12
81768	055636817683	12
81770	055636817706	21
81801	055636818017	164
81802	055636818024	164
81804	055636818048	163
81833	055636818338	164
81845	055636818451	163
81867	055636818673	76
81869	055636818697	12
82502	055636825022	163
82531	055636825312	163
82610	055636826104	140
82629	055636826296	160
82713	055636827132	152
82758	055636827583	152
82763	055636827637	152
82764	055636827644	152
82765	055636827651	152
82766	055636827668	152
82767	055636827675	152
82768	055636827682	152
82769	055636827699	152
82785	055636827859	153
82799	055636827996	150
82801	055636828016	150
82828	055636828283	89
82963	055636829631	153
82969	055636829693	150
82993	055636829938	153
83017	055636830170	14
83018	055636830187	14
83019	055636830194	14
83020	055636830200	14
83023	055636830231	83
83024	055636830248	83
83025	055636830255	83
83027	055636830279	83
83029	055636830293	157
83031	055636830316	117
83032	055636830323	117
83040	055636830408	117
83041	055636830415	115
83043	055636830439	159
83045	055636830453	159

Item No.	UPC	Page
83056	055636830569	46
83057	055636830576	39
83063	055636830637	74
83064	055636830644	41
83065	055636830658	162
83066	055636830668	129
83082	055636830828	92
83083	055636830835	92
83112	055636831122	14
83113	055636831139	75
83114	055636831146	11
83130	055636831306	150
83131	055636831313	150
83132	055636831320	150
83133	055636831337	150
83138	055636831382	87
83192	055636831924	11
83311	055636833119	74
83312	055636833126	5
83313	055636833133	5
83315	055636833157	3
83316	055636833164	3
83319	055636833195	3
83320	055636833201	23
83321	055636833218	23
83330	055636833300	25
83335	055636833355	129
83353	055636833539	71
83354	055636833546	71
83355	055636833553	12
83377	055636833775	56
83379	055636833799	54
83531	055636835311	60
83532	055636835328	60
83533	055636835335	60
83534	055636835342	60
83535	055636835359	61
83537	055636835373	61
83538	055636835380	61
83577	055636835779	3
83649	055636836493	95
83650	055636836509	95
83651	055636836516	95
83652	055636836523	41
8365224	055636836523	41
83653	055636836530	41
83657	055636836578	128



## ITEM NUMBER INDEX

Item No.	UPC	Page
83659	055636836592	91
83660	055636836608	58
83663	055636836639	23
83666	055636836660	35
83667	055636836677	35
83668	055636836684	35
83671	055636836714	36
83672	055636836721	36
83676	055636836769	114
83677	055636836776	114
83678	055636836783	115
83679	055636836790	110
83689	055636836899	23
83697	055636836974	35
83698	055636836981	35
83699	055636836998	35
83700	055636837001	35
83701	055636837018	36
83702	055636837025	16
83704	055636837049	13
83711	055636837117	119
83712	055636837124	119
83713	055636837131	119
83715	055636837155	60
83716	055636837162	61
83718	055636837186	61
83719	055636837193	25
83720	055636837209	118
83721	055636837216	118
83722	055636837223	118
83737	055636837377	150
83751	055636837513	151
83752	055636837520	151
83753	055636837537	151
83923	055636839234	38
83928	055636839289	38
83929	055636839296	38
83937	055636839371	26
83940	055636839401	26
83941	055636839418	26
83942	055636839425	26
83943	055636839432	26
83944	055636839449	27
83945	055636839456	27
83946	055636839463	27
83947	055636839470	27
83948	055636839487	27

Item No.	UPC	Page
83949	055636839494	27
83977	055636839777	38
83978	055636839784	38
83979	055636839791	39
84017	055636840179	20
84018	055636840186	12
84020	055636840209	12
84022	055636840223	58
84024	055636840247	13
84037	055636840377	25
84044	055636840445	39
84048	055636840483	46
84056	055636840568	117
84057	055636840575	109
84059	055636840599	113
84060	055636840605	113
84061	055636840612	113
84062	055636840629	113
84070	055636840704	133
84071	055636840711	133
84074	055636840742	125
84114	055636841145	112
84115	055636841152	112
84116	055636841169	112
84176	055636841761	101
84191	055636841913	27
86077	055636860771	151
86088	055636860887	151
86135	055636861358	140
86138	055636861389	140
86142	055636861426	140
86156	055636861563	158
86348	055636863482	158
86349	055636863499	151
86612	064730021827	143
86613	064730004356	143
86615	064730021834	143
86616	064730022428	143
86618	064730018063	143
86619	064730004509	143
86620	064730004516	143
86621	064730018162	143
86622	064730004677	143
86623	064730004684	143
86624	064730018179	143
86625	064730004776	143
86630	064730021858	137

Item No.	UPC	Page
86631	064730005704	144
86632	064730021865	144
86634	064730004837	145
86635	064730006923	145
86636	064730006930	145
86640	064730017837	145
86641	064730007258	145
86642	064730007265	145
86643	064730017721	145
86644	064730007364	145
86645	064730007371	145
86646	064730017684	146
86647	064730007715	146
86648	064730007722	146
86653	064730008620	148
86656	064730008712	148
86660	064730008293	147
86664	064730006244	143
86667	064730006336	143
86674	064730008804	148
86679	064730008903	148
86680	064730009047	147
86681	064730009078	147
86683	064730018438	147
86684	064730009658	147
86687	064730009740	147
86690	064730015178	148
86698	064730018186	141
86706	064730022053	147
86707	064730007630	146
86709	064730004073	154
86710	064730004110	154
86711	064730004134	154
86712	064730004158	154
86713	064730004172	154
86714	064730020325	154
86715	064730004196	155
86716	064730020301	155
86717	064730020318	155
86718	064730020332	155
86719	064730010890	154
86720	064730010937	154
86722	064730010951	154
86724	064730010975	154
86725	064730016557	154
86726	064730010999	154
86727	064730011019	155



## ITEM NUMBER INDEX

Item No.	UPC	Page
86728	064730011026	155
86729	064730021810	155
86730	064730016823	155
86731	064730011064	140
86732	064730011088	140
86733	064730011125	140
86734	064730011156	140
86737	064730011262	140
86738	064730011323	140
86740	064730011460	139
86742	064730011552	139
86743	064730011576	139
86744	064730011613	139
86746	064730011699	139
86748	064730011736	139
86750	064730014737	138
86751	064730017769	138
86752	064730011798	137
86753	064730011828	137
86755	064730011897	137
86759	064730011927	137
86760	064730011958	137
86764	064730012061	140
86765	064730020189	137
86766	064730014171	137
86767	064730014188	138
86768	064730014195	138
86769	064730014201	138
86812	064730019374	142
86820	064730014546	142
86821	064730005797	144
86822	064730005841	144
86825	064730021926	146
86828	064730010227	146
86831	064730021896	146
86836	064730014829	155
86837	064730021803	155
86862	064730022060	146
86863	064730021636	146
86865	064730022077	146
86866	064730021599	146
86868	064730022084	146
86869	064730022343	148
86870	064730021902	147
86873	064730021742	139
86874	064730021766	139
86875	064730021735	139

Item No.	UPC	Page
86877	064730021704	137
86879	064730021698	137
86881	064730021674	138
86883	064730021391	137
86944	055636869446	147
86961	055636869613	151
86980	055636869804	142
86981	055636869811	142
86983	055636869835	142
86986	064730869863	141
88252	055636882520	162
89480	055636894806	162
99068	055636990683	21
99163	055636991635	160
99164	055636991642	69
99183	055636991833	69
99184	055636991840	69
99185	055636991857	69
99232	055636992328	101
99234	055636992342	76
99263	055636992632	98
99319	055636993196	158
99399	055636993998	160
99402	055636994025	160
99404	055636994049	157
99425	055636994254	141
99562	055636995626	158
99634	055636996340	89
99639	055636996395	10
99640	055636996401	10
99641	055636996418	10
99645	055636996456	47
9964512	055636996456	47
99653	055636996531	164
99654	055636996548	164
99770	055636997705	158
99778	055636997781	161
99780	055636997804	46
99781	055636997811	45
99808	055636998085	125
99839	055636998399	57
99861	055636998610	161
99862	055636998627	47
99951	055636999518	37
9995112	055636999518	37
99959	055636999594	36
99969	055636999693	36

## NOTES

83779



---

To order your Garant® tools and accessories, contact your representative or customer service toll free at **1-800-463-7040**.

---

375, chemin Saint-François Ouest, Saint-François (Québec) G0R 3AO

[www.garant.com](http://www.garant.com)



*Making your job easier™*