



General Hardware



Tarp Hooks
S-hooks
Gate hooks
Bushings
Screw hooks
U-bolts

Snaps
Snap links
Rings
Eye-bolts
Lag screws
Carabiners



**GENERAL
HARDWARE**



Solid - Die Cast Aluminum Pulleys

Single groove for 3L, 4L or "A" belts. Supplied with 5/16" x 1/2" UNC set screws.

PART#	OUTSIDE DIAMETER	BORE	KEYWAY	PART#	OUTSIDE DIAMETER	BORE	KEYWAY
55400	1-1/2"	1/2"	No	55413	3"	3/4"	Yes
55401	1-1/2"	5/8"	No	55414	3-1/2"	1/2"	No
55402	2"	1/2"	No	55415	3-1/2"	5/8"	Yes
55403	2"	5/8"	Yes	55416	3-1/2"	3/4"	Yes
55404	2"	3/4"	Yes	55417	4"	1/2"	No
55405	2-1/4"	1/2"	No	55418	4"	5/8"	Yes
55406	2-1/4"	5/8"	Yes	55419	4"	3/4"	Yes
55407	2-1/4"	3/4"	Yes	55420	4-1/2"	1/2"	No
55408	2-1/2"	1/2"	No	55421	4-1/2"	5/8"	Yes
55409	2-1/2"	5/8"	Yes	55422	4-1/2"	3/4"	Yes
55410	2-1/2"	3/4"	Yes	55423	5"	1/2"	No
55411	3"	1/2"	No	55424	5"	5/8"	Yes
55412	3"	5/8"	Yes	55425	5"	3/4"	Yes



Spoked - Die Cast Aluminum Pulleys

PART#	OUTSIDE DIAMETER	BORE	KEYWAY	PART#	OUTSIDE DIAMETER	BORE	KEYWAY
55426	6"	1/2"	No	55430	7"	5/8"	Yes
55427	6"	5/8"	Yes	55431	7"	3/4"	Yes
55428	6"	3/4"	Yes	55433	8"	5/8"	Yes
55429	7"	1/2"	No	55434	8"	3/4"	Yes



Variable Speed - Die Cast Aluminum Pulleys

Solid type. For "A" & "B" belts. Opening the pulley increases the speed at which it rotates. Supplied with set screws.

PART#	OUTSIDE DIAMETER	BORE	KEYWAY
55490	3-1/4"	1/2"	No
55491	3-1/4"	5/8"	Yes
55492	3-1/4"	3/4"	Yes



Single Fixed - Die Cast Awning Pulleys

PART#	PULLEY DIAMETER	ROPE DIAMETER	EYE DIAMETER	W.L.L.
55900	3/4"	up to 3/16"	3/16"	65 lb
55901	1"	up to 1/4"	1/4"	110 lb
55902	1-1/4"	up to 3/8"	3/8"	165 lb
55903	1-1/2"	up to 3/8"	3/8"	220 lb
55904	2"	up to 1/2"	1/2"	330 lb



Sizes are approximate. Specifications subject to change without notice.



General Hardware

Pulleys • Pulley Blocks



Double Fixed - Die Cast Awning Pulleys

PART#	PULLEY DIAMETER	ROPE DIAMETER	EYE DIAMETER	W.L.L.
55906	3/4"	up to 3/16"	3/16"	65 lb
55907	1"	up to 1/4"	3/16"	110 lb
55908	1-1/2"	up to 3/8"	3/8"	220 lb
55909	2"	up to 1/2"	1/2"	330 lb



Single Swivel - Die Cast Awning Pulleys

PART#	PULLEY DIAMETER	ROPE DIAMETER	EYE DIAMETER	W.L.L.
55915	3/4"	up to 3/16"	1/2"	65 lb
55916	1"	up to 1/4"	7/16"	110 lb
55917	1-1/4"	up to 3/8"	13/16"	165 lb
55918	1-1/2"	up to 3/8"	13/16"	220 lb
55919	2"	up to 1/2"	13/16"	330 lb



Double Swivel - Die Cast Awning Pulleys

PART#	PULLEY DIAMETER	ROPE DIAMETER	EYE DIAMETER	W.L.L.
55925	3/4"	up to 3/16"	7/16"	65 lb
55926	1"	up to 1/4"	7/16"	110 lb
55927	1-1/4"	up to 3/8"	13/16"	165 lb
55928	1-1/2"	up to 3/8"	13/16"	220 lb



Swivel - Steel Pulley Blocks

PART#	SHEAVE DIAMETER	LENGTH	ROPE DIAMETER	EYE DIAMETER	W.L.L.
55800	1-1/2"	3-1/2"	up to 3/8"	3/8"	460 lb
55801	2"	4"	up to 3/8"	3/8"	480 lb
55802	2-1/2"	4-1/2"	up to 3/8"	3/8"	550 lb
55803	3"	4-3/4"	up to 1/2"	3/8"	650 lb



Fixed - Steel Pulley Blocks

PART#	SHEAVE DIAMETER	LENGTH	ROPE DIAMETER	EYE DIAMETER	W.L.L.
55810	1-1/2"	3-1/4"	up to 3/8"	1/2"	420 lb
55811	2"	3-3/4"	up to 3/8"	1/2"	480 lb
55812	2-1/2"	4-1/4"	up to 3/8"	1/2"	550 lb
55813	3"	4-3/4"	up to 3/8"	3/4"	650 lb

Sizes are approximate. Specifications subject to change without notice.




Swivel Eye - Steel Pulley Blocks (Deuer Type)

PART#	DIAMETER	LENGTH	MAXIMUM CABLE DIAMETER	EYE DIAMETER	W.L.L.
55850	1-1/2"	3-1/2"	3/16"	3/8"	460 lb
55851	2"	4-1/2"	3/16"	3/8"	480 lb
55852	2-1/2"	5"	1/4"	3/8"	550 lb
55853	3"	4-3/4"	1/4"	3/8"	650 lb



Fixed Eye - Steel Pulley Blocks (Deuer Type)

PART#	DIAMETER	LENGTH	MAXIMUM CABLE DIAMETER	EYE DIAMETER	W.L.L.
55860	1-1/2"	3-1/4"	3/16"	1/2"	420 lb
55861	2"	3-3/4"	3/16"	1/2"	480 lb
55862	2-1/2"	4-1/4"	1/4"	1/2"	550 lb
55863	3"	4-3/4"	1/4"	3/4"	650 lb



Double Hook With Swivel Eye - Steel Pulley Blocks (Deuer Type)

PART#	DIAMETER	LENGTH	MAXIMUM CABLE DIAMETER	W.L.L.
55870	1-1/2"	5"	3/16"	460 lb
55871	2"	5-1/2"	3/16"	480 lb
55872	2-1/2"	6"	1/4"	550 lb
55873	3"	7-1/2"	1/4"	650 lb



Single Hook - Steel Pulley Blocks (Deuer Type)

PART#	DIAMETER	LENGTH	MAXIMUM CABLE DIAMETER	W.L.L.
55880	1-1/2"	5"	3/16"	460 lb
55881	2"	5-1/2"	3/16"	480 lb
55882	2-1/2"	6"	1/4"	550 lb
55883	3"	7-1/2"	1/4"	650 lb



Replacement Sheaves - Steel Pulley Blocks (Deuer Type)

PART#	DIAMETER	BORE SIZE	W.L.L.
55840	1-1/2"	5/16"	420 lb
55841	2"	5/16"	480 lb
55842	2-1/2"	5/16"	550 lb
55843	3"	7/16"	650 lb



Sizes are approximate. Specifications subject to change without notice.

General Hardware

Pulley Blocks • Stake Rack Hardware • S-Hooks



Replacement Sheaves - Steel Pulley Blocks (Deuer Type)

For heavy duty pulley blocks.

PART#	SHEAVE DIAMETER	W.L.L.
55890	1-1/2"	460 lb
55891	2"	480 lb
55892	2-1/2"	550 lb
55893	3"	650 lb



Stake Hooks - Stake Rack Hardware

Ductile iron. Clear zinc plated finish. Rockwell hardness: 5.4 – 18 (HRC).

PART#	DESCRIPTION	PIN LENGTH	PIN DIAMETER
23050	Left-Hand	3"	9/16"
23051	Right-Hand	3"	9/16"
23052	Left-Hand	6"	9/16"
23053	Right-Hand	6"	9/16"



Stake Eye - Stake Rack Hardware

PART#	EYE INSIDE DIAMETER
23054	5/8"



Dynapak

S-Hooks

Clear zinc plated finish.

BAG PACKAGE		DYNAPAK PACKAGE		WIRE DIAMETER	OVERALL LENGTH
PART#	PACKAGE QUANTITY	PART #	PACKAGE QUANTITY		
66230	10	96230	10	0.093" (3/32")	1"
66232	10	96232	10	0.105" (7/64")	1-3/32"
66234	10	96234	10	0.120" (1/8")	1-3/8"
66235	10	96235	10	0.162" (5/32")	1-1/2"
66236	10	96236	6	0.141" (9/64")	2-1/8"
66238	10	96238	6	0.250" (1/4")	2-5/8"
66239	10	96239	6	0.188" (3/16")	3"

Reference Chart Available

See end of catalogue

Sizes are approximate. Specifications subject to change without notice.



Tarp Hooks

Zinc plated formed steel.


PART#	WIRE DIAMETER	OVERALL LENGTH	PACKAGE QUANTITY
66423	3/8"	3-1/2"	10
66424	1/4"	2-1/2"	10



Cornice Hooks

Clear zinc plated finish.


PART#	A	B	C	D	PACKAGE QUANTITY
65040	9/32"	1-3/4"	1"	3-1/16"	10
65041	3/16"	1-5/8"	7/8"	2-5/8"	10
65042	5/32"	1-3/8"	13/16"	2-1/4"	10
65043	1/8"	1-1/8"	11/16"	1-13/16"	10
65044	3/32"	3/4"	1/2"	1-3/8"	10



Screw Hooks

Clear zinc plated finish.


PART#	A	A (DECIMAL)	B	C	C (MM)	D	PACKAGE QUANTITY
65070	1/4"	0.25"	3-1/16"	1-1/32"	1.03	4-5/16"	10
65071	7/32"	0.21"	3-3/16"	1"	25.4	4-7/16"	10
65072	3/16"	0.19"	2-5/8"	27/32"	84.38	3-7/8"	10
65073	5/32"	0.158"	2-1/8"	11/16"	17.44	3-3/8"	10
65074	1/8"	0.138"	2-9/16"	1/2"	13.2	2-9/16"	10
65075	7/64"	0.112"	2-1/16"	13/32"	0.41	2-1/16"	10
65076	3/32"	0.086"	1-1/16"	9/32"	0.28	1-11/16"	10
65077	5/64"	0.073"	3/4"	15/16"	0.94	1-5/16"	10



Screw Eyes

Clear zinc plated finish.


PART#	A	B	C	D	E	PACKAGE QUANTITY
65006	0.216"	15/16"	1"	1-15/16"	17/32"	10
65017	0.190"	13/16"	5/8"	1-9/16"	25/64"	10
65018	0.158"	11/16"	5/8"	1-5/16"	21/64"	10
65019	.138"	7/16"	1/4"	3/4"	1/8"	10
65024	0.250"	1-1/8"	7/8"	1-5/16"	19/64"	10
65031	.250"	3/4"	1/2"	1-1/8"	5/16"	10



Sizes are approximate. Specifications subject to change without notice.

General Hardware

Eyebolts




Lagscrew Eyebolts

Clear zinc plated finish.

PART#	A	B	C	D	E	PACKAGE QUANTITY
65161	1/4"	1-5/16"	2-3/4"	3-3/4"	1/2"	10
65162	1/4"	1-7/8"	4"	5"	1/2"	10
65163	5/16"	1-7/8"	2-3/4"	4"	5/8"	10
65164	5/16"	1-7/8"	4-3/4"	6"	5/8"	10
65165	3/8"	1-15/16"	3"	4-1/2"	3/4"	10
65166	3/8"	2-7/8"	6-1/2"	8"	3/4"	10

Shoulder Eyebolts


Forged steel. Galvanized finish. Supplied with nut. Sold individually.



PART#	A	B	C	D	E	W.L.L.
66100	1/4"	1-1/2"	2"	3"	1/2"	500 lb
66101	5/16"	1-1/2"	2-1/4"	3-1/2"	5/8"	800 lb
66102	3/8"	1-1/2"	2-1/2"	4"	3/4"	1,200 lb
66103	1/2"	1-1/2"	3-1/4"	5-1/4"	1"	2,200 lb
66104	5/8"	1-3/4"	4"	6-1/2"	1-1/4"	3,500 lb
66105	1/4"	2-1/2"	4"	5"	1/2"	500 lb
66106	5/16"	2-1/2"	4-1/4"	5-1/2"	5/8"	800 lb
66107	3/8"	2-1/2"	6"	7-1/2"	3/4"	1,200 lb
66108	1/2"	3"	6"	7-3/4"	1"	2,200 lb

Eyebolts

Wire Formed. Supplied with Nut. Zinc plated finish.



PART#	A	B	C	D	E	PACKAGE QUANTITY
65102	3/16"	1"	1-3/8"	2"	3/8"	10
65104	3/16"	1-5/8"	1-3/4"	2-1/2"	3/8"	10
65106	1/4"	1"	1"	2"	9/16"	10
65107	1/4"	1-3/8"	1-1/2"	2-1/2"	9/16"	10
65108	1/4"	1-3/4"	2"	3"	9/16"	10
65109	1/4"	2-3/4"	3"	4"	9/16"	10
65110	1/4"	3"	4"	5"	9/16"	10
65111	1/4"	3"	5"	6"	9/16"	10
65112	5/16"	1-3/4"	2"	3-1/4"	3/4"	10
65113	5/16"	2-3/16"	2-1/2"	4"	3/4"	10
65114	5/16"	3"	3-1/2"	5"	3/4"	10
65115	5/16"	3"	4-1/2"	6"	3/4"	10
65117	3/8"	2"	2-1/4"	4"	1"	10
65118	3/8"	3"	3-1/4"	5"	1"	10
65119	3/8"	3"	4-1/4"	6"	1"	10
65120	3/8"	3"	6-1/4"	8"	1"	10
65123	1/2"	3"	3-3/4"	6"	1-1/4"	10
65124	1/2"	3"	5-3/4"	8"	1-1/4"	10


Sizes are approximate. Specifications subject to change without notice.



U-Bolts - Round

Supplied with 3/32" mounting plate & nuts. Clear zinc plated. 10 pieces per package. UNC threading (coarse).


PART#	A	B	C	D	THREADS / INCH	PIPE
65140	1/4"	1-1/8"	2"	1"	20	3/4"
65141	1/4"	1-3/8"	2-3/4"	1-1/4"	20	1"
65142	1/4"	2"	3-1/2"	1-3/4"	20	1-1/2"
65143	5/16"	1-3/8"	2-1/2"	1"	18	1"
65144	5/16"	1-3/8"	3-11/16"	2-3/8"	18	1"
65145	5/16"	1-3/4"	3"	1-1/2"	18	1-1/4"
65146	5/16"	1-3/4"	4-3/16"	2-3/4"	18	1-1/4"
65147	5/16"	2"	3"	1-1/2"	18	1-1/2"
65148	5/16"	2"	3-3/4"	2-1/8"	18	1-1/2"
65149	5/16"	2-1/2"	3-1/2"	1-1/2"	18	2"
65150	5/16"	2-1/2"	4-3/16"	2-3/8"	18	2"
65151	3/8"	2-1/2"	3-5/8"	1-3/4"	16	2"
65152	3/8"	3"	4-1/8"	1-3/4"	16	2-1/2"
65153	3/8"	3-1/2"	4-5/8"	2"	16	3"



U-Bolts - Square

Supplied with 3/32" mounting plate & nuts. Clear zinc plated. 5 pieces per package.

PART#	A	B	C	D
65181	3/8"	2"	3"	1-1/2"
65182	3/8"	2"	5"	3"
65184	3/8"	4"	3"	1-1/2"
65185	3/8"	4"	5"	3"
65187	3/8"	6"	5"	3"
65188	3/8"	6"	7"	3-3/4"



Mounting Rings

Supplied with 3/32" mounting plate & nuts. Clear zinc plated. 10 pieces per package.

PART#	DESCRIPTION	PIN DIAMETER	THREAD LENGTH	RING I.D.	ADDITIONAL INFORMATION
65172	2-1/2" Eyebolt	3/8"	2-3/8"	2"	Mounting holes are 1/4" Diameter
65177	4-1/2" Lagscrew Eyebolt	5/16"	1-3/4"	2"	Mounting holes are 1/4" Diameter
65178	2" x 1-9/16" Mounting Plate			2"	Mounting holes are 1/4" Diameter




Sizes are approximate. Specifications subject to change without notice.



General Hardware

D-Rings • Rings • Turnbuckles



D-Rings

PART#	WIRE DIAMETER	A	B	PACKAGE QUANTITY
66173	1/8"	1"	7/8"	10
66174	1/8"	1-1/8"	7/8"	10
66175	5/32"	1-5/16"	1"	10
66176	5/32"	1-5/8"	1-1/8"	10

Heavy Duty D-Rings

PART#	WIRE DIAMETER	A	B	PACKAGE QUANTITY
66178	5/16"	2"	1-3/4"	10
66179	3/8"	2"	1-7/8"	10



Split Key Rings

PART#	WIRE DIAMETER	INSIDE DIAMETER	OUTSIDE DIAMETER	PACKAGE QUANTITY
66180	0.066"	5/8"	3/4"	10
66182	0.075"	27/32"	1"	10
66184	0.087"	1-5/64"	1-1/4"	10



Harness Ring

PART#	WIRE DIAMETER	INSIDE DIAMETER	OUTSIDE DIAMETER	PACKAGE QUANTITY
66390	3/16"	1-1/4"	1-5/8"	5




Welded Steel Ring

PART#	WIRE DIAMETER	INSIDE DIAMETER	OUTSIDE DIAMETER	W.L.L.	PACKAGE QUANTITY
66410	1/4"	1"	1-1/2"	200 lb	10
66411	5/16"	1-1/8"	1-3/4"	250 lb	10
66412	7/32"	1-9/16"	2"	200 lb	10

Hook & Eye Turnbuckles (Wire Formed Ends)

For light duty applications. Zinc die cast bodies. Zinc plated steel wire formed ends. 10 pieces per package.




PART#	THREAD	OVERALL LENGTH CLOSED	OVERALL LENGTH OPEN	A	B	C	W.L.L.	U.L.L.
66206	7/32"	4-1/2"	6-1/2"	3/8"	5/16"	2"	120 lb	350 lb
66207	1/4"	5-3/8"	7-11/16"	7/16"	3/8"	2-3/8"	190 lb	570 lb
66208	5/16"	6-1/2"	9-5/16"	7/16"	9/16"	2-13/16"	290 lb	875 lb
66209	3/8"	7-1/2"	10-5/8"	5/8"	9/16"	3-1/8"	375 lb	1,125 lb

Sizes are approximate. Specifications subject to change without notice.

Hook & Hook Turnbuckles (Wire Formed Ends)

For light duty applications. Zinc die cast bodies. Zinc plated steel wire formed ends. 10 pieces per package.


PART#	THREAD	OVERALL LENGTH CLOSED	OVERALL LENGTH OPEN	A, B	C	W.L.L.	U.L.L.
66216	7/32"	4-1/2"	6-1/2"	5/16"	2"	120 lb	350 lb
66217	1/4"	5-1/2"	7-9/16"	7/16"	2-3/8"	190 lb	570 lb
66218	5/16"	6-1/2"	6-1/4"	7/16"	2-13/16"	340 lb	1,020 lb
66219	3/8"	7"	10-5/8"	1/2"	3-1/8"	400 lb	1,200 lb



Eye & Eye

For light duty applications. Zinc die cast bodies. Zinc plated steel wire formed ends. 10 pieces per package.


PART#	THREAD	OVERALL LENGTH CLOSED	OVERALL LENGTH OPEN	A, B	C	W.L.L.	U.L.L.
66226	3/16"	4-1/2"	6-1/2"	3/8"	2"	120 lb	350 lb
66227	1/4"	5-1/2"	7-9/16"	3/8"	2-3/8"	190 lb	570 lb
66228	5/16"	6-1/2"	9-1/4"	7/16"	2-3/4"	340 lb	1,020 lb
66229	3/8"	7"	10-5/8"	1/2"	3-1/8"	400 lb	1,200 lb



Hook & Eye Turnbuckles (Malleable Iron)

Malleable iron bodies and forged steel ends. Hot dipped galvanized finish.


PART#	THREAD	OVERALL LENGTH CLOSED	OVERALL LENGTH OPEN	A, B	C	W.L.L.	U.L.L.
66210	6mm	5-1/2"	8-1/4"	3/8"	2-3/4"	220 lb	660 lb
66211	8mm	6-7/8"	10-13/32"	7/16"	3-17/32"	440 lb	1,320 lb
66212	10mm	7-1/2"	11-7/16"	15/32"	3-15/16"	660 lb	1,980 lb
66213	12mm	10-1/4"	15-11/16"	19/32"	5-7/16"	1,210 lb	3,630 lb
66214	16mm	12-13/16"	20-3/32"	3/4"	7-9/32"	2,200 lb	6,600 lb
66215	20mm	15-3/4"	24"	1"	8-1/4"	3,300 lb	9,900 lb




Hook & Hook Turnbuckles (Forged Steel)

Forged steel bodies & ends. Hot dipped galvanized finish. Features a lock nut on each end. Meets Spec. FF-T791b, Type 1, Form 1, Class 5.

PART#	THREAD	OVERALL LENGTH CLOSED	OVERALL LENGTH OPEN	A, B	C	W.L.L.	U.L.L.
66800	1/4"	8"	12"	7/16"	4"	400 lb	2,000 lb
66801	5/16"	9-1/4"	13-3/4"	1/2"	4-1/2"	700 lb	3,500 lb
66802	3/8"	11-3/4"	17-3/4"	9/16"	6"	1,000 lb	5,000 lb
66803	1/2"	13-3/8"	20-3/8"	11/16"	6"	1,500 lb	7,500 lb
66804	1/2"	16-3/8"	26-3/8"	11/16"	9"	1,500 lb	7,500 lb
66805	1/2"	19-3/8"	32-3/8"	11/16"	12"	1,500 lb	7,500 lb
66806	5/8"	15-1/4"	22-1/2"	7/8"	6"	2,250 lb	11,250 lb
66807	5/8"	18-1/4"	28-1/2"	7/8"	9"	2,250 lb	11,250 lb
66808	5/8"	21-1/4"	34-1/2"	7/8"	12"	2,250 lb	11,250 lb
66809	3/4"	17-1/4"	24-3/4"	1"	6"	3,000 lb	15,000 lb
66810	3/4"	20-1/4"	30-3/4"	1"	9"	3,000 lb	15,000 lb
66811	3/4"	23-1/4"	36-3/4"	1"	12"	3,000 lb	15,000 lb



Sizes are approximate. Specifications subject to change without notice.




Hook & Eye Turnbuckles (Forged Steel)

Meets Spec. FF-T791b, Type 1, Form 1, Class 6.

PART#	THREAD	OVERALL LENGTH CLOSED	OVERALL LENGTH OPEN	A	B	C	W.L.L.	U.L.L.
66820	1/4"	8"	12"	11/32"	7/16"	3-3/4"	400 lb	2,000 lb
66821	5/16"	9-1/2"	13-1/2"	7/16"	1/2"	4-1/2"	700 lb	3,500 lb
66822	3/8"	12"	18"	17/32"	9/16"	6"	1,000 lb	5,000 lb
66823	1/2"	13-5/8"	20-5/8"	23/32"	11/16"	6"	1,500 lb	7,500 lb
66824	1/2"	16-5/8"	26-5/8"	23/32"	11/16"	9"	1,500 lb	7,500 lb
66825	1/2"	19-5/8"	32-5/8"	23/32"	11/16"	12"	1,500 lb	7,500 lb
66826	5/8"	15-1/2"	22-3/4"	7/8"	29/32"	6"	2,250 lb	11,250 lb
66827	5/8"	18-1/2"	28-3/4"	7/8"	29/32"	9"	2,250 lb	11,250 lb
66828	5/8"	21-1/2"	34-3/4"	7/8"	29/32"	12"	2,250 lb	11,250 lb
66829	3/4"	17-1/2"	25"	1"		6"	3,000 lb	15,000 lb
66880	3/4"	20-1/2"	31"	1"		9"	3,000 lb	15,000 lb
66881	3/4"	23-1/2"	31"	1"		12"	3,000 lb	15,000 lb

Eye & Eye Turnbuckles (Forged Steel)

Meets Spec. FF-T791b, Type 1, Form 1, Class 4.



PART#	THREAD	OVERALL LENGTH CLOSED	OVERALL LENGTH OPEN	A, B	C	W.L.L.	U.L.L.
66830	1/4"	8-1/4"	12-1/4"	11/32"	4"	500 lb	2,500 lb
66831	5/16"	9-5/8"	14-1/8"	7/16"	4-1/2"	800 lb	4,000 lb
66832	3/8"	12-1/8"	18-1/8"	17/32"	6"	1,200 lb	6,000 lb
66833	1/2"	14"	21"	23/32"	6"	2,200 lb	11,000 lb

Jaw & Jaw Turnbuckles (Forged Steel)

Meets Spec. FF-T791b, Type 1, Form 1, Class 6.



PART#	THREAD	OVERALL LENGTH CLOSED	OVERALL LENGTH OPEN	A, B	C	W.L.L.	U.L.L.
66840	1/4"	8"	12"	7/16"	4"	500 lb	2,500 lb
66841	5/16"	9-1/2"	14"	1/2"	4-1/2"	800 lb	4,000 lb
66842	3/8"	11-3/8"	17-3/8"	17/32"	6"	1,200 lb	6,000 lb
66843	1/2"	13"	20"	21/32"	6"	2,200 lb	11,000 lb
66844	1/2"	16"	26"	21/32"	9"	2,200 lb	11,000 lb
66845	1/2"	19"	32"	21/32"	12"	2,200 lb	11,000 lb
66846	5/8"	14-7/8"	22-1/8"	25/32"	6"	3,500 lb	17,500 lb
66847	5/8"	17-7/8"	28-1/8"	25/32"	9"	3,500 lb	17,500 lb
66848	5/8"	20-7/8"	34-1/8"	25/32"	12"	3,500 lb	17,500 lb
66849	3/4"	16-5/8"	24-1/8"	15/16"	6"	5,200 lb	26,000 lb
66850	3/4"	19-5/8"	30-1/8"	15/16"	9"	5,200 lb	26,000 lb
66851	3/4"	22-5/8"	36-1/8"	15/16"	12"	5,200 lb	26,000 lb

Sizes are approximate. Specifications subject to change without notice.

Stainless Steel Bolt Snaps

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
64100	1/2"	9/32"	3-3/16"	5
64101	3/4"	11/32"	3-1/2"	5



Stainless Steel Security Snaps

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	W.L.L.	PACKAGE QUANTITY
64102	5/8"	3/8"	3-3/8"	100 lb	5
64103	3/4"	1/2"	3-7/8"	200 lb	5
64104	7/8"	1/2"	4-5/8"	300 lb	5



Stainless Steel Spring Snaps

PART#	EYE INSIDE DIAMETER	OVERALL LENGTH	PACKAGE QUANTITY
64105	1/4"	1-7/8"	5
64106	3/8"	2-5/8"	5
64107	1/2"	3-7/8"	5



Stainless Steel Boat Snaps

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
64108	1/2"	1/4"	2"	5
64109	5/8"	7/16"	2-3/4"	5
64110	3/4"	9/16"	3-1/4"	5
64111	3/4"	5/8"	3-7/8"	5



Aluminum Spring Snap


Zinc plated.

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
64112	1/2"	1/4"	2-3/8"	5



Safety Lanyard Snaps

PART#	TYPE	A	B	W.L.L.	U.L.L.
66137	Single latch	1-1/16"	3/4"	1,000 lb	5,000 lb
66137S	Double latch	1-1/16"	1"	1,000 lb	5,000 lb



Sizes are approximate. Specifications subject to change without notice.

General Hardware

Snaps



Bull Snap

Zinc die cast and nickel plated.

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66330	1"	5/8"	4-1/8"	5



Solid Snap Hook

Forged steel.

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66331	11/16"	5/8"	3-1/2"	5



Cap Snap

Zinc plated.

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66332	1"	3/8"	3-5/8"	5



Swivel Eye Snaps

Zinc plated.

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66334	3/4"	7/16"	3-1/4"	5
66335	7/8"	7/16"	3-1/2"	5



Dog Lead Snap

Zinc plated.

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66336	3/8"	1/4"	2-1/2"	5



Panic Snap

Zinc plated.

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66338	1"	1/2"	4-1/16"	5

Sizes are approximate. Specifications subject to change without notice.



Trigger Snaps

Zinc plated.

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66339	5/8"	1/2"	2-1/2"	5
66344	3/4"	1/2"	2-3/4"	5
66348	3/4"	3/8"	2-1/2"	5
66349	3/4"	1	3-1/2"	5
66350	3/4"	3/4"	3-7/8"	5



Bolt Snaps

Zinc plated.

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66340	1/2"	11/16"	3-3/8"	5
66343	1/2"	3/4"	3-1/2"	5
66354	1/4"	7/16"	2-1/8"	5
66342	3/8"	7/16"	3-1/2"	5



Bolt Snaps

Solid Brass.

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66360	1/2"	9/16"	3"	5



Bolt Snaps

Brass.

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66361	1"	1/2"	3-1/2"	5



Bolt Snaps

Nickel Plated.

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66366	9/16"	3/4"	3-1/4"	5



Sizes are approximate. Specifications subject to change without notice.



Open Eye Snaps

Zinc Plated.

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66341	13/16"	1/2"	3-9/16"	5



Loop Snaps

Zinc Plated.

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66346	3/4"	1/2"	3-1/8"	5
66347	1"	1/2"	2-15/16"	5



Swivel Loop Snaps

Nickel Plated.

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66352	3/4"	3/8"	3-1/4"	5
66353	1"	3/8"	3-1/4"	5



Open Decoy Snaps

Zinc Die Cast.

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66355	1/2"	1/4"	2-1/2"	5



Spring Snap

Zinc Die Cast.

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66351	1"	7/16"	3-1/8"	5

Sizes are approximate. Specifications subject to change without notice.



Baby Square Eye Snaps

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66365	5/8"	1/4"	1-7/8"	5



Swivel Snaps

Zinc.

PART#	EYE INSIDE DIAMETER	SNAP EYE	OVERALL LENGTH	PACKAGE QUANTITY
66367	1/2"	--	2"	5
66368	5/8"	--	2-7/16"	5
66369	3/4"	--	2-5/8"	5
66370	1"	--	3"	5
66371	3/8"	--	1-3/4"	5
66372	3/8"	11/16"	2-3/8"	5



Lever Snaps

Nickel Plated.

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66374	5/8"	1/2"	3-1/4"	5
66375	3/4"	7/16"	3-1/2"	5
66376	1"	3/8"	3-1/2"	5
66377	1-1/8"	9/16"	4-7/16"	5



Security Snaps

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66380	7/8"	9/16"	3-7/8"	5
66381	1"	9/16"	5-1/16"	5



Swivel Security Snaps

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66394	1"	1"	4-1/8"	5



Eye Bull Snaps

Nickel Plated.

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66385	3/4"	9/16"	3-3/4"	5



Sizes are approximate. Specifications subject to change without notice.

General Hardware

Snaps • Snap Links



Flat Spring Snap - Simplex

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66356	1 1/16"	5/16"	4-3/8"	5
66387	1/2"	1/4"	2-3/4"	5



Bronze Animal Snap

PART#	EYE INSIDE DIAMETER	GAP	OVERALL LENGTH	PACKAGE QUANTITY
66392	1"	9/16"	4-1/2"	5



Steel Snap Links

Formed steel with clear zinc plated finish.

PART#	WIRE DIAMETER	GAP	LENGTH	W.L.L.	U.L.L.	PACKAGE QUANTITY
66419	3/16"	1/4"	2"	220 lb	550 lb	10
66420	1/4"	5/16"	2-3/8"	260 lb	650 lb	10
66421	5/16"	3/8"	3-1/8"	500 lb	1,250 lb	10
66422	3/8"	1/2"	4"	770 lb	1,925 lb	10
66425	7/16"	5/8"	4-3/4"	900 lb	2,250 lb	5
66426	1/2"	3/4"	5-3/8"	1,200 lb	3,000 lb	5



Aluminum Snap Links

For decorative and light applications. Multi-coloured.

PART#	WIRE DIAMETER	GAP	LENGTH	PACKAGE QUANTITY
66427	3/16"	1/2"	1-5/16"	10
66428	1/4"	5/8"	2-7/16"	10
66429	5/16"	7/8"	3-1/8"	10



Stainless Steel Snap Links

304 Stainless steel material.

PART#	WIRE DIAMETER	GAP	LENGTH	W.L.L.	PACKAGE QUANTITY
64070	3/16"	1/4"	1-15/16"	100 lb	5
64071	1/4"	5/16"	2-3/8"	140 lb	5
64072	5/16"	3/8"	3-1/8"	250 lb	5
64073	3/8"	1/2"	4"	400 lb	5



Carabiner with Magnet

PART#	BASE DIAMETER	GAP	BREAKAWAY CAPACITY	MATERIAL
66700	1-1/4"	9/16"	75 lbs	Stainless Steel

Sizes are approximate. Specifications subject to change without notice.



General Hardware