



Materials & Finishes - Standard:

- **Base Metal:** Steel conforms to ASTM A1011 SS GR 33, A1011 HSLAS GR 45, A36, A575, A576, or A635.
- **Electrogalvanized (EG):** Conforms to ASTM B633, Type III SC1
- **Power-Strut Defender (DF):** Conforms to ASTM A1059
- **Hot Dip Galvanized (HG):** Conforms to ASTM A123 or A153
- **Perma-Green (GR):** Conforms to commercial standards for powder coating
- **Perma-Gold (ZD):** Conforms to ASTM B633, Type II SC1
- **Plain (PL):** No finish

Materials & Finishes - Special Metals:

- **Stainless Steel, Type 304 (SS):** Conforms to ASTM A240 or A276, Type 304 *
- **Stainless Steel, Type 316 (ST):** Conforms to ASTM A240 or A276, Type 316 *
- **Aluminum (AL):** Conforms to ASTM B209, Type 1100F or 5052-H32 *

* These materials have different physical properties and performance characteristics. Please [contact us](#) for design support.

Part No.	Nom. Pipe Size	O.D. Size	Finish	Product Weight / Piece (lbs)
PS 3138 1"	1" (25)	1.315" (33.4)	EG	0.31
PS 3138 1/2"	1/2" (13)	0.840" (21.3)	EG	0.29
PS 3138 1 1/2"	1-1/2" (38)	1.900" (48.3)	EG	0.4
PS 3138 1 1/4"	1-1/4" (32)	1.660" (42.2)	EG	0.38
PS 3138 2"	2" (51)	2.375" (60.3)	EG	0.47
PS 3138 2 1/2"	2-1/2" (64)	2.875" (73.0)	EG	0.66
PS 3138 3"	3 (76)	3.500" (88.9)	EG	0.78
PS 3138 3/4"	3/4" (19)	1.050" (26.7)	EG	0.3
PS 3138 3/8"	3/8" (10)	0.675" (17.1)	EG	0.27
PS 3138 3 1/2"	3-1/2" (89)	4.000" (101.6)	EG	0.87
PS 3138 4"	4 (102)	4.500" (114.3)	EG	0.9

Project:	<input style="width: 100%;" type="text"/>		
Architect / Engineer:	<input style="width: 100%;" type="text"/>		
Date:	<input style="width: 25%;" type="text"/>	Phone:	<input style="width: 50%;" type="text"/>
Contractor:	<input style="width: 100%;" type="text"/>		
Address:	<input style="width: 100%;" type="text"/>		
Notes:	<input style="width: 100%;" type="text"/>		

Approval Stamp: