



**Materials & Finishes - Standard:**

- **Base Metal:** Steel conforms to ASTM A1011 SS GR 33, A1011 HSLAS GR 45, A36, A575, A576, or A635.
- **Electrogalvanized (EG):** Conforms to ASTM B633, Type III SC1
- **Power-Strut Defender (DF):** Conforms to ASTM A1059
- **Hot Dip Galvanized (HG):** Conforms to ASTM A123 or A153
- **Perma-Green (GR):** Conforms to commercial standards for powder coating
- **Perma-Gold (ZD):** Conforms to ASTM B633, Type II SC1
- **Plain (PL):** No finish

**Materials & Finishes - Special Metals:**

- **Stainless Steel, Type 304 (SS):** Conforms to ASTM A240 or A276, Type 304 \*
- **Stainless Steel, Type 316 (ST):** Conforms to ASTM A240 or A276, Type 316 \*
- **Aluminum (AL):** Conforms to ASTM B209, Type 1100F or 5052-H32 \*

\* These materials have different physical properties and performance characteristics. Please [contact us](#) for design support.

Part No.	A	Finish	Product Weight / Piece (lbs)
PS 661 T1 06"	6"	EG	1.9
PS 661 T1 06"	6"	GR	1.9
PS 661 T1 12"	12"	EG	2.9
PS 661 T1 12"	12"	GR	2.9
PS 661 T1 18"	18"	EG	4.4
PS 661 T1 18"	18"	GR	4.4
PS 661 T1 24"	24"	EG	5.4
PS 661 T1 24"	24"	GR	5.4
PS 661 T2 06"	6"	EG	1.9
PS 661 T2 06"	6"	GR	1.9
PS 661 T2 12"	12"	EG	2.9
PS 661 T2 12"	12"	GR	2.9
PS 661 T2 18"	18"	EG	4.4
PS 661 T2 18"	18"	GR	4.4
PS 661 T2 24"	24"	EG	5.4
PS 661 T2 24"	24"	GR	5.4

<b>Project:</b>	<input style="width: 100%;" type="text"/>		
<b>Architect / Engineer:</b>	<input style="width: 100%;" type="text"/>		
<b>Date:</b>	<input style="width: 25%;" type="text"/>	<b>Phone:</b>	<input style="width: 50%;" type="text"/>
<b>Contractor:</b>	<input style="width: 100%;" type="text"/>		
<b>Address:</b>	<input style="width: 100%;" type="text"/>		
<b>Notes:</b>	<input style="width: 100%;" type="text"/>		

**Approval Stamp:**