



Materials & Finishes - Standard:

- **Base Metal:** Steel conforms to ASTM A1011 SS GR 33, A1011 HSLAS GR 45, A36, A575, A576, or A635.
- **Electrogalvanized (EG):** Conforms to ASTM B633, Type III SC1
- **Power-Strut Defender (DF):** Conforms to ASTM A1059
- **Hot Dip Galvanized (HG):** Conforms to ASTM A123 or A153
- **Perma-Green (GR):** Conforms to commercial standards for powder coating
- **Perma-Gold (ZD):** Conforms to ASTM B633, Type II SC1
- **Plain (PL):** No finish

Materials & Finishes - Special Metals:

- **Stainless Steel, Type 304 (SS):** Conforms to ASTM A240 or A276, Type 304 *
- **Stainless Steel, Type 316 (ST):** Conforms to ASTM A240 or A276, Type 316 *
- **Aluminum (AL):** Conforms to ASTM B209, Type 1100F or 5052-H32 *

* These materials have different physical properties and performance characteristics. Please [contact us](#) for design support.

Part No.	A	B	Finish	Product Weight / Piece (lbs)
PS 781 15°	15°	3-3/4" (95)	EG	0.78
PS 781 15°	15°	3-3/4" (95)	HG	0.78
PS 781 15°	15°	3-3/4" (95)	GR	0.78
PS 781 22-1/2°	22-1/2°	3-3/4" (95)	EG	0.78
PS 781 22-1/2°	22-1/2°	3-3/4" (95)	HG	0.78
PS 781 22-1/2°	22-1/2°	3-3/4" (95)	GR	0.78
PS 781 30°	30°	3-11/16" (94)	EG	0.78
PS 781 30°	30°	3-11/16" (94)	HG	0.78
PS 781 30°	30°	3-11/16" (94)	GR	0.78
PS 781 37-1/2°	37-1/2°	3-11/16" (94)	EG	0.78
PS 781 37-1/2°	37-1/2°	3-11/16" (94)	HG	0.78
PS 781 37-1/2°	37-1/2°	3-11/16" (94)	GR	0.78
PS 781 45°	45°	3-11/16" (94)	EG	0.78
PS 781 45°	45°	3-11/16" (94)	DF	0.78
PS 781 45°	45°	3-11/16" (94)	HG	0.78
PS 781 45°	45°	3-11/16" (94)	GR	0.78
PS 781 52-1/2°	52-1/2°	3-11/16" (94)	EG	0.78
PS 781 52-1/2°	52-1/2°	3-11/16" (94)	HG	0.78
PS 781 52-1/2°	52-1/2°	3-11/16" (94)	GR	0.78
PS 781 60°	60°	3-11/16" (94)	EG	0.78
PS 781 60°	60°	3-11/16" (94)	HG	0.78
PS 781 60°	60°	3-11/16" (94)	GR	0.78
PS 781 67-1/2°	67-1/2°	3-5/8" (91)	EG	0.78
PS 781 67-1/2°	67-1/2°	3-5/8" (91)	HG	0.78
PS 781 67-1/2°	67-1/2°	3-5/8" (91)	GR	0.78
PS 781 7-1/2°	7-1/2°	3-3/4" (95)	EG	0.78
PS 781 7-1/2°	7-1/2°	3-3/4" (95)	HG	0.78
PS 781 7-1/2°	7-1/2°	3-3/4" (95)	GR	0.78
PS 781 75°	75°	3-5/8" (91)	EG	0.78
PS 781 75°	75°	3-5/8" (91)	HG	0.78
PS 781 75°	75°	3-5/8" (91)	GR	0.78
PS 781 82-1/2°	82-1/2°	3-5/8" (91)	EG	0.78
PS 781 82-1/2°	82-1/2°	3-5/8" (91)	HG	0.78
PS 781 82-1/2°	82-1/2°	3-5/8" (91)	GR	0.78

Project:

Architect / Engineer:

Date: **Phone:**

Contractor:

Address:

Notes:

Approval Stamp: