

Good. Safe. Yellow.

Abrasive Mop Disc

SMT 628



Klingspor Schleifsysteme GmbH & Co. KG
Hüttenstraße 36 · 35708 Haiger · Germany
Fon +49 (0) 2773 922-0 · Fax +49 (0) 2773 922-186
sales@klingspor.de · www.klingspor.de



SMT 628



Properties

| | |
|---------------|------------------|
| Grain | Zirconia alumina |
| Quality | Supra |
| Backing plate | Glass fibre |
| Design | flat |

Applications















| | |
|----------------------|------------------------|
| Recommended material | Stainless steel, steel |
| Machines | Angle grinder |

Market segment

▶ Stainless steel and steel processing (tank and container construction, fitter's shop, vehicle construction, ...)

Advantages

- ▶ High-grade abrasive mop disc for the professional use on stainless steel and steel.
- ▶ Specifically developed coated abrasive with 100% zirconium aluminium oxide grain (self-sharpening) and robust blended fabric backing for high aggressiveness and lifetime.
- ▶ Due to the flat flap surface especially developed for the processing of surfaces, but also suitable for the processing of welding seams and edge grinding.
- ▶ Manufactured and certified according to European standard EN 13743 and oSa guideline.

| Diameter x Bore in mm | Form | Grit | Max. operating speed | Max. RPM | Cat. number. |
|------------------------------|---|-------------|-----------------------------|-----------------|---------------------|
| 115 x 22,23 |  | 36 | 80 m/s | 13,300 rpm | 322789 |
| 115 x 22,23 |  | 40 | 80 m/s | 13,300 rpm | 322790 |
| 115 x 22,23 |  | 60 | 80 m/s | 13,300 rpm | 322792 |
| 115 x 22,23 |  | 80 | 80 m/s | 13,300 rpm | 322793 |
| 115 x 22,23 |  | 120 | 80 m/s | 13,300 rpm | 322794 |
| 125 x 22,23 |  | 36 | 80 m/s | 12,200 rpm | 322795 |
| 125 x 22,23 |  | 40 | 80 m/s | 12,200 rpm | 322796 |
| 125 x 22,23 |  | 60 | 80 m/s | 12,200 rpm | 322798 |
| 125 x 22,23 |  | 60 | 80 m/s | 12,200 rpm | 322799 |
| 125 x 22,23 |  | 120 | 80 m/s | 12,200 rpm | 322800 |
| 180 x 22,23 |  | 36 | 80 m/s | 8,500 rpm | 322802 |
| 180 x 22,23 |  | 40 | 80 m/s | 8,500 rpm | 322803 |
| 180 x 22,23 |  | 60 | 80 m/s | 8,500 rpm | 322805 |
| 180 x 22,23 |  | 80 | 80 m/s | 8,500 rpm | 322806 |

**Klingspor Schleifsysteme
GmbH & Co. KG**

Hüttenstraße 36

35708 Haiger

Deutschland

Fon +49 (0) 2773 922-0

Fax +49 (0) 2773 922-280

Mail verkauf@klingspor.de

www.klingspor.de

