



**METAL
CUTTING**

MORSE[®]
THE M. K. MORSE COMPANY



CTR
CARBIDE TIPPED RECIPROCATING SAWS



CTR CARBIDE TIPPED METAL CUTTING RECIPIS

THE BEST CHOICE FOR THICK METAL CUTTING APPLICATIONS BETWEEN 3/16" AND 1/2". THIS HIGH PERFORMANCE BLADE PROVIDES LONGER CUTTING LIFE OVER TRADITIONAL BI-METAL BLADES.

FEATURES

MORE COST EFFECTIVE

WC GRADE CARBIDE TIPS

PRECISION GROUND CARBIDE TEETH

1" x .050 BLADE

UNIVERSAL TANG

BENEFITS




Outlasts bi-metal reciprocating blades in tough metals.

Long life and superior cutting performance in stainless steel and other tough metals.

Less vibration, Faster cutting, longer life than traditional bi-metal reciprocating blades.

Straighter cuts and less vibration with reduced fatigue for the operator.

Fits all standard reciprocating saws.



Data is based on The M. K. Morse Company internal testing, using the same criteria for each blade used.



METAL STUDS



TUBING/STRUCTURAL



STAINLESS



NON-FERROUS



CARBIDE TIPPED METAL CUTTING RECIPES

TECHNOLOGY MEETS TOUGHNESS

MADE IN U.S.A.



UNIVERSAL TANG

fits all standard reciprocating saws

RIGID BLADE BODY

1" (25.4mm) x .050" (1.3mm) Thick produces superior cutting performance




WC GRADE CARBIDE TIPS
for superior metal cutting

NOSE TIP
for corner cuts

8 TEETH
per inch



WARNING
ADVERTENCIA



STEEL



REBAR



CAST IRON



REINFORCED RUBBER

TARGET CUSTOMERS



PLUMBING CONTRACTORS



ELECTRICAL CONTRACTORS



HVAC CONTRACTORS



FIRE + RESCUE



GENERAL CONTRACTORS



IRON WORKERS



SHEET METAL CONTRACTORS



METAL BLDG. CONTRACTORS



STEEL FRAMING CONTRACTORS



PLANT MAINTENANCE



MECHANICAL CONTRACTORS

TPI	LENGTH	WIDTH	THICKNESS	LENGTH (MM)	WIDTH (MM)	THICKNESS (MM)	MODEL #	PART #
8	4"	1"	0.050"	102	25	1.30	CTR408MC1	405201
8	6"	1"	0.050"	152	25	1.30	CTR608MC1	405218
8	9"	1"	0.050"	229	25	1.30	CTR908MC1	405225



(1) BLADE PER PACKAGE



**CARBIDE TIPPED
METAL CUTTING RECIPS**

MORSE
THE M. K. MORSE COMPANY

PHONE: (330) 453-8187
HOTLINE: (800) 733-3377
FAX: (330) 453-1111
FAX HOTLINE: (800) 729-1112
EMAIL: mkmorse@mkmorse.com

WEBSITES
mkmorse.com
bladewizard.com

MAILING ADDRESS
P. O. BOX 8677
Canton, Ohio 44711 USA

SHIPPING ADDRESS
1101 - 11th Street, S.E.
Canton, Ohio 44707 USA

© 2018 The M. K. Morse Company
CTRCAT 0118

